



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO SHRI SAI RAM FUELS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 182.85 km
Estimated Duration: 3.7 hours
Adjusted Duration (Heavy Vehicle): 4.6 hours
Start: (11.4381, 77.8734)
End: (12.504334, 77.714272)



Welcome to the Journey Risk Management Study

Route Overview

The route from CVQF+23W, Sangagiri, Tamil Nadu, to GP37+PJ9, Gollahalli, Tamil Nadu, covers approximately 182.85 kilometers, mainly using National and State Highways. This journey typically takes about 3.71 hours for heavy vehicles.

Weather Conditions

- **Typical Weather:** The region experiences a tropical climate with hot summers, a monsoon season from June to September, and mild winters.
- **Potential Hazards:** Monsoon rains can lead to slippery roads, reduced visibility, and flooding, particularly in low-lying areas. It's essential to check weather forecasts before travel during the monsoon.

Traffic Patterns

- **Peak Hours:** Morning (8 AM - 10 AM) and evening (5 PM - 8 PM) are generally peak traffic times, with weekdays being the busiest.
- **Congestion-Prone Areas:** Urban areas like Salem may experience heavy traffic, especially during peak hours. Road construction can also cause delays.

Road Quality and Infrastructure

- **Assessment:** National Highways are generally in good condition but be wary of potholes and uneven surfaces, especially after monsoon rains. State Highways may have narrower lanes and less maintenance.
- **Infrastructure:** Be mindful of sharp turns, especially around hilly terrain or when approaching bridges.

Alternative Routes

- **For Emergencies:** Consider using adjacent State Highways or smaller roads connecting to major highways. Keep a real-time navigation app handy to provide detours.

Local Regulations on Hazardous Material Transport

- **Regulations:** Tamil Nadu follows Central Motor Vehicle Rules which dictate the safe transport of hazardous materials. Ensure compliance with labeling, emergency equipment, and driver certification requirements.

Historical Incidents

- **Incidents:** Past incidents involving heavy vehicles in the area often result from overloading, driver fatigue, and slippery road conditions during monsoons. Regular vehicle maintenance checks can mitigate risks.

Environmental Considerations

- **Sensitive Areas:** Be cautious around forested regions and water bodies. Ensure no spillage, especially in areas with biodiversity or near water sources.

Communication Coverage

- **Coverage:** Mobile network coverage is generally good but may weaken in rural or hilly areas. Carry alternative communication devices as a precaution.

Estimated Emergency Response Times

- **Urban Areas:** Approximately 15-30 minutes.
- **Rural Segments:** Potentially 45 minutes to over an hour, depending on proximity to towns with emergency services.

Overall Summary of Risk Assessment

- **Risk Level:** Moderate, primarily due to weather conditions and traffic congestion.
- **Key Concerns:** Monsoon weather hazards, urban traffic congestion, and rural road maintenance.
- **Recommendations:** Stay informed about weather updates, maintain strict adherence to hazardous material transport regulations, and use GPS navigation to avoid congestion and identify alternative routes. Emergency contacts should be readily available. Regular briefing on road conditions and potential hazards will enhance driver preparedness.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Turn	High	11.43968, 77.87345	15 KM/Hr
1	Turn	Medium	11.43995, 77.87431	30 KM/Hr
2	Turn	High	11.44107, 77.87528	15 KM/Hr
3	Turn	High	11.44900, 77.87406	15 KM/Hr
4	Turn	High	11.45028, 77.87202	15 KM/Hr
5	Turn	Medium	11.46400, 77.87323	30 KM/Hr
6	Turn	Medium	11.46765, 77.87037	30 KM/Hr
7	Turn	High	11.47403, 77.86841	15 KM/Hr
8	Turn	Medium	11.47986, 77.88397	30 KM/Hr
9	Turn	High	11.53601, 77.95856	15 KM/Hr
10	Turn	Medium	11.62403, 78.10893	30 KM/Hr
11	Turn	Medium	11.62917, 78.11648	30 KM/Hr
12	Turn	High	11.64180, 78.11808	15 KM/Hr
13	Turn	High	11.64325, 78.11993	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
14	Turn	Medium	11.67865, 78.12803	30 KM/Hr
15	Turn	Medium	11.68201, 78.12639	30 KM/Hr
16	Turn	Medium	11.69519, 78.10775	30 KM/Hr
17	Turn	Medium	11.73958, 78.05105	30 KM/Hr
18	Turn	Medium	11.75835, 78.05016	30 KM/Hr
19	Turn	Medium	11.77934, 78.05765	30 KM/Hr
20	Turn	Medium	11.86847, 78.08367	30 KM/Hr
21	Turn	Medium	11.87942, 78.08197	30 KM/Hr
22	Turn	Medium	11.91177, 78.05854	30 KM/Hr
23	Turn	Medium	11.92585, 78.06507	30 KM/Hr
24	Turn	Medium	11.93319, 78.06419	30 KM/Hr
25	Turn	Medium	11.93557, 78.06103	30 KM/Hr
26	Turn	Medium	11.93704, 78.05402	30 KM/Hr
27	Turn	Medium	11.95664, 78.04781	30 KM/Hr
28	Turn	High	11.95818, 78.04978	15 KM/Hr
29	Turn	Medium	11.96090, 78.04976	30 KM/Hr
30	Turn	High	11.96399, 78.05135	15 KM/Hr
31	Turn	Medium	11.96496, 78.04988	30 KM/Hr
32	Turn	High	11.96675, 78.04939	15 KM/Hr
33	Turn	Medium	12.11983, 78.13276	30 KM/Hr
34	Turn	Medium	12.20409, 78.12245	30 KM/Hr
35	Turn	Medium	12.28178, 78.06839	30 KM/Hr
36	Turn	High	12.37103, 78.05606	15 KM/Hr
37	Turn	Medium	12.37224, 78.04845	30 KM/Hr
38	Turn	Medium	12.39396, 77.99084	30 KM/Hr
39	Turn	Medium	12.39876, 77.98723	30 KM/Hr
40	Turn	Medium	12.40202, 77.98716	30 KM/Hr
41	Turn	Medium	12.40484, 77.98497	30 KM/Hr
42	Turn	High	12.40535, 77.98322	15 KM/Hr
43	Turn	Medium	12.42106, 77.97498	30 KM/Hr
44	Turn	Medium	12.43004, 77.96736	30 KM/Hr
45	Turn	Medium	12.46952, 77.93900	30 KM/Hr
46	Turn	High	12.49032, 77.92061	15 KM/Hr
47	Turn	Medium	12.48946, 77.91693	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
48	Turn	Medium	12.49021, 77.91563	30 KM/Hr
49	Turn	Medium	12.48878, 77.90474	30 KM/Hr
50	Turn	Medium	12.48615, 77.90215	30 KM/Hr
51	Turn	Medium	12.48552, 77.89739	30 KM/Hr
52	Turn	Medium	12.47368, 77.88040	30 KM/Hr
53	Turn	Medium	12.47314, 77.87850	30 KM/Hr
54	Turn	High	12.47117, 77.87692	15 KM/Hr
55	Turn	Medium	12.47174, 77.85533	30 KM/Hr
56	Turn	High	12.47444, 77.85036	15 KM/Hr
57	Turn	Medium	12.47713, 77.84958	30 KM/Hr
58	Turn	Medium	12.47923, 77.84544	30 KM/Hr
59	Turn	High	12.48591, 77.84236	15 KM/Hr
60	Turn	Medium	12.48636, 77.84056	30 KM/Hr
61	Turn	Medium	12.49434, 77.82368	30 KM/Hr
62	Turn	Medium	12.49954, 77.81792	30 KM/Hr
63	Turn	Medium	12.49945, 77.81605	30 KM/Hr
64	Turn	Medium	12.50637, 77.80886	30 KM/Hr
65	Turn	Medium	12.51125, 77.80137	30 KM/Hr
66	Turn	High	12.51369, 77.80081	15 KM/Hr
67	Turn	High	12.51441, 77.79940	15 KM/Hr
68	Turn	High	12.51660, 77.79965	15 KM/Hr
69	Turn	Medium	12.51763, 77.79578	30 KM/Hr
70	Turn	High	12.52213, 77.79114	15 KM/Hr
71	Turn	Medium	12.52424, 77.79116	30 KM/Hr
72	Turn	Medium	12.52609, 77.79006	30 KM/Hr
73	Turn	High	12.52732, 77.78661	15 KM/Hr
74	Turn	Medium	12.52305, 77.78204	30 KM/Hr
75	Turn	Medium	12.52283, 77.77648	30 KM/Hr
76	Turn	Medium	12.51827, 77.74716	30 KM/Hr
77	Blind Spot	Blind Spot	12.50650, 77.71589	10 KM/Hr
78	Turn	Medium	12.50563, 77.71574	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium
5	clinic	Dr. Dhanasekar Clinic	11.4793113, 77.8829247	30 km/h	Medium
6	hospital	Sri Vellaiyan Hospital	11.4798876, 77.8831394	30 km/h	Medium
8	hospital	C. N. Hospital	11.55724, 78.0096	30 km/h	Medium
9	hospital	Vinayaka Mission's Homeopathic Medical College & Hospital	11.583617, 78.059145	30 km/h	Medium
11	hospital	Vinayaka Mission’s Kirupananda Variyar Medical College	11.5977669, 78.0850992	30 km/h	Medium
16	hospital	Bharathi Hospital, Salem	11.6492647, 78.1204131	30 km/h	Medium
17	hospital	Sisu Hospital Inida Ltd	11.6505276, 78.1205003	30 km/h	Medium
18	hospital	Aishwarya Hospital	11.6716291, 78.1267807	30 km/h	Medium
20	hospital	C.M. Hospital	11.6747345, 78.1255034	30 km/h	Medium
21	pharmacy	Healthy Pharmacy	11.6762714, 78.127744	30 km/h	Medium
22	pharmacy	Thulasi Pharmacy	11.6761991, 78.1277377	30 km/h	Medium
23	hospital	Sri Gokulam Speciality Hospital	11.6788724, 78.1274258	30 km/h	Medium
24	hospital	Global Medical Center	11.6867049, 78.1186697	30 km/h	Medium
25	hospital	Manipal Hospital	11.703072, 78.1026612	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
28	clinic	Manimuthu Skin Clinic	11.7521189, 78.0484058	30 km/h	Medium
29	hospital	St. Joseph's Speciality Hospital	11.761611, 78.0522344	30 km/h	Medium
30	hospital	Anugraha Multi Speciality Hospital	11.773549, 78.0546408	30 km/h	Medium
31	hospital	L.R. Hospital	11.8703354, 78.0844554	30 km/h	Medium
32	clinic	JSA Clinic	11.8700619, 78.0844982	30 km/h	Medium
34	hospital	Government Hospital, Thenkanikottai	12.51961, 77.793121	30 km/h	Medium
35	hospital	Govt Hospital	12.5185717, 77.7938205	30 km/h	Medium
36	police	Denkanikottai Police Station	12.5208971, 77.7903372	30 km/h	Medium
37	hospital	Mythri Hospital, Krishnagiri	12.5264111, 77.7897745	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
10	school	Vinayaka Missions Annapoorani Matric School	11.5971662, 78.0839876	30 km/h	Medium
12	university	Vinayaka Missions Vinayaka Missions Research Foundation	11.5974056, 78.0843617	30 km/h	Medium
13	school	Dist Education Training	11.6133799, 78.1022409	30 km/h	Medium
14	school	DIET - Salem	11.6144158, 78.1025078	30 km/h	Medium
15	school	Diamond Rays Matric HR Sec School	11.6385629, 78.1206259	30 km/h	Medium
19	college	Sona College	11.6768, 78.1257052	30 km/h	Medium
26	university	Periyar University	11.7186758, 78.0771089	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
27	school	Fathima Hr Sec School	11.7410508, 78.0479272	30 km/h	Medium
33	college	Laxminarayana Polytechnic College	12.0421277, 78.103203	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44107, 77.87528



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45028, 77.87202



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46400, 77.87323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46765, 77.87037



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47403, 77.86841



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47986, 77.88397



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.53601, 77.95856



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.62403, 78.10893



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.62917, 78.11648



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.64180, 78.11808



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.64325, 78.11993



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.67865, 78.12803



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.68201, 78.12639



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69519, 78.10775



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.73958, 78.05105



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.75835, 78.05016



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.77934, 78.05765



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.86847, 78.08367



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.87942, 78.08197



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91177, 78.05854



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92585, 78.06507



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93319, 78.06419



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93557, 78.06103



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93704, 78.05402



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95664, 78.04781



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95818, 78.04978



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96090, 78.04976



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96399, 78.05135



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96496, 78.04988



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96675, 78.04939



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.11983, 78.13276



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.28178, 78.06839



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.37103, 78.05606



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.37224, 78.04845



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.39396, 77.99084



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.39876, 77.98723



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40202, 77.98716



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40484, 77.98497



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.40535, 77.98322



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.42106, 77.97498



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.43004, 77.96736



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.46952, 77.93900



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.49032, 77.92061



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49021, 77.91563



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48878, 77.90474



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48615, 77.90215



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48552, 77.89739



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47368, 77.88040



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47314, 77.87850



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.47117, 77.87692



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47174, 77.85533



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.47444, 77.85036



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47713, 77.84958



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47923, 77.84544



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.48591, 77.84236



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48636, 77.84056



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49434, 77.82368



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49954, 77.81792



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49945, 77.81605



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50637, 77.80886



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.51125, 77.80137



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.51369, 77.80081



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.51441, 77.79940



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.51660, 77.79965



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.51763, 77.79578



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.52213, 77.79114



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.52424, 77.79116



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.52609, 77.79006



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.52732, 77.78661



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.52305, 77.78204



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.52283, 77.77648



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.51827, 77.74716



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.50650, 77.71589



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.50563, 77.71574

