



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal to SRI POONGAVANATHAMMAN AGENCIES UNIT

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 154.49 km
Estimated Duration: 3.5 hours
Adjusted Duration (Heavy Vehicle): 4.4 hours
Start: (11.4381, 77.8734)
End: (12.488996, 78.379584)



Welcome to the Journey Risk Management Study

Route Analysis Report

1. Overview of the Route Map

The route extends approximately 154.49 kilometers, starting from Sangagiri, Tamil Nadu, and ending in Kappalvadi, Tamil Nadu. It passes through several notable areas, including Ayveli, Koranampatti, and A. Jettihalli, utilizing State Highways (SH 86, SH 17, and SH 60) and major roads such as the Srinagar - Kanyakumari Highway.

2. Typical Weather Conditions and Hazards

- **Typical Weather:** The region generally experiences a tropical climate. Summers (March to June) are hot, while monsoons (July to September) see heavy rainfall. Winter is mild.
- **Weather-Related Hazards:** Monsoon can lead to waterlogging, reduced visibility, and slippery roads. Driving through hilly areas during rain requires extra caution.

3. Traffic Patterns and Peak Hours

- **Traffic Patterns:** Major traffic can be anticipated in the morning (7-9 AM) and late afternoon to evening (4-7 PM).
- **Congestion Prone Areas:** Expect congestion near major town intersections like Sangagiri and Koranampatti. Sections on Srinagar - Kanyakumari Highway may also experience high volumes.

4. Road Quality and Infrastructure

- **Road Quality:** Generally varies with smooth patches on highways but potential potholes or uneven surfaces in smaller towns.
- **Infrastructure:** Well-signposted highways but might lack advanced facilities in rural stretches.

5. Alternative Routes for Emergencies

- If SH 86 is blocked, consider detouring through local roads around Erumaipatti or utilizing NH 44 as a backup route for rejoining the main highway network.

6. Local Regulations on Hazardous Material Transport

- **Speed Restrictions:** Heavy vehicles carrying hazardous materials have specific speed limits—generally lower than ordinary traffic.
- **Permits and Licensing:** Ensure relevant permits are in place. Compliance with Tamil Nadu’s transportation regulations is critical.

7. Historical Incidents with Heavy Vehicles

- There have been occasional accidents involving heavy vehicles, commonly due to overloading or sharp turns on hilly sections. Awareness and defensive driving are advised to mitigate risks.

8. Environmental Considerations and Sensitive Areas

- Areas of ecological sensitivity include stretches near bodies of water and forested sections. Avoid spillage or emissions that could impact these areas.

9. Communication Coverage and Dead Zones

- Most of the route has decent mobile network coverage except for some rural patches and hilly areas where connectivity might drop.

10. Emergency Response Times

- **Urban Sections:** Police, ambulance, and fire services can respond relatively quickly (approx. 15-30 minutes).
- **Rural/Hilly Areas:** Delays up to 45-60 minutes might occur due to challenging terrain.

12. Overall Summary of Risk Assessment

Overall, the route presents a moderate risk for truck drivers carrying hazardous materials. Weather-related challenges during the monsoon and traffic congestion in urban intersections are potential hazards.

However, compliance with local regulations, preparedness for communication dead zones, and adherence to alternative routes can mitigate these risks. Familiarizing drivers with local road quality, timely permit checking, and understanding emergency response limitations are also critical.

Proper planning, cautious driving, and effective communication will enhance safety for drivers and other road users along this route.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	12.13648, 78.16169	15 KM/Hr
1	Roundabout	High	12.14589, 78.17156	15 KM/Hr
2	Turn	High	11.43968, 77.87345	15 KM/Hr
3	Turn	High	11.44029, 77.87544	15 KM/Hr
4	Turn	High	11.44900, 77.87406	15 KM/Hr
5	Turn	High	11.45028, 77.87202	15 KM/Hr
6	Turn	Medium	11.46400, 77.87323	30 KM/Hr
7	Turn	Medium	11.46765, 77.87037	30 KM/Hr
8	Turn	High	11.47403, 77.86841	15 KM/Hr
9	Turn	Medium	11.47986, 77.88397	30 KM/Hr
10	Turn	Medium	11.48363, 77.88780	30 KM/Hr
11	Turn	Medium	11.49108, 77.88784	30 KM/Hr
12	Turn	High	11.49430, 77.88504	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
13	Turn	Medium	11.58279, 77.90658	30 KM/Hr
14	Turn	Medium	11.59143, 77.90623	30 KM/Hr
15	Turn	Medium	11.59285, 77.90728	30 KM/Hr
16	Turn	Medium	11.63832, 77.94818	30 KM/Hr
17	Turn	High	11.64161, 77.95177	15 KM/Hr
18	Turn	Medium	11.64609, 77.95109	30 KM/Hr
19	Turn	High	11.67868, 77.96836	15 KM/Hr
20	Turn	Medium	11.70077, 77.97957	30 KM/Hr
21	Turn	High	11.70223, 77.97860	15 KM/Hr
22	Turn	Medium	11.71259, 77.98929	30 KM/Hr
23	Turn	Medium	11.71402, 77.99586	30 KM/Hr
24	Turn	Medium	11.71918, 78.01127	30 KM/Hr
25	Turn	Medium	11.72782, 78.02307	30 KM/Hr
26	Turn	Medium	11.73776, 78.03580	30 KM/Hr
27	Turn	High	11.73658, 78.03897	15 KM/Hr
28	Turn	Medium	11.74170, 78.04640	30 KM/Hr
29	Turn	Medium	11.74290, 78.04722	30 KM/Hr
30	Turn	Medium	11.77934, 78.05765	30 KM/Hr
31	Turn	Medium	11.86847, 78.08367	30 KM/Hr
32	Turn	Medium	11.87942, 78.08197	30 KM/Hr
33	Turn	Medium	11.91177, 78.05854	30 KM/Hr
34	Turn	Medium	11.92585, 78.06507	30 KM/Hr
35	Turn	Medium	11.93319, 78.06419	30 KM/Hr
36	Turn	Medium	11.93557, 78.06103	30 KM/Hr
37	Turn	Medium	11.93704, 78.05402	30 KM/Hr
38	Turn	Medium	11.95664, 78.04781	30 KM/Hr
39	Turn	High	11.95818, 78.04978	15 KM/Hr
40	Turn	Medium	11.96090, 78.04976	30 KM/Hr
41	Turn	High	11.96399, 78.05135	15 KM/Hr
42	Turn	Medium	11.96496, 78.04988	30 KM/Hr
43	Turn	High	11.96675, 78.04939	15 KM/Hr
44	Turn	Medium	11.96791, 78.05070	30 KM/Hr
45	Turn	Medium	12.09103, 78.11412	30 KM/Hr
46	Turn	High	12.09173, 78.11511	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
47	Turn	High	12.08762, 78.12236	15 KM/Hr
48	Turn	Medium	12.08674, 78.12272	30 KM/Hr
49	Turn	High	12.08464, 78.12765	15 KM/Hr
50	Turn	Medium	12.14447, 78.16490	30 KM/Hr
51	Turn	Medium	12.14483, 78.16556	30 KM/Hr
52	Turn	Medium	12.14707, 78.17538	30 KM/Hr
53	Turn	Medium	12.20796, 78.24762	30 KM/Hr
54	Turn	Medium	12.24478, 78.28123	30 KM/Hr
55	Turn	Medium	12.26608, 78.30360	30 KM/Hr
56	Turn	Medium	12.26786, 78.30431	30 KM/Hr
57	Turn	Medium	12.26958, 78.30708	30 KM/Hr
58	Turn	Medium	12.34340, 78.38518	30 KM/Hr
59	Turn	Medium	12.35074, 78.38809	30 KM/Hr
60	Blind Spot	Blind Spot	12.37538, 78.40978	10 KM/Hr
61	Turn	Medium	12.37675, 78.40634	30 KM/Hr
62	Turn	Medium	12.40876, 78.38741	30 KM/Hr
63	Turn	Medium	12.45390, 78.34997	30 KM/Hr
64	Turn	High	12.45513, 78.34973	15 KM/Hr
65	Turn	Medium	12.45633, 78.35144	30 KM/Hr
66	Turn	High	12.46280, 78.35770	15 KM/Hr
67	Blind Spot	Blind Spot	12.46246, 78.35907	10 KM/Hr
68	Turn	High	12.46536, 78.35961	15 KM/Hr
69	Turn	Medium	12.46560, 78.36040	30 KM/Hr
70	Turn	High	12.46610, 78.36081	15 KM/Hr
71	Turn	High	12.46696, 78.36044	15 KM/Hr
72	Turn	Medium	12.46824, 78.36203	30 KM/Hr
73	Turn	High	12.46894, 78.36806	15 KM/Hr
74	Turn	Medium	12.47370, 78.36993	30 KM/Hr
75	Turn	Medium	12.47708, 78.37599	30 KM/Hr
76	Turn	Medium	12.48777, 78.37850	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium
5	clinic	Dr. Dhanasekar Clinic	11.4793113, 77.8829247	30 km/h	Medium
6	hospital	Sri Vellaiyan Hospital	11.4798876, 77.8831394	30 km/h	Medium
7	hospital	Sri Shanthi Hospital	11.569272, 77.901937	30 km/h	Medium
8	clinic	R.R. Nursing Home	11.7394129, 78.0439861	30 km/h	Medium
9	hospital	Sri Hari Hospital	11.7396726, 78.0440701	30 km/h	Medium
10	hospital	Sugumar Hospital	11.7396031, 78.0426955	30 km/h	Medium
11	hospital	Sri Sugam Hospital	11.7429821, 78.0461039	30 km/h	Medium
12	hospital	Omalur Government Hospital	11.74161, 78.044296	30 km/h	Medium
13	hospital	Saravana Hospital	11.7409303, 78.0458308	30 km/h	Medium
14	hospital	Arun Hospital	11.7429892, 78.0466881	30 km/h	Medium
15	clinic	Saratha Clinic	11.7422818, 78.0458175	30 km/h	Medium
17	clinic	Sri Meenakshi Nursing Home, Salem	11.7449162, 78.0474637	30 km/h	Medium
18	clinic	Divyam Child Care Clinic	11.7447135, 78.0473858	30 km/h	Medium
19	clinic	Momota Clinic	11.744982, 78.047397	30 km/h	Medium
20	clinic	Gomathi Clinic	11.7445293, 78.0470401	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
21	clinic	Shri Ramana Poly Clinic	11.7477122, 78.0479293	30 km/h	Medium
22	hospital	Vinayaka Child Hospital	11.745812, 78.0480225	30 km/h	Medium
23	hospital	Dr. G.R.Thilakam Hospital	11.746097, 78.04769	30 km/h	Medium
24	hospital	Dr. Nagaraj Hospital	11.7464035, 78.0472401	30 km/h	Medium
25	hospital	Thulasi Hospital	11.7461516, 78.0469984	30 km/h	Medium
26	hospital	Amirthalingam Hospital	11.7456708, 78.0470548	30 km/h	Medium
27	hospital	Children Hospital	11.7458377, 78.0480205	30 km/h	Medium
28	hospital	Anugraha Multi Speciality Hospital	11.773549, 78.0546408	30 km/h	Medium
29	hospital	L.R. Hospital	11.8703354, 78.0844554	30 km/h	Medium
30	clinic	JSA Clinic	11.8700619, 78.0844982	30 km/h	Medium
32	clinic	S.K. Clinic	12.0969793, 78.1400279	30 km/h	Medium
33	hospital	Sri Sai Sakthi Siddha Hospital	12.0965297, 78.1396218	30 km/h	Medium
34	clinic	Apollo Homeo Clinic	12.104278, 78.147159	30 km/h	Medium
35	clinic	Homoeopathy & Herbal Clinic	12.1040673, 78.1471714	30 km/h	Medium
36	clinic	Sonushree Clinic	12.1105445, 78.1519637	30 km/h	Medium
37	hospital	Nalam Hospital	12.1099261, 78.1515817	30 km/h	Medium
38	clinic	Almaa Siddha Care Clinic	12.1100673, 78.1512294	30 km/h	Medium
39	hospital	Nagaraj Hospital	12.1106251, 78.1518148	30 km/h	Medium
40	clinic	D N V Polyclinic	12.1130163, 78.1520119	30 km/h	Medium
41	hospital	Thangam, Hospital	12.1191829, 78.1566752	30 km/h	Medium
42	hospital	Dharmapuri Medl College Hospital	12.12341, 78.1576161	30 km/h	Medium
43	hospital	Dnv Ortho Care	12.12005, 78.157093	30 km/h	Medium
44	hospital	Ammakannu Hospital	12.119828, 78.1566101	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
45	hospital	Ssk Hospital	12.1188726, 78.1565367	30 km/h	Medium
46	hospital	Kala Eye Hospital	12.1208845, 78.1582225	30 km/h	Medium
47	hospital	Guru Hospital	12.1229939, 78.1587116	30 km/h	Medium
48	hospital	Dr. Agarwals Eye Hospital , Dharmapuri	12.1252773, 78.1582779	30 km/h	Medium
49	hospital	Nithya Hospital	12.1244251, 78.1587231	30 km/h	Medium
50	hospital	K.V. Hospital - Senthil Kidney Centre	12.1255592, 78.1581934	30 km/h	Medium
51	clinic	Janani Maternity and Child Health Clinic	12.1251513, 78.1582696	30 km/h	Medium
52	clinic	Vinayaga Poly Clinic	12.1255515, 78.15816	30 km/h	Medium
53	hospital	Dharmapuri Cancer Centre	12.1252142, 78.1574084	30 km/h	Medium
54	hospital	Usha Hospital	12.1259805, 78.1586924	30 km/h	Medium
55	clinic	M.K Speciality Clinic	12.1252999, 78.1583306	30 km/h	Medium
56	clinic	Alex Ortho Care	12.125915, 78.1586122	30 km/h	Medium
57	hospital	Sri Ramakrishna Hospital	12.1271589, 78.1582873	30 km/h	Medium
58	hospital	K. J. Hospital	12.1281634, 78.1579522	30 km/h	Medium
59	hospital	Mary Hospital	12.1283666, 78.1601592	30 km/h	Medium
60	clinic	ABC Clinics	12.129608, 78.157027	30 km/h	Medium
61	hospital	Ap Hospital	12.128501, 78.157373	30 km/h	Medium
62	clinic	Vinod Child Care	12.1281934, 78.1578389	30 km/h	Medium
63	hospital	BGR Hospital	12.1308406, 78.1610398	30 km/h	Medium
64	clinic	Ramesh Clinic	12.1272995, 78.1582422	30 km/h	Medium
65	hospital	SSS Hospital	12.1313019, 78.1603435	30 km/h	Medium
66	hospital	Arul Hospital	12.1309667, 78.157854	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
67	hospital	MMM Children & Skin Care Hospital	12.1282265, 78.1576734	30 km/h	Medium
68	clinic	Guru Bone & Joint Care	12.127949, 78.157032	30 km/h	Medium
69	hospital	Samyuktha Hospital	12.1283621, 78.1606407	30 km/h	Medium
70	clinic	Med Health Superspeciality Clinic	12.1312842, 78.1592494	30 km/h	Medium
71	hospital	Supa Hospital	12.1325709, 78.1625215	30 km/h	Medium
72	hospital	K.S. Hospital	12.1324134, 78.1620136	30 km/h	Medium
73	hospital	K. B. Hospital	12.1327051, 78.1612833	30 km/h	Medium
74	clinic	Kamalam Nursing Home	12.1318108, 78.1589049	30 km/h	Medium
75	hospital	P.M.K. Hospital	12.131546, 78.1619069	30 km/h	Medium
76	clinic	Om Sakthi Nursing Home	12.1324, 78.161576	30 km/h	Medium
77	hospital	The Light Eye Hospital	12.1321184, 78.1594	30 km/h	Medium
78	clinic	Bharani Neurologist	12.135969, 78.16255	30 km/h	Medium
79	clinic	Sri Dhaya Clinic	12.1314423, 78.1622991	30 km/h	Medium
80	hospital	Kumudha Hospital	12.1324596, 78.1620599	30 km/h	Medium
81	hospital	Gowri Eye Hospital	12.1327566, 78.1618526	30 km/h	Medium
82	hospital	Mahendran Dental Hospital	12.1328544, 78.1615842	30 km/h	Medium
83	clinic	Maruthi Mind Care	12.1335944, 78.1592428	30 km/h	Medium
84	hospital	Pragadeesh Hospital	12.135284, 78.1591867	30 km/h	Medium
85	hospital	Kamatchi Hospital	12.1350608, 78.1594841	30 km/h	Medium
86	hospital	Navina Hospital	12.1367521, 78.1610296	30 km/h	Medium
87	clinic	Malar Siddha Clinic	12.1350485, 78.159226	30 km/h	Medium
88	hospital	Kamala Nehru Hospital	12.13404, 78.1633476	30 km/h	Medium
89	hospital	D.N.V Hospital	12.1351328, 78.162869	30 km/h	Medium
90	clinic	Ragavendra Physiotherapy Clinic	12.135569, 78.1635247	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
91	clinic	Govindaraj Clinic	12.1344914, 78.1642372	30 km/h	Medium
92	hospital	Sri Priya Hospital	12.135347, 78.164391	30 km/h	Medium
93	hospital	Government Hospital, Pochampalli	12.3322477, 78.365767	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
16	school	Fathima Hr Sec School	11.7410508, 78.0479272	30 km/h	Medium
31	college	Laxminarayana Polytechnic College	12.0421277, 78.103203	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.13648, 78.16169



Risk Type: Roundabout

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.14589, 78.17156



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44029, 77.87544



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45028, 77.87202



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46400, 77.87323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46765, 77.87037



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47403, 77.86841



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47986, 77.88397



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.48363, 77.88780



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49108, 77.88784



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49430, 77.88504



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58279, 77.90658



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59143, 77.90623



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59285, 77.90728



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.63832, 77.94818



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.64161, 77.95177



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64609, 77.95109



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.67868, 77.96836



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.70077, 77.97957



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.70223, 77.97860



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71259, 77.98929



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71402, 77.99586



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71918, 78.01127



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.72782, 78.02307



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.73776, 78.03580



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.73658, 78.03897



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.74170, 78.04640



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.74290, 78.04722



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.77934, 78.05765



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.86847, 78.08367



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.87942, 78.08197



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91177, 78.05854



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92585, 78.06507



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93319, 78.06419



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93557, 78.06103



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93704, 78.05402



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95664, 78.04781



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95818, 78.04978



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96090, 78.04976



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96399, 78.05135



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96496, 78.04988



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96675, 78.04939



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96791, 78.05070



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.09103, 78.11412



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.09173, 78.11511



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.08762, 78.12236



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.08674, 78.12272



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.08464, 78.12765



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.14447, 78.16490



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.14483, 78.16556



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.14707, 78.17538



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.20796, 78.24762



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.24478, 78.28123



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.26608, 78.30360



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.26786, 78.30431



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.26958, 78.30708



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.34340, 78.38518



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.35074, 78.38809



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.37538, 78.40978



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.37675, 78.40634



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40876, 78.38741



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.45390, 78.34997



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.45513, 78.34973



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.45633, 78.35144



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.46280, 78.35770



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.46246, 78.35907



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.46536, 78.35961



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.46560, 78.36040



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.46610, 78.36081



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.46696, 78.36044



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.46824, 78.36203



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.46894, 78.36806



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47370, 78.36993



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47708, 78.37599



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48777, 78.37850

