



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO S.R.K SAKTHI AGENCIES

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations

The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 88.81 km
Estimated Duration: 2.4 hours
Adjusted Duration (Heavy Vehicle): 3.0 hours
Start: (11.4381, 77.8734)
End: (12.035093, 77.815581)



Welcome to the Journey Risk Management Study

1. Overview of the Route Map

The 88.81-kilometer route from CVQF+23W, Sangagiri to 2RP8+26 Moongilmaduvu in Tamil Nadu primarily consists of state highways and regional roads. The journey typically involves navigating through rural areas with a mix of single-lane and double-lane roads, passing agricultural landscapes and small towns.

2. Typical Weather Conditions and Potential Hazards

Tamil Nadu experiences a tropical climate, characterized by high temperatures and humidity. The region undergoes three major seasons: summer (March to June), monsoon (July to December), and winter (January to February). Monsoon rains can result in localized flooding and slippery roads, particularly between July and December, posing hazards for driving. Additionally, fog can be a concern in early mornings during winter months, reducing visibility.

3. Traffic Patterns and Congestion

Traffic is generally lighter on rural roads except in small town centers which may have morning (7-9 AM) and evening (5-7 PM) peaks due to local commutes and market activities. Larger towns or junctions might experience bottlenecks due to local trade and transport activities, especially around weekly market days.

4. Road Quality and Infrastructure

The road quality varies, with some sections well-maintained while others may have potholes and uneven surfaces, especially after the monsoon. Road infrastructure such as signage and lane markings could be insufficient in rural areas. Bridges in the area should be checked for weight ratings to ensure they can support heavy loads.

5. Alternative Routes for Emergencies

A viable alternative route could involve using NH544 to bypass problematic sections, though this may increase the overall travel distance and time. It's advisable to check real-time traffic updates for any issues on the primary route that might necessitate a diversion.

6. Local Regulations for Hazardous Materials Transport

In Tamil Nadu, transporting hazardous materials requires adherence to state-specific regulations, including the necessary permits, vehicle signage, and documentation. Operators are required to follow prescribed routes and time windows, especially avoiding congested areas during peak hours.

7. Historical Incidents

There have been occasional incidents involving heavy vehicles in the region, often related to overloading, brake failure, and single-vehicle rollovers due to maneuvering issues on narrow roads. Awareness of local accident hotspots can contribute to safer journey planning.

8. Environmental Considerations

The route traverses agricultural land and semi-rural areas. Environmental sensitivity is relatively low, but care must be taken to avoid spills that could harm local ecosystems. Proper incident management plans should be in place to deal with any hazardous material spills.

9. Communication Coverage

Mobile network coverage is patchy in rural Tamil Nadu. There are potential dead zones, particularly when passing through agricultural areas devoid of nearby towers. It’s advisable to have communication backup systems in case of network outage.

10. Estimated Emergency Response Times

Emergency services in rural Tamil Nadu may face delays, with response times ranging from 30 minutes to over an hour. The closer proximity to towns such as Salem may offer faster services. However, understanding exact locations of nearby hospitals and emergency facilities on the route is recommended.

11. Overall Summary of Risk Assessment

- **Weather Hazards:** High during monsoon; prepare for slippery roads and flooding.
- **Traffic:** Moderately light with potential congestion in town centers.
- **Road Quality:** Varies; ensure vigilance for poorly marked roads and possible obstacles.
- **Communication:** Possible dead zones; ensure reliable communication equipment is available.
- **Emergency Response:** Expected to be slow in rural sections; plan for emergencies.

Preparation, awareness of local conditions, adherence to regulations, and proactive communication and emergency planning are crucial for safely navigating this route with hazardous materials.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	11.58300, 77.85813	15 KM/Hr
1	Roundabout	High	11.60348, 77.83967	15 KM/Hr
2	Turn	High	11.43968, 77.87345	15 KM/Hr
3	Turn	High	11.44029, 77.87544	15 KM/Hr
4	Turn	High	11.44900, 77.87406	15 KM/Hr
5	Turn	High	11.45028, 77.87202	15 KM/Hr
6	Turn	Medium	11.46400, 77.87323	30 KM/Hr
7	Turn	High	11.47403, 77.86841	15 KM/Hr
8	Turn	Medium	11.47468, 77.86913	30 KM/Hr
9	Turn	Medium	11.47934, 77.87008	30 KM/Hr
10	Turn	Medium	11.48045, 77.87147	30 KM/Hr
11	Turn	High	11.48277, 77.87250	15 KM/Hr
12	Turn	Medium	11.49496, 77.86660	30 KM/Hr
13	Turn	Medium	11.50914, 77.86023	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
14	Turn	Medium	11.52571, 77.85522	30 KM/Hr
15	Turn	Medium	11.52772, 77.85585	30 KM/Hr
16	Turn	Medium	11.55460, 77.85624	30 KM/Hr
17	Turn	Medium	11.55650, 77.85798	30 KM/Hr
18	Turn	Medium	11.56401, 77.85969	30 KM/Hr
19	Turn	High	11.57893, 77.85430	15 KM/Hr
20	Turn	Medium	11.58000, 77.85722	30 KM/Hr
21	Turn	Medium	11.58700, 77.85827	30 KM/Hr
22	Turn	Medium	11.60960, 77.84159	30 KM/Hr
23	Turn	Medium	11.64055, 77.84600	30 KM/Hr
24	Turn	Medium	11.64173, 77.84878	30 KM/Hr
25	Turn	Medium	11.64600, 77.85144	30 KM/Hr
26	Turn	Medium	11.65232, 77.85184	30 KM/Hr
27	Turn	Medium	11.67289, 77.86017	30 KM/Hr
28	Turn	High	11.68488, 77.86889	15 KM/Hr
29	Turn	Medium	11.68458, 77.87219	30 KM/Hr
30	Turn	High	11.68486, 77.87288	15 KM/Hr
31	Turn	High	11.69437, 77.87569	15 KM/Hr
32	Turn	Medium	11.69491, 77.87546	30 KM/Hr
33	Turn	High	11.69551, 77.87442	15 KM/Hr
34	Turn	Medium	11.75989, 77.89002	30 KM/Hr
35	Turn	Medium	11.76018, 77.89078	30 KM/Hr
36	Turn	High	11.75964, 77.89200	15 KM/Hr
37	Turn	High	11.83269, 77.94377	15 KM/Hr
38	Turn	Medium	11.84525, 77.92965	30 KM/Hr
39	Turn	Medium	11.86140, 77.92345	30 KM/Hr
40	Turn	Medium	11.88136, 77.93109	30 KM/Hr
41	Turn	Medium	11.88452, 77.93244	30 KM/Hr
42	Turn	Medium	11.89067, 77.93354	30 KM/Hr
43	Turn	Medium	11.89632, 77.93178	30 KM/Hr
44	Turn	Medium	11.89805, 77.93079	30 KM/Hr
45	Turn	High	11.89875, 77.93076	15 KM/Hr
46	Turn	High	11.89993, 77.93235	15 KM/Hr
47	Turn	Medium	11.90479, 77.92922	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
48	Turn	Medium	11.90518, 77.92695	30 KM/Hr
49	Turn	High	11.90568, 77.92652	15 KM/Hr
50	Turn	Medium	11.90939, 77.92582	30 KM/Hr
51	Turn	Medium	11.91171, 77.92323	30 KM/Hr
52	Turn	Medium	11.91260, 77.92302	30 KM/Hr
53	Turn	Medium	11.91349, 77.92329	30 KM/Hr
54	Turn	High	11.91993, 77.92263	15 KM/Hr
55	Turn	High	11.92101, 77.91980	15 KM/Hr
56	Turn	High	11.92068, 77.91915	15 KM/Hr
57	Turn	Medium	11.92090, 77.91876	30 KM/Hr
58	Turn	Medium	11.92265, 77.91818	30 KM/Hr
59	Turn	High	11.92737, 77.91839	15 KM/Hr
60	Turn	Medium	11.92887, 77.91368	30 KM/Hr
61	Turn	Medium	11.92854, 77.91183	30 KM/Hr
62	Turn	High	11.92626, 77.90946	15 KM/Hr
63	Turn	Medium	11.92646, 77.90695	30 KM/Hr
64	Turn	High	11.92544, 77.90492	15 KM/Hr
65	Turn	High	11.92899, 77.89999	15 KM/Hr
66	Turn	High	11.92840, 77.89932	15 KM/Hr
67	Turn	High	11.92983, 77.89650	15 KM/Hr
68	Turn	High	11.92884, 77.89526	15 KM/Hr
69	Turn	High	11.92941, 77.89373	15 KM/Hr
70	Turn	High	11.92887, 77.89323	15 KM/Hr
71	Turn	Medium	11.92903, 77.88962	30 KM/Hr
72	Turn	High	11.93036, 77.88063	15 KM/Hr
73	Turn	Medium	11.92935, 77.87772	30 KM/Hr
74	Turn	High	11.92980, 77.87682	15 KM/Hr
75	Turn	Medium	11.92934, 77.87614	30 KM/Hr
76	Turn	High	11.92719, 77.87525	15 KM/Hr
77	Turn	High	11.92968, 77.87087	15 KM/Hr
78	Turn	High	11.92899, 77.87024	15 KM/Hr
79	Turn	Medium	11.92935, 77.86924	30 KM/Hr
80	Turn	Medium	11.92901, 77.86835	30 KM/Hr
81	Turn	Medium	11.93007, 77.86476	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
82	Turn	Medium	11.93044, 77.85750	30 KM/Hr
83	Turn	High	11.93296, 77.85234	15 KM/Hr
84	Turn	High	11.94106, 77.84859	15 KM/Hr
85	Turn	High	11.94349, 77.84962	15 KM/Hr
86	Turn	High	11.94394, 77.84836	15 KM/Hr
87	Turn	Medium	11.94454, 77.84812	30 KM/Hr
88	Turn	High	11.94530, 77.84724	15 KM/Hr
89	Turn	Medium	11.94331, 77.84133	30 KM/Hr
90	Turn	Medium	11.94506, 77.83813	30 KM/Hr
91	Turn	Medium	11.94614, 77.83750	30 KM/Hr
92	Turn	Medium	11.94973, 77.83135	30 KM/Hr
93	Turn	Medium	11.95084, 77.83135	30 KM/Hr
94	Turn	Medium	11.95764, 77.82768	30 KM/Hr
95	Turn	Medium	11.95985, 77.82369	30 KM/Hr
96	Turn	Medium	11.96058, 77.82337	30 KM/Hr
97	Turn	Medium	11.96316, 77.82392	30 KM/Hr
98	Turn	Medium	11.97086, 77.81945	30 KM/Hr
99	Turn	Medium	11.98253, 77.82045	30 KM/Hr
100	Turn	Medium	11.98974, 77.82009	30 KM/Hr
101	Turn	Medium	12.00071, 77.81478	30 KM/Hr
102	Turn	Medium	12.00424, 77.80825	30 KM/Hr
103	Turn	High	12.00489, 77.80787	15 KM/Hr
104	Turn	High	12.00644, 77.80125	15 KM/Hr
105	Turn	Medium	12.00666, 77.80131	30 KM/Hr
106	Turn	Medium	12.01058, 77.80156	30 KM/Hr
107	Turn	High	12.01129, 77.80061	15 KM/Hr
108	Turn	Medium	12.01299, 77.80038	30 KM/Hr
109	Turn	Medium	12.03187, 77.81446	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium
7	hospital	Sankari Hospital	11.4777496, 77.873892	30 km/h	Medium
8	hospital	Parusuraman Hospital	11.697164, 77.877792	30 km/h	Medium
9	hospital	JP Nature Cure Hospital Siddha and Naturopathy	11.7002949, 77.8770897	30 km/h	Medium
10	hospital	SSS Hospital	11.7501471, 77.8832809	30 km/h	Medium
11	clinic	DSR Clinic	11.7603176, 77.8908853	30 km/h	Medium
12	hospital	Srilakshmi Hospital	11.7601, 77.892272	30 km/h	Medium
13	hospital	Government Hospital	11.758158, 77.894528	30 km/h	Medium
15	hospital	Vasu Speciality Hospital	11.8331097, 77.943169	30 km/h	Medium
16	hospital	Rajamanickam Hospital	11.8332408, 77.9431081	30 km/h	Medium
17	hospital	Child Hospital	11.833001, 77.943415	30 km/h	Medium
18	hospital	Naveen Nursing Home	11.8335355, 77.9437441	30 km/h	Medium
19	clinic	Sri Krishna Clinic	11.835443, 77.9450587	30 km/h	Medium
20	hospital	Sri Sakthi Hospital	11.835714, 77.9451014	30 km/h	Medium
21	hospital	Rishan Hospital	11.879358, 77.9286133	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
5	school	Goverment Boys Higher Secondary School	11.477659, 77.8659632	30 km/h	Medium
6	marketplace	Sunday Market	11.4796502, 77.8708458	30 km/h	Medium
14	college	Kavery Educational Institutions	11.8255319, 77.9342256	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.58300, 77.85813



Risk Type: Roundabout
Risk Level: High

Speed Limit: 15 KM/Hr
Coordinates: 11.60348, 77.83967



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44029, 77.87544



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45028, 77.87202



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46400, 77.87323



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47403, 77.86841



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47468, 77.86913



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47934, 77.87008



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.48045, 77.87147



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.48277, 77.87250



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49496, 77.86660



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.50914, 77.86023



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.52571, 77.85522



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.52772, 77.85585



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55460, 77.85624



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55650, 77.85798



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56401, 77.85969



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.57893, 77.85430



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58000, 77.85722



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58700, 77.85827



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.60960, 77.84159



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64055, 77.84600



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64173, 77.84878



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64600, 77.85144



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.65232, 77.85184



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.67289, 77.86017



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.68488, 77.86889



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.68458, 77.87219



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.68486, 77.87288



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.69437, 77.87569



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69491, 77.87546



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.69551, 77.87442



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.75989, 77.89002



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.76018, 77.89078



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.75964, 77.89200



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.83269, 77.94377



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.84525, 77.92965



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.86140, 77.92345



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88136, 77.93109



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88452, 77.93244



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89067, 77.93354



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89632, 77.93178



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89805, 77.93079



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89875, 77.93076



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89993, 77.93235



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90479, 77.92922



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90518, 77.92695



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.90568, 77.92652



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90939, 77.92582



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91171, 77.92323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91260, 77.92302



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91349, 77.92329



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.91993, 77.92263



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92101, 77.91980



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92068, 77.91915



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92090, 77.91876



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92265, 77.91818



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92737, 77.91839



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92887, 77.91368



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92854, 77.91183



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92626, 77.90946



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92646, 77.90695



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92544, 77.90492



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92899, 77.89999



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92840, 77.89932



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92983, 77.89650



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92884, 77.89526



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92941, 77.89373



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.92887, 77.89323



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92903, 77.88962



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.93036, 77.88063



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92935, 77.87772



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.92980, 77.87682



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92934, 77.87614



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92719, 77.87525



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92968, 77.87087



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92899, 77.87024



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92935, 77.86924



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92901, 77.86835




Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93007, 77.86476



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93044, 77.85750



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.93296, 77.85234



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.94106, 77.84859



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.94349, 77.84962



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.94394, 77.84836



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94454, 77.84812



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.94530, 77.84724



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94331, 77.84133



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94506, 77.83813



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94614, 77.83750



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94973, 77.83135



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95084, 77.83135



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95764, 77.82768



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95985, 77.82369



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96058, 77.82337



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96316, 77.82392



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.97086, 77.81945



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.98253, 77.82045



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.98974, 77.82009



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.00071, 77.81478



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.00424, 77.80825



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.00489, 77.80787



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.00644, 77.80125



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.00666, 77.80131



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.01058, 77.80156



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.01129, 77.80061



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.01299, 77.80038



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.03187, 77.81446

