



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO UMA MAHESWARI AGENCY

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 120.30 km
Estimated Duration: 3.0 hours
Adjusted Duration (Heavy Vehicle): 3.8 hours
Start: (11.4381, 77.8734)
End: (12.200645, 78.049659)



Welcome to the Journey Risk Management Study

1. Overview of the Route Map

The route begins in Sangagiri, Tamil Nadu (CVQF+23W), and ends in Onnappagoundanahalli, Tamil Nadu (622X+7R7). En route, it passes through notable waypoints such as Padaiveedu, Idappadi Byp, and Mecheri. The total distance covered is approximately 120.30 kilometers, primarily along state highways and connecting roads.

2. Typical Weather Conditions and Potential Weather-Related Hazards

Tamil Nadu generally experiences a tropical climate. The region's monsoon period (October to December) can result in heavy rainfall, leading to potential hazards such as slick roads, flooding, and reduced visibility. Summers (March to June) are hot and dry, which can cause road surface wear. Windy conditions may occur during storms, posing risks to high-profile vehicles like trucks.

3. Traffic Patterns

Traffic tends to be heavier during morning (7:30 AM - 9:30 AM) and evening (5:30 PM - 8:00 PM) hours due to commuter flows. Congestion may be prevalent near urban centers and main road junctions, such as the Salem-Kochi Highway stretch. As the route passes through local town centers and markets, anticipate slow-moving traffic.

4. Assessment of Road Quality and Infrastructure

The road infrastructure is a mix of well-maintained highways and narrower rural roads. Potholes and uneven surfaces may be encountered, especially on lesser-used roads. The state highways are generally in better condition but can suffer from high wear during the monsoon season.

5. Suggestions for Alternative Routes

In emergencies, consider using NH 544, which runs parallel to parts of the prescribed route. This highway is broader and often better maintained, thus offering an alternative path back towards major urban areas.

6. Summary of Local Regulations Affecting Hazardous Material Transport

Transporting hazardous materials in Tamil Nadu requires adherence to regulations including securing proper licenses, using marked and equipped vehicles, and adhering to designated transport times (avoiding peak traffic).

7. Overview of Historical Incidents

There have been occasional incidents involving heavy vehicles, primarily due to high speeds or mechanical failures, but major incidents involving hazardous materials are infrequent. Specific attention should be given to changes in terrain or unexpected barriers.

8. Environmental Considerations and Sensitive Areas

Part of the route traverses agricultural zones and rural communities. Care is needed to avoid spills or other environmental damage. Be aware of protected natural areas or water bodies where contamination from hazardous materials would be disastrous.

9. Analysis of Communication Coverage

Generally, cellular coverage along this route is good due to its proximity to populous areas. Potential dead zones may exist in regions with dense forests or hilly territories; carrying a satellite phone for emergencies is advisable.

10. Estimated Emergency Response Times

Emergency response times can vary from 30 to 60 minutes, depending on proximity to major towns. Larger towns like Salem have better emergency services. Remote sections and nighttime travel may face delayed responses.

12. Overall Summary of Risk Assessment

The route is generally manageable for heavy vehicles, including those carrying hazardous materials, with some caveats regarding weather conditions, road quality, and traffic congestion. Regular route inspections and updates on local conditions are recommended to ensure safety. Pre-trip planning for weather conditions and emergency routes is essential for risk mitigation. Furthermore, strict adherence to regulatory compliance is necessary for minimizing legal and environmental risks.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	11.58303, 77.85827	15 KM/Hr
1	Roundabout	High	11.60348, 77.83967	15 KM/Hr
2	Turn	High	11.43968, 77.87345	15 KM/Hr
3	Turn	High	11.44029, 77.87544	15 KM/Hr
4	Turn	High	11.44898, 77.87410	15 KM/Hr
5	Turn	High	11.45352, 77.85698	15 KM/Hr
6	Turn	Medium	11.45764, 77.85219	30 KM/Hr
7	Turn	High	11.46303, 77.84945	15 KM/Hr
8	Turn	Medium	11.45545, 77.81812	30 KM/Hr
9	Turn	High	11.45584, 77.81695	15 KM/Hr
10	Turn	Medium	11.45656, 77.81709	30 KM/Hr
11	Turn	High	11.49383, 77.88442	15 KM/Hr
12	Turn	High	11.56083, 77.89921	15 KM/Hr
13	Turn	Medium	11.56253, 77.89670	30 KM/Hr
14	Turn	High	11.56459, 77.89593	15 KM/Hr
15	Turn	Medium	11.56584, 77.89147	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
16	Turn	High	11.56641, 77.89130	15 KM/Hr
17	Turn	Medium	11.56697, 77.88934	30 KM/Hr
18	Turn	Medium	11.58709, 77.85824	30 KM/Hr
19	Turn	Medium	11.60960, 77.84159	30 KM/Hr
20	Turn	Medium	11.63031, 77.84081	30 KM/Hr
21	Turn	Medium	11.64055, 77.84600	30 KM/Hr
22	Turn	Medium	11.64173, 77.84878	30 KM/Hr
23	Turn	Medium	11.64600, 77.85144	30 KM/Hr
24	Turn	Medium	11.65232, 77.85184	30 KM/Hr
25	Turn	Medium	11.67289, 77.86017	30 KM/Hr
26	Turn	High	11.68488, 77.86889	15 KM/Hr
27	Turn	Medium	11.68458, 77.87219	30 KM/Hr
28	Turn	High	11.68486, 77.87288	15 KM/Hr
29	Turn	Medium	11.69158, 77.87396	30 KM/Hr
30	Turn	High	11.69437, 77.87569	15 KM/Hr
31	Turn	Medium	11.69491, 77.87546	30 KM/Hr
32	Turn	High	11.69551, 77.87442	15 KM/Hr
33	Turn	Medium	11.75989, 77.89002	30 KM/Hr
34	Turn	Medium	11.76018, 77.89078	30 KM/Hr
35	Turn	High	11.75964, 77.89200	15 KM/Hr
36	Turn	High	11.83267, 77.94391	15 KM/Hr
37	Turn	Medium	11.83274, 77.94356	30 KM/Hr
38	Turn	Medium	11.84520, 77.92969	30 KM/Hr
39	Turn	Medium	11.86099, 77.92334	30 KM/Hr
40	Turn	Medium	11.89053, 77.93351	30 KM/Hr
41	Turn	High	11.89872, 77.93074	15 KM/Hr
42	Turn	High	11.89987, 77.93232	15 KM/Hr
43	Turn	Medium	11.90134, 77.93214	30 KM/Hr
44	Turn	Medium	11.90470, 77.92945	30 KM/Hr
45	Turn	High	11.90513, 77.92707	15 KM/Hr
46	Turn	Medium	11.91165, 77.92329	30 KM/Hr
47	Turn	Medium	11.91251, 77.92300	30 KM/Hr
48	Turn	Medium	11.91341, 77.92334	30 KM/Hr
49	Turn	Medium	11.92602, 77.92370	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
50	Blind Spot	Blind Spot	11.92971, 77.92664	10 KM/Hr
51	Turn	High	11.93013, 77.92594	15 KM/Hr
52	Turn	Medium	11.93789, 77.92817	30 KM/Hr
53	Turn	Medium	11.94086, 77.92959	30 KM/Hr
54	Turn	Medium	11.94316, 77.92955	30 KM/Hr
55	Turn	Medium	11.94465, 77.93053	30 KM/Hr
56	Turn	Medium	11.94642, 77.93056	30 KM/Hr
57	Turn	High	11.95081, 77.93457	15 KM/Hr
58	Turn	Medium	11.95237, 77.93428	30 KM/Hr
59	Blind Spot	Blind Spot	11.95436, 77.93486	10 KM/Hr
60	Turn	High	11.95420, 77.93540	15 KM/Hr
61	Blind Spot	Blind Spot	11.95359, 77.93529	10 KM/Hr
62	Turn	Medium	11.96357, 77.93894	30 KM/Hr
63	Turn	Medium	11.97803, 77.95201	30 KM/Hr
64	Turn	Medium	11.98678, 77.95331	30 KM/Hr
65	Turn	Medium	11.99160, 77.95962	30 KM/Hr
66	Turn	Medium	12.01203, 77.96519	30 KM/Hr
67	Turn	Medium	12.01617, 77.96114	30 KM/Hr
68	Turn	Medium	12.01743, 77.95574	30 KM/Hr
69	Turn	High	12.01703, 77.95292	15 KM/Hr
70	Turn	Medium	12.01811, 77.95217	30 KM/Hr
71	Turn	Medium	12.01882, 77.95003	30 KM/Hr
72	Turn	High	12.02428, 77.94672	15 KM/Hr
73	Blind Spot	Blind Spot	12.02418, 77.94596	10 KM/Hr
74	Turn	High	12.02534, 77.94751	15 KM/Hr
75	Turn	High	12.02678, 77.94747	15 KM/Hr
76	Turn	Medium	12.02769, 77.94896	30 KM/Hr
77	Turn	Medium	12.02781, 77.95024	30 KM/Hr
78	Blind Spot	Blind Spot	12.02945, 77.95303	10 KM/Hr
79	Turn	Medium	12.02990, 77.95202	30 KM/Hr
80	Turn	High	12.02957, 77.94926	15 KM/Hr
81	Turn	Medium	12.03057, 77.94839	30 KM/Hr
82	Turn	Medium	12.03122, 77.94664	30 KM/Hr
83	Turn	High	12.03052, 77.94478	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
84	Turn	High	12.03182, 77.94407	15 KM/Hr
85	Turn	Medium	12.03223, 77.94086	30 KM/Hr
86	Turn	Medium	12.03289, 77.94006	30 KM/Hr
87	Turn	Medium	12.03290, 77.93836	30 KM/Hr
88	Turn	High	12.03569, 77.93479	15 KM/Hr
89	Turn	High	12.03951, 77.93578	15 KM/Hr
90	Turn	High	12.04076, 77.93366	15 KM/Hr
91	Turn	Medium	12.04960, 77.93653	30 KM/Hr
92	Blind Spot	Blind Spot	12.07282, 77.93536	10 KM/Hr
93	Turn	Medium	12.07319, 77.93669	30 KM/Hr
94	Turn	Medium	12.07579, 77.93824	30 KM/Hr
95	Turn	High	12.07832, 77.94414	15 KM/Hr
96	Turn	High	12.08315, 77.94765	15 KM/Hr
97	Turn	Medium	12.08332, 77.94854	30 KM/Hr
98	Turn	High	12.08292, 77.95010	15 KM/Hr
99	Turn	High	12.10561, 77.96239	15 KM/Hr
100	Turn	High	12.10577, 77.96392	15 KM/Hr
101	Turn	High	12.12120, 77.97394	15 KM/Hr
102	Turn	Medium	12.12288, 77.97185	30 KM/Hr
103	Turn	High	12.12426, 77.97131	15 KM/Hr
104	Turn	High	12.12655, 77.97246	15 KM/Hr
105	Turn	Medium	12.12746, 77.97184	30 KM/Hr
106	Turn	High	12.13383, 77.97377	15 KM/Hr
107	Turn	Medium	12.13452, 77.97594	30 KM/Hr
108	Turn	Medium	12.13691, 77.97728	30 KM/Hr
109	Turn	Medium	12.14026, 77.97752	30 KM/Hr
110	Turn	Medium	12.14403, 77.98043	30 KM/Hr
111	Turn	Medium	12.14782, 77.99030	30 KM/Hr
112	Turn	High	12.14791, 77.99208	15 KM/Hr
113	Turn	Medium	12.17391, 78.02858	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
1	hospital	Parusuraman Hospital	11.697164, 77.877792	30 km/h	Medium
2	hospital	JP Nature Cure Hospital Siddha and Naturopathy	11.7002949, 77.8770897	30 km/h	Medium
3	hospital	SSS Hospital	11.7501471, 77.8832809	30 km/h	Medium
4	clinic	DSR Clinic	11.7603176, 77.8908853	30 km/h	Medium
5	hospital	Srilakshmi Hospital	11.7601, 77.892272	30 km/h	Medium
6	hospital	Government Hospital	11.758158, 77.894528	30 km/h	Medium
8	hospital	Vasu Speciality Hospital	11.8331097, 77.943169	30 km/h	Medium
9	hospital	Rajamanickam Hospital	11.8332408, 77.9431081	30 km/h	Medium
10	hospital	Child Hospital	11.833001, 77.943415	30 km/h	Medium
11	hospital	Naveen Nursing Home	11.8335355, 77.9437441	30 km/h	Medium
12	hospital	Sri Sakthi Hospital	11.835714, 77.9451014	30 km/h	Medium
13	clinic	Sri Krishna Clinic	11.835443, 77.9450587	30 km/h	Medium
14	hospital	Rishan Hospital	11.879358, 77.9286133	30 km/h	Medium
15	hospital	Government Hospital Kadaimadai	12.05434, 77.936888	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
0	school	KRP Matric. Hr. Sec School	11.4546193, 77.8142445	30 km/h	Medium
7	college	Kavery Educational Institutions	11.8255319, 77.9342256	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.58303, 77.85827



Risk Type: Roundabout

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.60348, 77.83967



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44029, 77.87544



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44898, 77.87410



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45352, 77.85698



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45764, 77.85219



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.46303, 77.84945



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45545, 77.81812



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.45584, 77.81695



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45656, 77.81709



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49383, 77.88442



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.56083, 77.89921



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.56253, 77.89670



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.56459, 77.89593



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56584, 77.89147



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.56641, 77.89130



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56697, 77.88934



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.58709, 77.85824



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.60960, 77.84159



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.63031, 77.84081



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64055, 77.84600



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64173, 77.84878

Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.67289, 77.86017



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.68488, 77.86889



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.68458, 77.87219



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.68486, 77.87288



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.69158, 77.87396



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.69437, 77.87569



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.69491, 77.87546



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.69551, 77.87442



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.75989, 77.89002



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.76018, 77.89078



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.75964, 77.89200



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.83267, 77.94391



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.83274, 77.94356



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.84520, 77.92969



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.86099, 77.92334



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89053, 77.93351



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89872, 77.93074



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89987, 77.93232



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.90134, 77.93214



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.90470, 77.92945



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.90513, 77.92707



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91165, 77.92329



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91251, 77.92300



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.91341, 77.92334



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92602, 77.92370



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.92971, 77.92664



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.93013, 77.92594



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93789, 77.92817



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94086, 77.92959



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94316, 77.92955



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94465, 77.93053



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94642, 77.93056



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95081, 77.93457



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.95237, 77.93428



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 11.95436, 77.93486



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95420, 77.93540



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.95359, 77.93529



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96357, 77.93894



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.97803, 77.95201



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr


Coordinates: 11.98678, 77.95331



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.99160, 77.95962



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01203, 77.96519



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01617, 77.96114



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.01743, 77.95574



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.01703, 77.95292



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01811, 77.95217



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01882, 77.95003



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02428, 77.94672



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 12.02418, 77.94596



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.02534, 77.94751



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02678, 77.94747



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02769, 77.94896



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.02945, 77.95303



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.02990, 77.95202



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.02957, 77.94926



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03057, 77.94839



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03122, 77.94664



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03052, 77.94478



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.03182, 77.94407



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.03223, 77.94086



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03289, 77.94006



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03290, 77.93836



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03569, 77.93479



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.03951, 77.93578



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.04076, 77.93366



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.04960, 77.93653



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 12.07282, 77.93536



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.07319, 77.93669



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.07579, 77.93824



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.07832, 77.94414



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.08315, 77.94765



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.08332, 77.94854



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.08292, 77.95010



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.10561, 77.96239



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr


Coordinates: 12.10577, 77.96392



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.12120, 77.97394



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12288, 77.97185



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.12426, 77.97131



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.12655, 77.97246



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.12746, 77.97184



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.17391, 78.02858
