



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO CLASSIC AGENCIESS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations

The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 102.86 km
Estimated Duration: 2.4 hours
Adjusted Duration (Heavy Vehicle): 3.0 hours
Start: (11.4381, 77.8734)
End: (10.875203, 77.38874)



Welcome to the Journey Risk Management Study

1. Overview of the Route Map

The route from Sangagiri, Tamil Nadu to Meddukatai, Tamil Nadu spans approximately 102.86 kilometers and typically requires about 2.37 hours for heavy vehicles transporting hazardous materials. The path primarily follows National Highways and state roads, passing through rural landscapes and small urban

areas. Key towns along the route may include Erode and Perundurai, which serve as potential rest stops or refueling stations.

2. Typical Weather Conditions and Potential Weather-Related Hazards

Tamil Nadu generally experiences a tropical climate. The route is likely to encounter:

- **Summer (March to June):** High temperatures with the potential for severe heat. Ensure vehicle cooling systems and driver hydration are prioritized.
- **Monsoon (July to September):** Heavy rain can lead to waterlogging and reduced visibility. These conditions increase the risk of hydroplaning and wider accident incidence on roads.
- **Winter (November to February):** Mild conditions with occasional fog in rural areas during early morning and late-night hours, possibly affecting visibility.

3. Analysis of Traffic Patterns

- **Peak Hours:** Morning (8:00 AM - 10:00 AM) and evening (5:00 PM - 8:00 PM) are typically peak hours due to local commuting.
- **Congestion-Prone Areas:** Erode and Perundurai can experience congestion due to market activities and local traffic. Be cautious near educational institutions and town centers.

4. Assessment of Road Quality and Infrastructure

The National Highways are typically in better condition with paved surfaces and markings. However, secondary roads may have potholes, uneven sections, and less maintenance. The infrastructure may vary, with some bridges and crossings requiring extra caution due to limited load capacity or poor surface conditions.

5. Suggestions for Alternative Routes

In cases of roadblocks or emergencies, consider using rural road networks connecting to NH544 or NH948 for a detour. Local routes may offer alternative paths but require awareness of road conditions and suitability for heavy vehicles.

6. Summary of Local Regulations Affecting Hazardous Material Transport

Transport of hazardous materials is governed by strict guidelines under the Motor Vehicles Act in India, including restrictions on times of day for transport, permissible load limits, and emergency equipment requirements. Regular checking of documentation and compliance is mandatory.

7. Overview of Historical Incidents

While specific historical incident data is scarce, common issues involve overturns, collisions due to dense traffic, and weather-related road departure incidents. Vigilance is crucial in congestion-prone and poor

visibility areas.

8. Environmental Considerations and Sensitive Areas

Passing through agricultural and semi-rural regions, avoid spillage risks near water bodies and farmland. Adhere to environmental safety protocols and be mindful of noise pollution near residential or wildlife areas.

9. Analysis of Communication Coverage

The major sections of the route generally have good cellular coverage. However, rural areas and certain stretches may experience sporadic dead zones. Carry alternative communication means, like satellite phones or offline GPS maps.

10. Estimated Emergency Response Times

- Urban Areas (Erode, Perundurai):** 15–30 minutes due to proximity to hospitals and fire stations.
- Rural Areas:** May experience delays up to 45-60 minutes; ensure availability of first aid and firefighting equipment on board.

12. Overall Summary of Risk Assessment

The route poses moderate risks due to traffic congestion, variable road quality, and potential weather conditions, especially during monsoon. Ensure vehicle compliance, driver awareness training, and robust emergency preparedness measures. Continuous monitoring through updated traffic and weather apps is recommended for a safer journey.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	11.38395, 77.89480	15 KM/Hr
1	Roundabout	High	11.00172, 77.56268	15 KM/Hr
2	Turn	High	11.43968, 77.87345	15 KM/Hr
3	Turn	High	11.44022, 77.87546	15 KM/Hr
4	Turn	Medium	11.39976, 77.88382	30 KM/Hr
5	Turn	Medium	11.39690, 77.88852	30 KM/Hr
6	Turn	High	11.36616, 77.88885	15 KM/Hr
7	Turn	Medium	11.34067, 77.86347	30 KM/Hr
8	Turn	High	11.33854, 77.86216	15 KM/Hr
9	Turn	Medium	11.33778, 77.86236	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
10	Turn	Medium	11.30952, 77.77587	30 KM/Hr
11	Turn	Medium	11.30973, 77.76712	30 KM/Hr
12	Turn	High	11.29490, 77.74685	15 KM/Hr
13	Turn	High	11.29125, 77.74646	15 KM/Hr
14	Turn	Medium	11.28844, 77.74319	30 KM/Hr
15	Turn	Medium	11.28573, 77.74281	30 KM/Hr
16	Turn	High	11.27319, 77.72981	15 KM/Hr
17	Blind Spot	Blind Spot	11.27330, 77.72715	10 KM/Hr
18	Turn	Medium	11.23054, 77.71796	30 KM/Hr
19	Turn	Medium	11.20776, 77.70916	30 KM/Hr
20	Turn	Medium	11.15942, 77.70068	30 KM/Hr
21	Turn	Medium	11.12102, 77.67919	30 KM/Hr
22	Turn	Medium	11.11932, 77.67786	30 KM/Hr
23	Turn	Medium	11.11710, 77.67175	30 KM/Hr
24	Turn	Medium	11.10436, 77.67044	30 KM/Hr
25	Turn	Medium	11.09491, 77.66603	30 KM/Hr
26	Turn	Medium	11.08696, 77.66407	30 KM/Hr
27	Turn	Medium	11.08296, 77.65857	30 KM/Hr
28	Turn	Medium	11.06183, 77.63924	30 KM/Hr
29	Turn	High	11.00826, 77.56962	15 KM/Hr
30	Blind Spot	Blind Spot	11.00058, 77.56882	10 KM/Hr
31	Turn	High	10.94722, 77.54709	15 KM/Hr
32	Turn	Medium	10.93895, 77.53976	30 KM/Hr
33	Turn	Medium	10.93054, 77.53265	30 KM/Hr
34	Turn	Medium	10.89213, 77.52646	30 KM/Hr
35	Turn	High	10.87916, 77.52773	15 KM/Hr
36	Turn	Medium	10.88260, 77.48881	30 KM/Hr
37	Turn	High	10.88221, 77.48831	15 KM/Hr
38	Turn	High	10.87783, 77.48740	15 KM/Hr
39	Turn	Medium	10.85424, 77.44993	30 KM/Hr
40	Turn	Medium	10.85359, 77.44977	30 KM/Hr
41	Turn	Medium	10.85164, 77.44708	30 KM/Hr
42	Blind Spot	Blind Spot	10.84969, 77.44694	10 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Tiruchengode, Goverment Hospital	11.3903328, 77.8920627	30 km/h	Medium
1	hospital	SPM Medical Centre,Tiruchengode	11.3881331, 77.8931963	30 km/h	Medium
5	clinic	Kongu Nursing Home	11.3783065, 77.8961134	30 km/h	Medium
6	hospital	T.C.A Hospital Tiruchengode	11.3791885, 77.8965774	30 km/h	Medium
7	hospital	Soorya Multispecialty Hospital	11.3786429, 77.8931912	30 km/h	Medium
8	hospital	Tiruchengode Government Hospital	11.37645, 77.89426	30 km/h	Medium
9	hospital	Tirukumaran Hospitals	11.3782118, 77.8914933	30 km/h	Medium
10	hospital	Krishna Hospital, Namakkal	11.3754811, 77.8931817	30 km/h	Medium
13	hospital	Government Hospital	11.2343326, 77.719226	30 km/h	Medium
16	police	Kangeyam Police Station	11.0011411, 77.562688	30 km/h	Medium
17	hospital	J K Hospital	11.0042298, 77.5603345	30 km/h	Medium
19	hospital	Government Hospital, Thayampalayam	10.88012, 77.487323	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
2	school	அரசு ஆண்கள் மேல்நிலைப் பள்ளி	11.3850439, 77.8948279	30 km/h	Medium
3	school	அரசு பெண்கள் மேல்நிலைப் பள்ளி	11.3844247, 77.8949053	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
4	marketplace	திருச்செங்கோடு தினசரி காய்கறி சந்தை	11.3833608, 77.8970145	30 km/h	Medium
11	school	KSR Educational institution	11.3772013, 77.8908807	30 km/h	Medium
12	school	MDV School	11.3719843, 77.8915244	30 km/h	Medium
14	college	Government Arts and Science College, Kangeyam	11.0626738, 77.636227	30 km/h	Medium
15	school	Carmel Girls Higher Secondary School	11.0009019, 77.5710182	30 km/h	Medium
18	school	Global Matriculation Higher Secondary School	10.965994, 77.5591898	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.38395, 77.89480



Risk Type: Roundabout

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.00172, 77.56268



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44022, 77.87546



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.39976, 77.88382



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.39690, 77.88852



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.36616, 77.88885



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.34067, 77.86347



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.33854, 77.86216



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.33778, 77.86236



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.30952, 77.77587



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.30973, 77.76712



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.29490, 77.74685



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.29125, 77.74646



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.28844, 77.74319



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.28573, 77.74281



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.27319, 77.72981



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.27330, 77.72715



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.23054, 77.71796



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.20776, 77.70916



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.15942, 77.70068



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.12102, 77.67919



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.11932, 77.67786



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.11710, 77.67175



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.10436, 77.67044



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.09491, 77.66603



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.08696, 77.66407



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.08296, 77.65857



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.06183, 77.63924



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.00826, 77.56962



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.00058, 77.56882



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 10.94722, 77.54709



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 10.93895, 77.53976



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 10.93054, 77.53265



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 10.89213, 77.52646



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 10.87916, 77.52773



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 10.88260, 77.48881



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 10.88221, 77.48831



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 10.87783, 77.48740



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 10.85164, 77.44708



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 10.84969, 77.44694