



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal to Sree Lakshmi Agencies

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation

The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.


Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 193.84 km
Estimated Duration: 3.9 hours
Adjusted Duration (Heavy Vehicle): 4.9 hours

Start: (11.4381, 77.8734)
End: (12.808419, 77.964082)



Welcome to the Journey Risk Management Study

1. Overview of the Route Map

The route spans from Sangagiri to Berigai and covers several key areas: Devannagoundanur, Ayveli, Salem, and Omalur, among others. The journey is approximately 193.84 kilometers and traverses various state highways and regional roads, offering a mix of rural and urban landscapes.

2. Typical Weather Conditions and Potential Weather-Related Hazards

Tamil Nadu generally experiences a tropical climate. Key weather considerations include:

- **Summer (March to June):** High temperatures can lead to road heat stress, affecting vehicle performance.
- **Monsoon (July to November):** Heavy rainfall might lead to slippery roads, waterlogging, and potential landslides, particularly in hilly sections near Salem and Omalur.
- **Winter (December to February):** Mild and less concerning, though morning fog can reduce visibility.

3. Analysis of Traffic Patterns

- **Sangagiri to Devannagoundanur & Ayveli:** Less congested but be cautious of farm vehicles and pedestrians.
- **Salem:** High congestion, especially during morning and evening peak hours (8-10 AM and 5-8 PM). Key traffic hotspots include the city center and near major intersections.
- **Omalur to Berigai:** Moderate traffic, with increased congestion during local market days or festivals.

4. Assessment of Road Quality and Infrastructure

- **Sangagiri to Ayveli:** Generally decent roads with occasional potholes.
- **Salem:** Good roads but can be narrow due to urban settings, increasing the risk of accidents.
- **Omalur to Berigai:** Varies, with some sections being well-paved but others needing repair.

5. Suggestions for Alternative Routes for Emergencies

- **From Salem:** Consider using NH 44 for quicker access north if available.
- **From Omalur:** Consider using the Bangalore-Salem Highway for faster response routes.

6. Local Regulations Affecting Hazardous Material Transport

Transporting hazardous materials in Tamil Nadu requires adherence to strict guidelines, including:

- Mandatory permits.
- Compliance with time restrictions, typically banning transit during peak urban hours to minimize accidents.
- Notification to local authorities when carrying certain hazardous classes.

7. Historical Incidents Involving Heavy Vehicles or Hazardous Materials

Incidents are relatively rare but have occurred due to:

- Poor road conditions—especially post-heavy rains affecting stability.
- Increased accidents in Salem due to heavy traffic and insufficient road infrastructure for large vehicles.

8. Environmental Considerations and Sensitive Areas

- **Protected Areas:** There might be wildlife corridors near forested sections.
- **Agricultural Zones:** Be cautious of pesticides and farm animals.

9. Analysis of Communication Coverage

- Generally good mobile network coverage in urban centers like Salem.
- Potential dead zones in rural stretches, especially between Ayveli and Omalur.

10. Estimated Emergency Response Times

- **Urban Areas (Salem):** 15-30 minutes.
- **Rural Areas:** 30-60 minutes, possibly longer in remote sections.

11. An Overall Summary of Risk Assessment

The route between Sangagiri and Berigai presents moderate risks primarily influenced by:

- Heavy traffic and potential congestion in urban Salem.
- Weather impacts during monsoon months.
- Road quality issues in certain stretches which need regular updates.

- Adequate communication coverage supports monitoring and response times, though rural areas might be challenging.

Emergency preparedness and alternative routes are advisable, particularly in handling hazardous materials. Following local regulations and real-time traffic updates will be beneficial for safe and efficient transit.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Turn	High	11.43968, 77.87345	15 KM/Hr
1	Turn	Medium	11.43995, 77.87431	30 KM/Hr
2	Turn	High	11.44107, 77.87528	15 KM/Hr
3	Turn	High	11.44900, 77.87406	15 KM/Hr
4	Turn	High	11.45028, 77.87202	15 KM/Hr
5	Turn	Medium	11.46400, 77.87323	30 KM/Hr
6	Turn	Medium	11.46765, 77.87037	30 KM/Hr
7	Turn	High	11.47403, 77.86841	15 KM/Hr
8	Turn	High	11.48277, 77.87250	15 KM/Hr
9	Turn	High	11.49288, 77.86815	15 KM/Hr
10	Blind Spot	Blind Spot	11.49009, 77.85114	10 KM/Hr
11	Turn	High	11.49383, 77.88442	15 KM/Hr
12	Turn	Medium	11.49435, 77.88499	30 KM/Hr
13	Turn	Medium	11.55536, 77.89740	30 KM/Hr
14	Turn	Medium	11.56559, 77.90634	30 KM/Hr
15	Turn	Medium	11.57613, 77.90844	30 KM/Hr
16	Turn	High	11.58281, 77.90796	15 KM/Hr
17	Turn	High	11.58320, 77.90646	15 KM/Hr
18	Turn	Medium	11.59093, 77.90595	30 KM/Hr
19	Turn	Medium	11.59261, 77.90697	30 KM/Hr
20	Turn	Medium	11.63768, 77.94809	30 KM/Hr
21	Turn	Medium	11.64121, 77.95138	30 KM/Hr
22	Turn	Medium	11.64323, 77.95184	30 KM/Hr
23	Turn	Medium	11.64587, 77.95108	30 KM/Hr
24	Turn	Medium	11.67896, 77.96882	30 KM/Hr
25	Turn	Medium	11.70049, 77.97964	30 KM/Hr
26	Turn	High	11.70179, 77.97900	15 KM/Hr
27	Turn	Medium	11.71739, 78.00032	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
28	Turn	Medium	11.71984, 78.01216	30 KM/Hr
29	Turn	High	11.73786, 78.03505	15 KM/Hr
30	Turn	High	11.73654, 78.03889	15 KM/Hr
31	Turn	High	11.74257, 78.04708	15 KM/Hr
32	Turn	Medium	11.86695, 78.08296	30 KM/Hr
33	Turn	Medium	11.91266, 78.05852	30 KM/Hr
34	Turn	Medium	11.93365, 78.06387	30 KM/Hr
35	Turn	Medium	11.93746, 78.05331	30 KM/Hr
36	Turn	Medium	11.95531, 78.04698	30 KM/Hr
37	Turn	High	11.95854, 78.04990	15 KM/Hr
38	Turn	High	11.96015, 78.04945	15 KM/Hr
39	Turn	Medium	11.96266, 78.05115	30 KM/Hr
40	Turn	High	11.96433, 78.05113	15 KM/Hr
41	Turn	High	11.96542, 78.04938	15 KM/Hr
42	Turn	Medium	12.22515, 78.19158	30 KM/Hr
43	Turn	Medium	12.22995, 78.19466	30 KM/Hr
44	Turn	Medium	12.24547, 78.19501	30 KM/Hr
45	Turn	Medium	12.25120, 78.20010	30 KM/Hr
46	Turn	Medium	12.25442, 78.20015	30 KM/Hr
47	Turn	Medium	12.29194, 78.19961	30 KM/Hr
48	Turn	Medium	12.29972, 78.20691	30 KM/Hr
49	Turn	Medium	12.32012, 78.20734	30 KM/Hr
50	Turn	Medium	12.39952, 78.21763	30 KM/Hr
51	Turn	Medium	12.40661, 78.22318	30 KM/Hr
52	Turn	Medium	12.42548, 78.22666	30 KM/Hr
53	Turn	Medium	12.50287, 78.22350	30 KM/Hr
54	Turn	Medium	12.50662, 78.22272	30 KM/Hr
55	Turn	Medium	12.54385, 78.20148	30 KM/Hr
56	Turn	Medium	12.59794, 78.13515	30 KM/Hr
57	Turn	Medium	12.61856, 78.08333	30 KM/Hr
58	Turn	Medium	12.63678, 78.07088	30 KM/Hr
59	Turn	Medium	12.66086, 78.01597	30 KM/Hr
60	Turn	Medium	12.66319, 78.01538	30 KM/Hr
61	Turn	Medium	12.66889, 78.01676	30 KM/Hr
62	Turn	Medium	12.67505, 78.01365	30 KM/Hr
63	Turn	High	12.67535, 78.01215	15 KM/Hr
64	Turn	Medium	12.70009, 78.00541	30 KM/Hr
65	Turn	Medium	12.70231, 78.00220	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
66	Turn	Medium	12.70514, 78.00070	30 KM/Hr
67	Turn	Medium	12.70976, 78.00053	30 KM/Hr
68	Turn	Medium	12.71064, 77.99963	30 KM/Hr
69	Turn	High	12.71397, 77.99926	15 KM/Hr
70	Turn	Medium	12.71850, 77.99528	30 KM/Hr
71	Turn	Medium	12.72430, 77.98734	30 KM/Hr
72	Turn	Medium	12.75088, 77.97568	30 KM/Hr
73	Turn	Medium	12.75663, 77.97628	30 KM/Hr
74	Turn	High	12.77531, 77.97471	15 KM/Hr
75	Turn	Medium	12.77770, 77.97775	30 KM/Hr
76	Turn	Medium	12.79515, 77.97677	30 KM/Hr
77	Turn	Medium	12.80534, 77.97342	30 KM/Hr
78	Turn	Medium	12.80603, 77.97278	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium
7	hospital	Omalur Government Hospital	11.74161, 78.044296	30 km/h	Medium
8	clinic	R.R. Nursing Home	11.7394129, 78.0439861	30 km/h	Medium
9	hospital	Sri Hari Hospital	11.7396726, 78.0440701	30 km/h	Medium
10	hospital	Saravana Hospital	11.7409303, 78.0458308	30 km/h	Medium
11	hospital	Sugumar Hospital	11.7396031, 78.0426955	30 km/h	Medium
12	clinic	Saratha Clinic	11.7422818, 78.0458175	30 km/h	Medium
13	hospital	Sri Sugam Hospital	11.7429821, 78.0461039	30 km/h	Medium
14	clinic	Sri Meenakshi Nursing Home, Salem	11.7449162, 78.0474637	30 km/h	Medium
15	hospital	Arun Hospital	11.7429892, 78.0466881	30 km/h	Medium
16	clinic	Divyam Child Care Clinic	11.7447135, 78.0473858	30 km/h	Medium
17	clinic	Momota Clinic	11.744982, 78.047397	30 km/h	Medium
18	clinic	Gomathi Clinic	11.7445293, 78.0470401	30 km/h	Medium
20	hospital	Vinayaka Child Hospital	11.745812, 78.0480225	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
21	hospital	Dr. G.R.Thilakam Hospital	11.746097, 78.04769	30 km/h	Medium
22	hospital	Dr. Nagaraj Hospital	11.7464035, 78.0472401	30 km/h	Medium
23	hospital	Thulasi Hospital	11.7461516, 78.0469984	30 km/h	Medium
24	hospital	Amirthalingam Hospital	11.7456708, 78.0470548	30 km/h	Medium
25	hospital	Children Hospital	11.7458377, 78.0480205	30 km/h	Medium
26	clinic	Manimuthu Skin Clinic	11.7521189, 78.0484058	30 km/h	Medium
27	hospital	St. Joseph's Speciality Hospital	11.761611, 78.0522344	30 km/h	Medium
28	hospital	L.R. Hospital	11.8703354, 78.0844554	30 km/h	Medium
29	clinic	JSA Clinic	11.8700619, 78.0844982	30 km/h	Medium
30	hospital	Thoppur,Government Hospital	11.9398824, 78.0551658	30 km/h	Medium
31	hospital	Government Hospital	12.3048002, 78.2060881	30 km/h	Medium
36	hospital	TCR Multi Speciality Hospital	12.5088183, 78.2237657	30 km/h	Medium
37	clinic	Joe Hospital	12.5209601, 78.2150623	30 km/h	Medium
38	clinic	Ohm Prakash Clinic	12.5206321, 78.2159682	30 km/h	Medium
39	clinic	Gokulam Clinic & Scans	12.5207976, 78.2162023	30 km/h	Medium
40	clinic	Srinivasa Clinic	12.520975, 78.215755	30 km/h	Medium
41	clinic	Dr. Anbalagan Clinic	12.5208366, 78.2160593	30 km/h	Medium
42	clinic	Shree Ramachandra ENT Centre	12.5290096, 78.2037359	30 km/h	Medium
43	hospital	KVS Hospital	12.5277857, 78.2055049	30 km/h	Medium
44	hospital	Ga Heart Hospital	12.5287708, 78.2055336	30 km/h	Medium
45	clinic	Psychiatric Centre	12.529476, 78.205064	30 km/h	Medium
51	hospital	Shoolagiri Government Hospital	12.6669051, 78.015584	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
5	school	Goverment Boys Higher Secondary School	11.477659, 77.8659632	30 km/h	Medium
6	marketplace	Sunday Market	11.4796502, 77.8708458	30 km/h	Medium
19	school	Fathima Hr Sec School	11.7410508, 78.0479272	30 km/h	Medium
32	school	Government Boys Higher secondary school	12.3047059, 78.2065495	30 km/h	Medium
33	school	Nalanda Metric Higher Secondary School	12.488407, 78.21856	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
34	school	Nalanda International Public School	12.4994979, 78.2235094	30 km/h	Medium
35	school	Don Bosco School Ground	12.505954, 78.2222003	30 km/h	Medium
46	college	Arignar Anna College (Arts & Science)	12.5869255, 78.1546335	30 km/h	Medium
47	college	Government Medical College	12.582332, 78.1496363	30 km/h	Medium
48	school	Crescent Matriculation Higher Seconddary School	12.6003724, 78.132787	30 km/h	Medium
49	college	Jeeva College of Nursing	12.6067058, 78.1191944	30 km/h	Medium
50	school	New Little Flower Matriculation Higher Secondary School	12.6607923, 78.0169012	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44107, 77.87528



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45028, 77.87202



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46400, 77.87323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46765, 77.87037



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47403, 77.86841



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.48277, 77.87250



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49288, 77.86815



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.49009, 77.85114



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49383, 77.88442



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49435, 77.88499



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55536, 77.89740



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.58320, 77.90646



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59093, 77.90595



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.63768, 77.94809



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64121, 77.95138



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64323, 77.95184



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64587, 77.95108



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.67896, 77.96882



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.70049, 77.97964



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.70179, 77.97900



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71739, 78.00032



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71984, 78.01216



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.73786, 78.03505



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.73654, 78.03889



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.74257, 78.04708



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.86695, 78.08296



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91266, 78.05852



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93365, 78.06387



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93746, 78.05331



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95531, 78.04698




Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95854, 78.04990



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96015, 78.04945



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96266, 78.05115



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96433, 78.05113



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96542, 78.04938



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.22515, 78.19158



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.22995, 78.19466



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.24547, 78.19501



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.25120, 78.20010



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.25442, 78.20015



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.29194, 78.19961



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.29972, 78.20691



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.32012, 78.20734




Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.39952, 78.21763



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40661, 78.22318



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.42548, 78.22666



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50287, 78.22350



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50662, 78.22272



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.54385, 78.20148



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.59794, 78.13515



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.61856, 78.08333



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.63678, 78.07088



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.66086, 78.01597



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.66889, 78.01676



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.67505, 78.01365



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.67535, 78.01215



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.70009, 78.00541



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.70231, 78.00220



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.70514, 78.00070



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.70976, 78.00053



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.71064, 77.99963



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.71397, 77.99926



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.71850, 77.99528



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.72430, 77.98734



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.75088, 77.97568



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.75663, 77.97628



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.77531, 77.97471



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.77770, 77.97775



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.79515, 77.97677



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.80534, 77.97342



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.80603, 77.97278

