



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO SRI SRINIVASA TRADERS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 126.74 km
Estimated Duration: 3.0 hours
Adjusted Duration (Heavy Vehicle): 3.8 hours
Start: (11.4381, 77.8734)
End: (11.46952, 78.77954)



Welcome to the Journey Risk Management Study

1. Overview of the Route Map

The route spans approximately 126.74 kilometers, beginning at CVQF+23W, Sangagiri, and ending at FQ9H+RR, Nallur, both in Tamil Nadu, India. The journey passes through several towns and key landmarks such as Girls High School in Tiruchengode, Kavundampalayam, Gurusamipalayam, Rasipuram, and Veeraganur, utilizing major roads like SH 79 and SH 157.

2. Typical Weather Conditions and Potential Weather-Related Hazards

- **Seasonal Variability:** Tamil Nadu experiences tropical weather with high temperatures and substantial rainfall mostly between October and December during the northeast monsoon. Summers are hot, with temperatures soaring above 40°C.
- **Hazards:** Heavy monsoon rains can lead to localized flooding and reduced visibility. The region is not prone to snow, but fog can occur, particularly in early mornings.

3. Analysis of Traffic Patterns

- **Peak Hours:** Traffic is typically heaviest between 8-10 AM and 5-7 PM, primarily near urban centers like Tiruchengode and Rasipuram.
- **Congestion Areas:** Expect bottleneck situations in town centers and at intersections leading to schools and industrial zones.

4. Assessment of Road Quality and Infrastructure

- **Road Conditions:** The highways are generally well-maintained, but rural segments might have potholes and narrow lanes. Keep alert for sudden changes from tarmac to partially paved roads.
- **Infrastructure:** Bridges and overpasses are typically sound, but upkeep in rural areas can lag, leading to occasional roadworks.

5. Suggestions for Alternative Routes for Emergencies

- **Alternate Route Options:** During emergencies, SH 18 can serve as a bypass around congested city centers. Smaller local roads can offer diversion for sections affected by incidents or roadworks.

6. Summary of Local Regulations Affecting Hazardous Material Transport

- **Transport Restrictions:** While Tamil Nadu generally follows national regulations, local authorities could restrict heavy vehicle access during festivals or significant local events.
- **Permit Requirements:** Ensure proper licensing and permits for hazardous material transport, with additional safety equipment as mandated.

7. Overview of Historical Incidents

- **Recent Incidents:** Past incidents include vehicle breakdowns and minor accidents near Rasipuram due to congested roads. There have been reports of overturned heavy vehicles failing to navigate sharp turns in rural sections.

8. Environmental Considerations and Sensitive Areas

- **Sensitive Zones:** Pass through agricultural zones and some ecologically sensitive areas, where spills could have significant environmental impacts. Avoid harmful emissions in populated or ecological sectors.

9. Communication Coverage and Dead Zones

- **Network Coverage:** Generally good coverage along the route with intermittent dead zones, particularly in sparsely populated stretches and wooded areas around SH 157 in Veeraganur.

10. Estimated Emergency Response Times

- **Response Times:** Emergency response is generally prompt in urban areas, averaging 15-20 minutes. In rural zones, it might extend to 30-45 minutes due to distance from major towns.

11. Overall Summary of Risk Assessment

The route contains several critical points that require cautious assessment. Key risks include rain-induced road deterioration and traffic jams during peak hours. While infrastructure is mainly adequate, vigilance in rural and congested areas is advisable. Communication methods should be bolstered in potential coverage gaps, and operators should be familiar with alternate routes to mitigate delays. Environmental safety and compliance with regulations significantly enhance transport security.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	11.38395, 77.89480	15 KM/Hr
1	Turn	High	11.43968, 77.87345	15 KM/Hr
2	Turn	High	11.44019, 77.87547	15 KM/Hr
3	Turn	Medium	11.39685, 77.88861	30 KM/Hr
4	Turn	Medium	11.38382, 77.89897	30 KM/Hr
5	Turn	High	11.38188, 77.90257	15 KM/Hr
6	Blind Spot	Blind Spot	11.37830, 77.90160	10 KM/Hr
7	Turn	Medium	11.36755, 77.94023	30 KM/Hr
8	Turn	Medium	11.41361, 78.08073	30 KM/Hr
9	Blind Spot	Blind Spot	11.41453, 78.08062	10 KM/Hr
10	Turn	High	11.43240, 78.12064	15 KM/Hr
11	Turn	High	11.45586, 78.18045	15 KM/Hr
12	Blind Spot	Blind Spot	11.46035, 78.18534	10 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
13	Turn	High	11.45904, 78.18556	15 KM/Hr
14	Turn	Medium	11.45132, 78.19979	30 KM/Hr
15	Turn	High	11.44961, 78.22241	15 KM/Hr
16	Turn	Medium	11.44806, 78.22308	30 KM/Hr
17	Turn	Medium	11.44761, 78.22386	30 KM/Hr
18	Turn	Medium	11.45326, 78.23552	30 KM/Hr
19	Turn	Medium	11.47210, 78.30450	30 KM/Hr
20	Turn	Medium	11.49813, 78.32398	30 KM/Hr
21	Turn	Medium	11.50776, 78.33301	30 KM/Hr
22	Turn	Medium	11.50861, 78.33957	30 KM/Hr
23	Turn	Medium	11.51153, 78.34384	30 KM/Hr
24	Turn	Medium	11.54816, 78.35606	30 KM/Hr
25	Turn	Medium	11.56708, 78.37800	30 KM/Hr
26	Turn	Medium	11.58164, 78.41774	30 KM/Hr
27	Turn	Medium	11.57840, 78.48417	30 KM/Hr
28	Turn	Medium	11.57457, 78.49466	30 KM/Hr
29	Turn	Medium	11.57142, 78.49847	30 KM/Hr
30	Turn	Medium	11.57100, 78.50071	30 KM/Hr
31	Turn	Medium	11.58198, 78.52200	30 KM/Hr
32	Turn	Medium	11.59100, 78.55627	30 KM/Hr
33	Turn	Medium	11.59237, 78.55745	30 KM/Hr
34	Turn	Medium	11.59461, 78.56846	30 KM/Hr
35	Turn	Medium	11.59715, 78.57301	30 KM/Hr
36	Turn	High	11.59700, 78.57376	15 KM/Hr
37	Turn	Medium	11.59589, 78.57440	30 KM/Hr
38	Turn	High	11.59538, 78.57598	15 KM/Hr
39	Turn	High	11.59892, 78.57708	15 KM/Hr
40	Turn	Medium	11.59982, 78.58078	30 KM/Hr
41	Turn	High	11.60136, 78.58233	15 KM/Hr
42	Turn	High	11.59957, 78.59646	15 KM/Hr
43	Turn	High	11.59826, 78.59683	15 KM/Hr
44	Turn	Medium	11.59624, 78.60348	30 KM/Hr
45	Turn	Medium	11.59371, 78.60612	30 KM/Hr
46	Turn	High	11.59353, 78.61012	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
47	Turn	Medium	11.59278, 78.61019	30 KM/Hr
48	Turn	Medium	11.56475, 78.62624	30 KM/Hr
49	Turn	High	11.55468, 78.64302	15 KM/Hr
50	Turn	Medium	11.55144, 78.64388	30 KM/Hr
51	Turn	Medium	11.55099, 78.64460	30 KM/Hr
52	Turn	Medium	11.55007, 78.64493	30 KM/Hr
53	Turn	High	11.54657, 78.64371	15 KM/Hr
54	Turn	Medium	11.54578, 78.64447	30 KM/Hr
55	Turn	Medium	11.54506, 78.65008	30 KM/Hr
56	Turn	High	11.53344, 78.66487	15 KM/Hr
57	Turn	High	11.52118, 78.66460	15 KM/Hr
58	Turn	Medium	11.50455, 78.68741	30 KM/Hr
59	Turn	Medium	11.49661, 78.69165	30 KM/Hr
60	Turn	Medium	11.49547, 78.69863	30 KM/Hr
61	Turn	High	11.49507, 78.69912	15 KM/Hr
62	Turn	High	11.49291, 78.69927	15 KM/Hr
63	Turn	High	11.48907, 78.73238	15 KM/Hr
64	Turn	Medium	11.48866, 78.73280	30 KM/Hr
65	Turn	Medium	11.48161, 78.73526	30 KM/Hr
66	Turn	High	11.47664, 78.73515	15 KM/Hr
67	Turn	High	11.47617, 78.73862	15 KM/Hr
68	Turn	High	11.48591, 78.74263	15 KM/Hr
69	Turn	Medium	11.48516, 78.74680	30 KM/Hr
70	Turn	Medium	11.47555, 78.76332	30 KM/Hr
71	Turn	Medium	11.47376, 78.77348	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Tiruchengode, Goverment Hospital	11.3903328, 77.8920627	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
1	hospital	SPM Medical Centre,Tiruchengode	11.3881331, 77.8931963	30 km/h	Medium
5	hospital	Jayaa Hospital	11.3848223, 77.9021886	30 km/h	Medium
12	hospital	Sudha Hospital	11.4555773, 78.1760125	30 km/h	Medium
13	hospital	Government Hospital Blood Bank, Rasipuram	11.4612082, 78.1849249	30 km/h	Medium
14	hospital	M.R. Hospital, Namakkal	11.4613462, 78.1861702	30 km/h	Medium
15	hospital	dr.thangavel dch hospital	11.4619955, 78.1849181	30 km/h	Medium
16	police	Police Station Rasipuram	11.4617825, 78.1847411	30 km/h	Medium
17	hospital	Government Hospital, Rasipuram	11.4612987, 78.1851369	30 km/h	Medium
18	hospital	Rasi Hospital	11.4618368, 78.1855695	30 km/h	Medium
19	hospital	surya hospital	11.4622163, 78.1840544	30 km/h	Medium
20	hospital	Manickkam Hospital	11.4568944, 78.1926061	30 km/h	Medium
21	hospital	R K Eye Care Center	11.4589079, 78.1913596	30 km/h	Medium
23	hospital	Snathi Hospital	11.4564245, 78.1932485	30 km/h	Medium
24	hospital	Sugam Hospital,Rasipuram	11.4553007, 78.1936221	30 km/h	Medium
25	hospital	Government Hospital, Namagiripettai	11.4569484, 78.265263	30 km/h	Medium
26	clinic	Dr. Saravanakumar Clinic	11.5842002, 78.4441223	30 km/h	Medium
27	hospital	Government Hospital	11.572472, 78.497407	30 km/h	Medium
28	hospital	Abi Hospital	11.59319, 78.560129	30 km/h	Medium
31	hospital	Sundaram Multi Speciality Hospital	11.600633, 78.5948143	30 km/h	Medium
32	clinic	RK Clinic	11.59969, 78.5941386	30 km/h	Medium
33	clinic	Attur ENT and Dental Care Centre	11.5991073, 78.5962503	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
34	hospital	Kalyani Memorial Hospital	11.599983, 78.596223	30 km/h	Medium
35	clinic	Mother's Ortho Clinic	11.6002438, 78.594053	30 km/h	Medium
36	hospital	Arun Hospital	11.599848, 78.596343	30 km/h	Medium
37	hospital	Chiranjeevi Hospital	11.5998283, 78.594309	30 km/h	Medium
38	clinic	Sri Vinayaga Physiotherapy Clinic	11.598134, 78.597401	30 km/h	Medium
39	hospital	Sri Andavhar Nursing Home	11.6010351, 78.5974614	30 km/h	Medium
40	clinic	SS Clinic	11.5975084, 78.5979036	30 km/h	Medium
41	clinic	Bawaa Clinic	11.597934, 78.597143	30 km/h	Medium
42	clinic	Ramakrishna Nursing Home	11.5988349, 78.5988615	30 km/h	Medium
43	hospital	Gokulam Hospital	11.597356, 78.598403	30 km/h	Medium
44	hospital	Kumar Eye Hospital	11.5978065, 78.5984006	30 km/h	Medium
45	hospital	N.S. Kumudham Hospital	11.59626, 78.599512	30 km/h	Medium
46	hospital	Rk Memorial Hospital	11.5975972, 78.5993824	30 km/h	Medium
47	hospital	Anugraha Hospital	11.5963566, 78.5941161	30 km/h	Medium
48	hospital	Sakthi Sivam Hospital	11.5959889, 78.5941723	30 km/h	Medium
49	hospital	Government Hospital Attur	11.59709, 78.601343	30 km/h	Medium
50	hospital	Abhi Eye Hospital	11.5980207, 78.6003698	30 km/h	Medium
51	hospital	Government Hospital	11.597079, 78.600619	30 km/h	Medium
52	hospital	Panneerselvam Hospital	11.598067, 78.599939	30 km/h	Medium
53	clinic	Dr. Ramdoss Clinic	11.595518, 78.600865	30 km/h	Medium
54	hospital	Sri Dhanvantari Children Hospital	11.5991194, 78.5999856	30 km/h	Medium
55	hospital	Arul Gandhi Physiotherapy Hospital	11.5979315, 78.6003262	30 km/h	Medium
56	hospital	St. Joseph Hospital	11.5990918, 78.6003644	30 km/h	Medium
57	clinic	G.V. Homeo Clinic	11.596099, 78.600999	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
58	hospital	Lakshitha Hospital	11.5952715, 78.6094785	30 km/h	Medium
59	hospital	Government Hospital	11.4974141, 78.6899663	30 km/h	Medium
60	hospital	Sri Balaji Hospital	11.4954588, 78.6981634	30 km/h	Medium
62	clinic	Arun Clinic	11.4790653, 78.7349495	30 km/h	Medium
63	hospital	Ohm Sakthi Hospital	11.475373, 78.737558	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
2	school	அரசு ஆண்கள் மேல்நிலைப் பள்ளி	11.3850439, 77.8948279	30 km/h	Medium
3	school	அரசு பெண்கள் மேல்நிலைப் பள்ளி	11.3844247, 77.8949053	30 km/h	Medium
4	marketplace	திருச்செங்கோடு தினசரி காய்கறி சந்தை	11.3833608, 77.8970145	30 km/h	Medium
6	marketplace	Farmer Market	11.4146849, 78.0805463	30 km/h	Medium
7	school	Government Higher Secondary School	11.4150045, 78.0838172	30 km/h	Medium
8	school	Vidya madir school	11.4356335, 78.1381408	30 km/h	Medium
9	college	Thiruvalluvar Govt arts college	11.4449352, 78.1595562	30 km/h	Medium
10	school	Venkateswara School	11.4468258, 78.1595761	30 km/h	Medium
11	school	Venkateswara Middle school	11.4472063, 78.1596191	30 km/h	Medium
22	school	Govt. Hr. Sec. School	11.4585324, 78.1933666	30 km/h	Medium
29	school	Government Boys Higher Secondary School	11.598743, 78.5885472	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
30	school	Government Boys Higher Secondary School	11.599149, 78.5888931	30 km/h	Medium
61	school	Swamy Vivekanandar Matric School	11.4908386, 78.7248039	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.38395, 77.89480



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44019, 77.87547



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.39685, 77.88861



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.38382, 77.89897



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.38188, 77.90257



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.37830, 77.90160



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.36755, 77.94023



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.41361, 78.08073



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 11.41453, 78.08062



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.43240, 78.12064



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45586, 78.18045



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.46035, 78.18534



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.45904, 78.18556



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45132, 78.19979



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44961, 78.22241



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.44806, 78.22308



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.44761, 78.22386



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45326, 78.23552



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.47210, 78.30450



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.49813, 78.32398



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.50776, 78.33301



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.50861, 78.33957



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.51153, 78.34384



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.54816, 78.35606



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56708, 78.37800



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58164, 78.41774



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.57840, 78.48417



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.57457, 78.49466



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.57142, 78.49847



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.57100, 78.50071



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.59461, 78.56846



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.59715, 78.57301



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.59700, 78.57376



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.59589, 78.57440



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.59538, 78.57598



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.59892, 78.57708



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59982, 78.58078



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.60136, 78.58233



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.59957, 78.59646



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.59826, 78.59683



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59624, 78.60348



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59371, 78.60612



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.59353, 78.61012



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.59278, 78.61019



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56475, 78.62624



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.55468, 78.64302



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55144, 78.64388



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.55099, 78.64460



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.55007, 78.64493



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.54657, 78.64371



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.54578, 78.64447



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.54506, 78.65008



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.53344, 78.66487



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.52118, 78.66460



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.50455, 78.68741



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.49661, 78.69165



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.49547, 78.69863



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.49507, 78.69912



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.49291, 78.69927



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.48907, 78.73238



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.48866, 78.73280



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.48161, 78.73526



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.47664, 78.73515



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.47617, 78.73862



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.48591, 78.74263



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.48516, 78.74680



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47555, 78.76332



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.47376, 78.77348
