



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO STS FUEL SERVICE

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations

The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 97.80 km
Estimated Duration: 2.3 hours
Adjusted Duration (Heavy Vehicle): 2.9 hours
Start: (11.4381, 77.8734)
End: (12.0693, 77.936789)



Welcome to the Journey Risk Management Study

Route Overview

The route spans approximately 97.80 kilometers, starting from Sangagiri and ending in Kukuttamaruthahalli, traveling through Puthur, Padaiveedu, Tharamangalam, Mecheri, Chinnampalli, and Kadamadai. It follows significant highways including Bhavani Main Road and Salem - Kochi Highway, which are essential routes in this region of Tamil Nadu.

Typical Weather Conditions

Tamil Nadu generally experiences a tropical climate. The route may encounter high temperatures in the summer and moderate rainfall during the monsoon season (June to September). Possible weather-related hazards include heavy rainfall leading to waterlogging and reduced visibility during monsoons, along with potential for fog in winter months that could affect driving conditions.

Traffic Patterns

Traffic tends to peak during work hours in the morning (8 AM - 10 AM) and evening (5 PM - 8 PM), especially near urban centers like Salem. Congestion is common around market areas and junctions on Bhavani Main Road and Salem - Kochi Highway. This could delay travel times, especially for heavy vehicles.

Road Quality and Infrastructure

The route includes state and national highways, generally well-maintained but with sections that may have potholes or wear due to heavy rains and constant traffic. Road signs and lighting may not be sufficient in rural stretches, and sharp turns or narrow roads can be present in some segments particularly moving towards interior areas like Kadamadai.

Alternative Routes for Emergencies

Possible alternate routes include bypassing the major highways during known congestions. From Sangagiri, taking smaller state highways or local roads towards specific destinations along the route might be options, though these may not support heavy vehicle traffic if conditions are poor.

Local Regulations on Hazardous Material Transport

Tamil Nadu follows national guidelines set by the Motor Vehicles Act for hazardous materials, requiring appropriate markings, permits, and safety measures such as tachographs. Checkpoints are likely near Salem and other larger towns.

Historical Incidents with Heavy Vehicles

There have been occasional reports of accidents involving heavy vehicles on the Salem-Kochi Highway and Bhavani Main Road, often due to speeding, road conditions, or human error. However, comprehensive local incident data should be examined for recent trends.

Environmental Considerations

Areas near major towns and agricultural zones are environmentally sensitive, requiring caution, especially when transporting hazardous materials to prevent contamination. Preserving surrounding ecosystems is vital.

Communication Coverage

Major highways and urban areas tend to have good mobile and internet coverage. However, rural stretches might experience dead zones. Ensuring communication devices are fully charged and having offline navigation tools as backup is advisable.

Estimated Emergency Response Times

Response times can vary significantly depending on proximity to Salem, where better facilities are available. On average, expect a 30-60 minute response time in more remote regions, though quicker responses are likely near urban centers.

Overall Risk Assessment Summary

This route has potential hazards related to climate, traffic, road quality, and regulation adherence, given its extended length and varying conditions. It requires careful preparation, including route assessments, communication planning, and adherence to local regulations to ensure safe transport of hazardous materials. Regular updates on road conditions and weather forecasts will aid in effective planning and reducing risks along the journey.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Turn	High	11.43961, 77.87341	15 KM/Hr
1	Turn	High	11.44024, 77.87528	15 KM/Hr
2	Turn	High	11.44898, 77.87410	15 KM/Hr
3	Turn	High	11.45352, 77.85698	15 KM/Hr
4	Turn	Medium	11.45764, 77.85219	30 KM/Hr
5	Turn	High	11.46303, 77.84945	15 KM/Hr
6	Turn	Medium	11.45543, 77.81740	30 KM/Hr
7	Turn	High	11.45631, 77.81668	15 KM/Hr
8	Turn	High	11.49383, 77.88442	15 KM/Hr
9	Turn	Medium	11.55573, 77.89751	30 KM/Hr
10	Turn	Medium	11.55640, 77.89913	30 KM/Hr
11	Turn	Medium	11.58249, 77.90829	30 KM/Hr
12	Turn	Medium	11.58294, 77.90775	30 KM/Hr
13	Turn	Medium	11.58315, 77.90685	30 KM/Hr
14	Turn	Medium	11.58427, 77.90602	30 KM/Hr
15	Turn	Medium	11.59297, 77.90746	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
16	Turn	Medium	11.63836, 77.94819	30 KM/Hr
17	Turn	High	11.64176, 77.95188	15 KM/Hr
18	Turn	High	11.69562, 77.97113	15 KM/Hr
19	Turn	Medium	11.69584, 77.97078	30 KM/Hr
20	Turn	Medium	11.69760, 77.96645	30 KM/Hr
21	Turn	Medium	11.70102, 77.96386	30 KM/Hr
22	Turn	Medium	11.73449, 77.96738	30 KM/Hr
23	Turn	Medium	11.73624, 77.96913	30 KM/Hr
24	Turn	High	11.77772, 77.99628	15 KM/Hr
25	Turn	Medium	11.80814, 77.97358	30 KM/Hr
26	Turn	Medium	11.83215, 77.94550	30 KM/Hr
27	Turn	Medium	11.83271, 77.94366	30 KM/Hr
28	Turn	Medium	11.84518, 77.92972	30 KM/Hr
29	Turn	Medium	11.88514, 77.93259	30 KM/Hr
30	Turn	High	11.89105, 77.93370	15 KM/Hr
31	Turn	Medium	11.89605, 77.93193	30 KM/Hr
32	Turn	High	11.89868, 77.93071	15 KM/Hr
33	Turn	Medium	11.89981, 77.93227	30 KM/Hr
34	Turn	Medium	11.90039, 77.93250	30 KM/Hr
35	Turn	Medium	11.90457, 77.92976	30 KM/Hr
36	Turn	High	11.90542, 77.92660	15 KM/Hr
37	Turn	Medium	11.91000, 77.92547	30 KM/Hr
38	Turn	Medium	11.91156, 77.92335	30 KM/Hr
39	Turn	High	11.91242, 77.92297	15 KM/Hr
40	Turn	Medium	11.91336, 77.92335	30 KM/Hr
41	Turn	Medium	11.91595, 77.92304	30 KM/Hr
42	Turn	Medium	11.91679, 77.92266	30 KM/Hr
43	Turn	Medium	11.92593, 77.92365	30 KM/Hr
44	Blind Spot	Blind Spot	11.92967, 77.92662	10 KM/Hr
45	Turn	High	11.93013, 77.92595	15 KM/Hr
46	Turn	Medium	11.93773, 77.92817	30 KM/Hr
47	Turn	Medium	11.94164, 77.92987	30 KM/Hr
48	Turn	High	11.94310, 77.92954	15 KM/Hr
49	Turn	Medium	11.94462, 77.93052	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
50	Turn	Medium	11.94638, 77.93054	30 KM/Hr
51	Turn	Medium	11.94966, 77.93398	30 KM/Hr
52	Turn	Medium	11.95214, 77.93424	30 KM/Hr
53	Turn	Medium	11.95411, 77.93468	30 KM/Hr
54	Blind Spot	Blind Spot	11.95461, 77.93528	10 KM/Hr
55	Turn	Medium	11.95429, 77.93543	30 KM/Hr
56	Blind Spot	Blind Spot	11.95358, 77.93527	10 KM/Hr
57	Turn	Medium	11.95654, 77.93579	30 KM/Hr
58	Turn	High	11.96353, 77.93888	15 KM/Hr
59	Turn	Medium	11.97793, 77.95199	30 KM/Hr
60	Turn	Medium	11.98186, 77.95249	30 KM/Hr
61	Turn	Medium	11.98663, 77.95320	30 KM/Hr
62	Turn	Medium	11.99140, 77.95944	30 KM/Hr
63	Turn	Medium	11.99906, 77.96540	30 KM/Hr
64	Turn	Medium	12.00703, 77.96646	30 KM/Hr
65	Turn	Medium	12.01181, 77.96547	30 KM/Hr
66	Turn	Medium	12.01610, 77.96140	30 KM/Hr
67	Turn	High	12.01754, 77.95610	15 KM/Hr
68	Turn	High	12.01700, 77.95303	15 KM/Hr
69	Turn	Medium	12.01909, 77.94956	30 KM/Hr
70	Turn	High	12.02428, 77.94675	15 KM/Hr
71	Blind Spot	Blind Spot	12.02416, 77.94596	10 KM/Hr
72	Turn	High	12.02532, 77.94750	15 KM/Hr
73	Turn	High	12.02669, 77.94741	15 KM/Hr
74	Turn	Medium	12.02768, 77.94892	30 KM/Hr
75	Turn	Medium	12.02772, 77.95014	30 KM/Hr
76	Turn	High	12.02840, 77.95115	15 KM/Hr
77	Turn	High	12.02829, 77.95169	15 KM/Hr
78	Turn	High	12.02937, 77.95293	15 KM/Hr
79	Blind Spot	Blind Spot	12.02963, 77.95288	10 KM/Hr
80	Turn	High	12.02941, 77.95254	15 KM/Hr
81	Turn	Medium	12.02981, 77.95213	30 KM/Hr
82	Turn	Medium	12.02987, 77.95103	30 KM/Hr
83	Turn	Medium	12.02939, 77.95005	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
84	Turn	High	12.02970, 77.94879	15 KM/Hr
85	Turn	Medium	12.03054, 77.94839	30 KM/Hr
86	Turn	Medium	12.03116, 77.94756	30 KM/Hr
87	Turn	Medium	12.03122, 77.94669	30 KM/Hr
88	Turn	High	12.03047, 77.94495	15 KM/Hr
89	Turn	Medium	12.03121, 77.94422	30 KM/Hr
90	Turn	High	12.03176, 77.94413	15 KM/Hr
91	Turn	Medium	12.03221, 77.94089	30 KM/Hr
92	Turn	Medium	12.03282, 77.94024	30 KM/Hr
93	Turn	Medium	12.03287, 77.93844	30 KM/Hr
94	Turn	High	12.03568, 77.93479	15 KM/Hr
95	Turn	High	12.03948, 77.93580	15 KM/Hr
96	Turn	High	12.04063, 77.93372	15 KM/Hr
97	Turn	High	12.05072, 77.93670	15 KM/Hr
98	Turn	High	12.05120, 77.93622	15 KM/Hr

Risk Assessment - Elevation Changes

	Risk Type	Specific Risk	Risk Level	Coordinates	Speed Limit
0	Elevation Change	Ascent	High	12.02961781086687, 77.94906557590267	15 KMS/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
1	hospital	Dr. Pandiyarajan Hospital	11.692704, 77.969344	30 km/h	Medium
2	clinic	Sun Eye Care	11.6936242, 77.9730948	30 km/h	Medium
3	hospital	Dr. Sengodan Hospital	11.6959527, 77.9695325	30 km/h	Medium
4	hospital	Veda Maruthuvamanai Hospital	11.6956155, 77.9678122	30 km/h	Medium
5	clinic	E.V.P Vairavel Clinic	11.6954975, 77.9667903	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
6	clinic	AMS Clinic	11.752664, 77.974974	30 km/h	Medium
7	hospital	Vasu Speciality Hospital	11.8331097, 77.943169	30 km/h	Medium
8	hospital	Rajamanickam Hospital	11.8332408, 77.9431081	30 km/h	Medium
9	hospital	Child Hospital	11.833001, 77.943415	30 km/h	Medium
10	hospital	Naveen Nursing Home	11.8335355, 77.9437441	30 km/h	Medium
11	hospital	Rishan Hospital	11.879358, 77.9286133	30 km/h	Medium
12	hospital	Government Hospital Kadaimadai	12.05434, 77.936888	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
0	school	KRP Matric. Hr. Sec School	11.4546193, 77.8142445	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44024, 77.87528



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44898, 77.87410



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.45352, 77.85698



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45764, 77.85219



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.46303, 77.84945



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45543, 77.81740



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.45631, 77.81668



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.49383, 77.88442



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55573, 77.89751



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58315, 77.90685



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58427, 77.90602



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.59297, 77.90746



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.63836, 77.94819



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.64176, 77.95188



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.69562, 77.97113



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69584, 77.97078



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.69760, 77.96645



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.70102, 77.96386



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.73449, 77.96738



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.73624, 77.96913



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.77772, 77.99628



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.80814, 77.97358



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.83215, 77.94550



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.83271, 77.94366



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.84518, 77.92972



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88514, 77.93259



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.89105, 77.93370



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.89605, 77.93193



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89868, 77.93071



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89981, 77.93227



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90039, 77.93250



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.90457, 77.92976



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.90542, 77.92660



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91000, 77.92547



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91156, 77.92335



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.91242, 77.92297



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.91336, 77.92335



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.91595, 77.92304



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91679, 77.92266



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92593, 77.92365



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.92967, 77.92662



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.93013, 77.92595



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.93773, 77.92817



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94164, 77.92987



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.94310, 77.92954



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94462, 77.93052



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94638, 77.93054



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.94966, 77.93398



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95214, 77.93424



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95411, 77.93468



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.95461, 77.93528



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.95429, 77.93543



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 11.95358, 77.93527



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95654, 77.93579



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96353, 77.93888



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.97793, 77.95199



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.98186, 77.95249



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.98663, 77.95320



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.99140, 77.95944



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.99906, 77.96540



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.00703, 77.96646



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.01181, 77.96547



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.01610, 77.96140



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.01754, 77.95610



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.01700, 77.95303



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01909, 77.94956



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.02428, 77.94675



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 12.02416, 77.94596



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02532, 77.94750



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02669, 77.94741



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02768, 77.94892



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.02772, 77.95014



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.02840, 77.95115



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02829, 77.95169



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02937, 77.95293



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.02963, 77.95288



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.02941, 77.95254



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.02981, 77.95213



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02987, 77.95103



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02939, 77.95005



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02970, 77.94879



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.03054, 77.94839



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.03116, 77.94756



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03122, 77.94669



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03047, 77.94495



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03121, 77.94422



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.03176, 77.94413



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.03221, 77.94089



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03282, 77.94024



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03287, 77.93844



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03568, 77.93479



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.03948, 77.93580



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.04063, 77.93372



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.05072, 77.93670



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.05120, 77.93622
