



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal to NITHYAPRAKASH FUEL STATION

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation

The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.




Route Summary:
Total Distance: 148.30 km
Estimated Duration: 3.5 hours

Adjusted Duration (Heavy Vehicle): 4.4 hours

Start: (11.4381, 77.8734)

End: (12.272934, 77.748246)



Welcome to the Journey Risk Management Study

Route Overview

The route extends from Sangagiri in Tamil Nadu to Sesurajapuram, passing through key locations like Bhavani Main Road in Padaiveedu, SH 86 in Ayveli, and Salem. It covers approximately 148.30 kilometers and requires approximately 3.55 hours for heavy vehicles carrying hazardous materials.

1. Weather Conditions

The region generally experiences a tropical climate, with temperatures ranging from 20°C to 38°C. Summers (March to June) can be hot and dry, while the monsoon season (July to October) brings moderate to heavy rainfall that might lead to slippery roads and low visibility. The cooler season (November to February) usually offers more favorable driving conditions, but early morning fog can be a concern.

2. Traffic Patterns

- Sangagiri:** Moderate traffic with peak hours in the morning (7-9 AM) and evening (5-7 PM).
- Padaiveedu & Ayveli:** Less congested but can have local traffic disruptions during peak hours.
- Salem:** Known for heavier traffic and congestion, especially during peak hours from 8-10 AM and 6-8 PM.

3. Road Quality and Infrastructure

- Sangagiri to Padaiveedu:** Roads are generally in fair condition with occasional potholes.
- Padaiveedu to Salem (via NH 544):** Well-maintained, suitable for heavy vehicles.

- **Salem to Sesurajapuram:** Mixed conditions; some stretches might have narrow lanes and uneven surfaces.

4. Alternative Route Suggestions

- **For Avoiding Salem Congestion:** Consider bypass roads or approach from the southern circuit if possible.
- **In Emergencies:** Local roads connecting smaller towns as alternatives, though they may increase travel time.

5. Local Regulations on Hazardous Materials

Local regulations require proper labeling, secure transport, and necessary permits for hazardous materials. Night travel might need additional permissions due to safety reasons.

6. Historical Incidents

There have been incidents involving overturned trucks in Salem due to sharp turns and narrow roads, especially during monsoon. Caution is advised.

7. Environmental Considerations and Sensitive Areas

Respect for agricultural zones and residential areas is important. Avoid emissions and spills into the environment, particularly near Salem’s water bodies and forested regions.

8. Communication Coverage

Generally good along NH 544 and in urban areas like Salem, but expect potential dead zones in rural stretches or hilly regions.

9. Emergency Response Times

- **Sangagiri to Salem:** Relatively faster response due to proximity to urban centers.
- **Salem to Sesurajapuram:** Longer response times, particularly in rural areas.

10. Overall Risk Assessment

- **Moderate Risk Level:** The route presents typical risks, including road quality variability, high traffic in Salem, and potential for weather-induced hazards. Appropriate measures and planning are essential to mitigate these risks.

Strategies such as planning travel times outside peak hours, regular updates on road conditions, and maintaining communication with local authorities can improve safety. Additionally, ongoing training on handling hazardous materials ensures that drivers are equipped to manage the risks effectively.

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Turn	High	11.43968, 77.87345	15 KM/Hr
1	Turn	Medium	11.43995, 77.87431	30 KM/Hr
2	Turn	High	11.44107, 77.87528	15 KM/Hr
3	Turn	High	11.44900, 77.87406	15 KM/Hr
4	Turn	Medium	11.45353, 77.85697	30 KM/Hr
5	Turn	High	11.46307, 77.84941	15 KM/Hr
6	Turn	Medium	11.45546, 77.81800	30 KM/Hr
7	Blind Spot	Blind Spot	11.45605, 77.81683	10 KM/Hr
8	Blind Spot	Blind Spot	11.49400, 77.88538	10 KM/Hr
9	Turn	High	11.49469, 77.88488	15 KM/Hr
10	Turn	High	11.55618, 77.89789	15 KM/Hr
11	Turn	Medium	11.55699, 77.89986	30 KM/Hr
12	Turn	Medium	11.56455, 77.90586	30 KM/Hr
13	Turn	High	11.58228, 77.90841	15 KM/Hr
14	Turn	Medium	11.58308, 77.90714	30 KM/Hr
15	Turn	Medium	11.58563, 77.90571	30 KM/Hr
16	Turn	Medium	11.59201, 77.90649	30 KM/Hr
17	Turn	Medium	11.63882, 77.94859	30 KM/Hr
18	Turn	High	11.64226, 77.95200	15 KM/Hr
19	Turn	Medium	11.64716, 77.95118	30 KM/Hr
20	Turn	Medium	11.67868, 77.96836	30 KM/Hr
21	Turn	Medium	11.69893, 77.97976	30 KM/Hr
22	Turn	High	11.70223, 77.97860	15 KM/Hr
23	Turn	Medium	11.71402, 77.99586	30 KM/Hr
24	Turn	Medium	11.71704, 77.99948	30 KM/Hr
25	Turn	Medium	11.71918, 78.01127	30 KM/Hr
26	Turn	Medium	11.72708, 78.02197	30 KM/Hr
27	Turn	Medium	11.73769, 78.03451	30 KM/Hr
28	Blind Spot	Blind Spot	11.73785, 78.03551	10 KM/Hr
29	Turn	Medium	11.80856, 77.97300	30 KM/Hr
30	Turn	Medium	11.83190, 77.94577	30 KM/Hr
31	Turn	Medium	11.84514, 77.92978	30 KM/Hr
32	Turn	Medium	11.88346, 77.93201	30 KM/Hr
33	Turn	High	11.89145, 77.93351	15 KM/Hr
34	Turn	High	11.89858, 77.93067	15 KM/Hr
35	Turn	Medium	11.89967, 77.93212	30 KM/Hr
36	Turn	High	11.90083, 77.93245	15 KM/Hr
37	Turn	Medium	11.90434, 77.93007	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
38	Turn	Medium	11.90504, 77.92748	30 KM/Hr
39	Turn	Medium	11.90605, 77.92651	30 KM/Hr
40	Turn	Medium	11.90890, 77.92590	30 KM/Hr
41	Turn	Medium	11.91138, 77.92346	30 KM/Hr
42	Turn	High	11.92953, 77.92654	15 KM/Hr
43	Turn	High	11.93008, 77.92604	15 KM/Hr
44	Turn	Medium	11.93453, 77.92820	30 KM/Hr
45	Turn	Medium	11.94729, 77.93126	30 KM/Hr
46	Turn	Medium	11.95052, 77.93445	30 KM/Hr
47	Turn	High	11.95390, 77.93454	15 KM/Hr
48	Blind Spot	Blind Spot	11.95442, 77.93544	10 KM/Hr
49	Blind Spot	Blind Spot	11.95357, 77.93525	10 KM/Hr
50	Turn	Medium	11.97772, 77.95193	30 KM/Hr
51	Turn	Medium	11.98634, 77.95307	30 KM/Hr
52	Turn	Medium	11.99988, 77.96562	30 KM/Hr
53	Turn	Medium	12.01168, 77.96562	30 KM/Hr
54	Turn	Medium	12.01606, 77.96149	30 KM/Hr
55	Turn	Medium	12.01756, 77.95626	30 KM/Hr
56	Turn	High	12.01699, 77.95316	15 KM/Hr
57	Turn	Medium	12.02028, 77.94838	30 KM/Hr
58	Turn	High	12.02428, 77.94676	15 KM/Hr
59	Blind Spot	Blind Spot	12.02414, 77.94596	10 KM/Hr
60	Turn	High	12.02530, 77.94749	15 KM/Hr
61	Turn	High	12.02664, 77.94739	15 KM/Hr
62	Blind Spot	Blind Spot	12.02964, 77.95290	10 KM/Hr
63	Turn	High	12.02945, 77.94949	15 KM/Hr
64	Turn	High	12.03122, 77.94671	15 KM/Hr
65	Turn	High	12.03047, 77.94496	15 KM/Hr
66	Turn	High	12.03172, 77.94417	15 KM/Hr
67	Turn	Medium	12.03287, 77.93854	30 KM/Hr
68	Turn	High	12.03567, 77.93479	15 KM/Hr
69	Turn	High	12.03946, 77.93582	15 KM/Hr
70	Turn	Medium	12.04010, 77.93445	30 KM/Hr
71	Turn	High	12.04125, 77.93379	15 KM/Hr
72	Turn	Medium	12.07221, 77.93560	30 KM/Hr
73	Turn	High	12.09460, 77.92352	15 KM/Hr
74	Turn	High	12.10263, 77.91301	15 KM/Hr
75	Turn	Medium	12.10577, 77.91212	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
76	Turn	Medium	12.11327, 77.90434	30 KM/Hr
77	Blind Spot	Blind Spot	12.12839, 77.90114	10 KM/Hr
78	Turn	Medium	12.12385, 77.85305	30 KM/Hr
79	Turn	Medium	12.11689, 77.84652	30 KM/Hr
80	Turn	High	12.11590, 77.84207	15 KM/Hr
81	Turn	Medium	12.11685, 77.84089	30 KM/Hr
82	Turn	High	12.11713, 77.83974	15 KM/Hr
83	Turn	Medium	12.11611, 77.83839	30 KM/Hr
84	Blind Spot	Blind Spot	12.11625, 77.83698	10 KM/Hr
85	Turn	High	12.12059, 77.84062	15 KM/Hr
86	Turn	Medium	12.12171, 77.84044	30 KM/Hr
87	Turn	Medium	12.12288, 77.83910	30 KM/Hr
88	Turn	High	12.12362, 77.83887	15 KM/Hr
89	Turn	High	12.12420, 77.83641	15 KM/Hr
90	Blind Spot	Blind Spot	12.12498, 77.83626	10 KM/Hr
91	Turn	Medium	12.12072, 77.83290	30 KM/Hr
92	Turn	Medium	12.12226, 77.80230	30 KM/Hr
93	Turn	Medium	12.12307, 77.77514	30 KM/Hr
94	Turn	Medium	12.12574, 77.77356	30 KM/Hr
95	Turn	Medium	12.13988, 77.75070	30 KM/Hr
96	Turn	Medium	12.14572, 77.74822	30 KM/Hr
97	Turn	High	12.18048, 77.74242	15 KM/Hr
98	Turn	High	12.18328, 77.73633	15 KM/Hr
99	Turn	Medium	12.18411, 77.73701	30 KM/Hr
100	Turn	Medium	12.18476, 77.73868	30 KM/Hr
101	Blind Spot	Blind Spot	12.18587, 77.73961	10 KM/Hr
102	Blind Spot	Blind Spot	12.18527, 77.73814	10 KM/Hr
103	Blind Spot	Blind Spot	12.18769, 77.73928	10 KM/Hr
104	Blind Spot	Blind Spot	12.18696, 77.73907	10 KM/Hr
105	Turn	Medium	12.18785, 77.73903	30 KM/Hr
106	Turn	High	12.20307, 77.74619	15 KM/Hr
107	Turn	High	12.21593, 77.74245	15 KM/Hr
108	Turn	Medium	12.23742, 77.73469	30 KM/Hr
109	Turn	Medium	12.24474, 77.73836	30 KM/Hr
110	Turn	High	12.25146, 77.73682	15 KM/Hr
111	Turn	Medium	12.25540, 77.73930	30 KM/Hr
112	Turn	High	12.27162, 77.74385	15 KM/Hr

Risk Assessment - Elevation Changes

	Risk Type	Specific Risk	Risk Level	Coordinates	Speed Limit
0	Elevation Change	Ascent	Medium	12.03076611539868, 77.9447728558589	30 KMS/Hr
1	Elevation Change	Descent	Medium	12.12464267071508, 77.83632487112591	30 KMS/Hr
2	Elevation Change	Ascent	Medium	12.19186859482954, 77.74102048126467	30 KMS/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
1	hospital	Vasu Speciality Hospital	11.8331097, 77.943169	30 km/h	Medium
2	hospital	Rajamanickam Hospital	11.8332408, 77.9431081	30 km/h	Medium
3	hospital	Child Hospital	11.833001, 77.943415	30 km/h	Medium
4	hospital	Naveen Nursing Home	11.8335355, 77.9437441	30 km/h	Medium
5	hospital	Rishan Hospital	11.879358, 77.9286133	30 km/h	Medium
6	hospital	Government Hospital Kadaimadai	12.05434, 77.936888	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
0	school	KRP Matric. Hr. Sec School	11.4546193, 77.8142445	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44107, 77.87528



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45353, 77.85697



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.46307, 77.84941



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45546, 77.81800



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.45605, 77.81683



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.49400, 77.88538



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49469, 77.88488



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.55618, 77.89789



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58563, 77.90571



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59201, 77.90649



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.63882, 77.94859



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.64226, 77.95200



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64716, 77.95118



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.67868, 77.96836



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69893, 77.97976



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.70223, 77.97860



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71402, 77.99586



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71704, 77.99948



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71918, 78.01127



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.72708, 78.02197



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.73769, 78.03451



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.73785, 78.03551



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.80856, 77.97300



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.83190, 77.94577



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.84514, 77.92978



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88346, 77.93201



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89145, 77.93351



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89858, 77.93067



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89967, 77.93212



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.90083, 77.93245



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90434, 77.93007



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90504, 77.92748



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90605, 77.92651



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90890, 77.92590



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91138, 77.92346



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.92953, 77.92654



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.93008, 77.92604



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93453, 77.92820



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94729, 77.93126



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95052, 77.93445



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95390, 77.93454



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.95442, 77.93544



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.95357, 77.93525



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.97772, 77.95193



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.98634, 77.95307



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.99988, 77.96562



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01168, 77.96562



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01606, 77.96149



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01756, 77.95626



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.01699, 77.95316



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02028, 77.94838



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02428, 77.94676



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.02414, 77.94596



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02530, 77.94749



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02664, 77.94739



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.02964, 77.95290



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02945, 77.94949



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03122, 77.94671



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03047, 77.94496



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03172, 77.94417



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03287, 77.93854



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03567, 77.93479



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03946, 77.93582



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.04010, 77.93445



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.04125, 77.93379



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.07221, 77.93560



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.09460, 77.92352



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.10263, 77.91301



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.10577, 77.91212



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.11327, 77.90434



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.12839, 77.90114



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12385, 77.85305



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.11689, 77.84652



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.11590, 77.84207



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.11685, 77.84089



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.11713, 77.83974



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.11611, 77.83839



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.11625, 77.83698




Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.12059, 77.84062



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12171, 77.84044



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12288, 77.83910



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.12362, 77.83887



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.12420, 77.83641



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.12498, 77.83626



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12072, 77.83290



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12226, 77.80230



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12307, 77.77514



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12574, 77.77356



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.13988, 77.75070



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.14572, 77.74822



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.18048, 77.74242



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.18328, 77.73633



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.18411, 77.73701



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.18476, 77.73868



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.18587, 77.73961



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.18527, 77.73814



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.18769, 77.73928



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.18696, 77.73907



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.20307, 77.74619



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.21593, 77.74245



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.23742, 77.73469



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.24474, 77.73836



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.25146, 77.73682



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.25540, 77.73930



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.27162, 77.74385
