



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

**Salem Terminal TO S.A 63. POWERKADU LAMP CS
LTD**

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 95.18 km
Estimated Duration: 2.6 hours
Adjusted Duration (Heavy Vehicle): 3.3 hours
Start: (11.4381, 77.8734)
End: (11.366931, 78.356764)



Welcome to the Journey Risk Management Study

1. Overview of the Route Map

The route from Sangagiri (CVQF+23W) to Edappulinadu (9984+HPR) via the specified waypoints covers approximately 95.18 kilometers. It traverses through both rural and semi-urban areas, connecting various state highways and local roads. The journey includes a variety of terrains such as plains and forested regions, specifically near the Moolakkurichi Forest Checkpost.

2. Typical Weather Conditions

Tamil Nadu typically experiences a tropical climate with hot summers, moderate monsoons, and mild winters. During the southwest monsoon (June to September) and the northeast monsoon (October to December), the region is prone to heavy rainfall, which can lead to waterlogging and slippery road conditions. Fog can also be an issue in the early mornings during the winter months, particularly in forest areas.

3. Analysis of Traffic Patterns

- **Peak Hours:** Traffic congestion is likely during morning (7 AM to 9 AM) and evening rush hours (5 PM to 7 PM) near urban centers such as Rasipuram.
- **Congestion-Prone Areas:** Higher traffic volumes around Rasipuram and Tiruchengode, especially near market areas and town junctions.

4. Assessment of Road Quality and Infrastructure

- **Highways and Main Roads:** Generally well-maintained but may have uneven surfaces and potholes, especially during post-monsoon seasons.
- **Rural and Forest Roads:** Narrower and can become muddy and slippery during rains. The Moolakkurichi Forest Checkpost area requires cautious driving due to potential wildlife crossings and limited visibility.

5. Suggestions for Alternative Routes for Emergencies

In case of emergencies or road closures, consider diverting via NH44 and NH544 for longer detours that bypass congested or hazardous areas. Use local roads within towns sparingly, as they might be unable to accommodate heavy vehicles easily.

6. Summary of Local Regulations Affecting Hazardous Material Transport

Transport of hazardous materials on this route must comply with national and state regulations, including proper documentation and vehicle placarding. Restrictions may apply in densely populated areas, and permissions might be needed for night travel, particularly through forested sections.

7. Overview of Historical Incidents

No significant recent incidents have been publicly documented along this specific route concerning heavy vehicles or hazardous materials. However, it is advisable to check local news and official transport authority updates for the latest safety information.

8. Environmental Considerations and Sensitive Areas

Sensitive zones include the forest area near the Moolakkurichi Forest Checkpost, where environmental impacts such as pollution and vehicular noise should be minimized. Appropriate measures should be

taken to avoid wildlife disturbances.

9. Analysis of Communication Coverage

Coverage is generally good in urban and semi-urban areas, but there could be potential dead zones in the forested regions near Moolakkurichi Forest Checkpost. Drivers should be equipped with reliable communication tools and emergency contacts.

10. Estimated Emergency Response Times

- Urban Areas:** 15-30 minutes, due to the proximity of emergency services in towns like Rasipuram.
- Rural and Forested Areas:** 45 minutes to over an hour, depending on terrain and road conditions. Slower response times expected in forested areas.

12. An Overall Summary of Risk Assessment

The route poses moderate risk levels for heavy vehicles transporting hazardous materials due to potential weather impacts, road surface quality, and forest crossings. Precautionary measures should include adherence to speed limits, careful navigation during monsoon seasons, and preparedness for communication challenges. Alternative routing should be pre-planned for quicker deployment in emergencies. Regular review of local transport regulations will ensure compliance and safety throughout the journey.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Turn	High	11.43961, 77.87341	15 KM/Hr
1	Turn	High	11.44024, 77.87528	15 KM/Hr
2	Turn	High	11.44861, 77.87429	15 KM/Hr
3	Turn	Medium	11.45489, 77.88834	30 KM/Hr
4	Blind Spot	Blind Spot	11.43679, 77.91705	10 KM/Hr
5	Turn	High	11.43901, 77.91701	15 KM/Hr
6	Turn	Medium	11.43925, 77.91754	30 KM/Hr
7	Turn	Medium	11.44049, 77.93155	30 KM/Hr
8	Turn	Medium	11.44154, 77.93238	30 KM/Hr
9	Turn	High	11.44234, 77.93242	15 KM/Hr
10	Turn	High	11.44287, 77.93430	15 KM/Hr
11	Turn	Medium	11.44101, 77.93842	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
12	Turn	Medium	11.44539, 77.95373	30 KM/Hr
13	Turn	Medium	11.44401, 77.96239	30 KM/Hr
14	Turn	Medium	11.44326, 77.96434	30 KM/Hr
15	Turn	Medium	11.44240, 77.96502	30 KM/Hr
16	Turn	Medium	11.44012, 77.97524	30 KM/Hr
17	Turn	Medium	11.44122, 77.97712	30 KM/Hr
18	Turn	High	11.43534, 78.01541	15 KM/Hr
19	Turn	High	11.43720, 78.01776	15 KM/Hr
20	Turn	High	11.43400, 78.02658	15 KM/Hr
21	Turn	Medium	11.43269, 78.02643	30 KM/Hr
22	Turn	Medium	11.43125, 78.02692	30 KM/Hr
23	Turn	Medium	11.42467, 78.03438	30 KM/Hr
24	Turn	High	11.42328, 78.03820	15 KM/Hr
25	Turn	High	11.42364, 78.03893	15 KM/Hr
26	Turn	Medium	11.42218, 78.04120	30 KM/Hr
27	Turn	Medium	11.42252, 78.04300	30 KM/Hr
28	Turn	Medium	11.42168, 78.04433	30 KM/Hr
29	Turn	High	11.42164, 78.04483	15 KM/Hr
30	Blind Spot	Blind Spot	11.42303, 78.04531	10 KM/Hr
31	Turn	Medium	11.42130, 78.04991	30 KM/Hr
32	Turn	High	11.42190, 78.05555	15 KM/Hr
33	Turn	High	11.42274, 78.05597	15 KM/Hr
34	Turn	Medium	11.42401, 78.07245	30 KM/Hr
35	Turn	Medium	11.41977, 78.07811	30 KM/Hr
36	Turn	High	11.41463, 78.08067	15 KM/Hr
37	Turn	Medium	11.43121, 78.11977	30 KM/Hr
38	Turn	High	11.43240, 78.12064	15 KM/Hr
39	Turn	High	11.45586, 78.18051	15 KM/Hr
40	Turn	Medium	11.45747, 78.18128	30 KM/Hr
41	Blind Spot	Blind Spot	11.46030, 78.18504	10 KM/Hr
42	Turn	High	11.45900, 78.18560	15 KM/Hr
43	Turn	High	11.44956, 78.22253	15 KM/Hr
44	Turn	High	11.44800, 78.22312	15 KM/Hr
45	Turn	Medium	11.44771, 78.22557	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
46	Turn	Medium	11.45343, 78.23572	30 KM/Hr
47	Turn	Medium	11.47237, 78.30476	30 KM/Hr
48	Turn	Medium	11.49825, 78.32406	30 KM/Hr
49	Turn	Medium	11.50710, 78.33231	30 KM/Hr
50	Turn	Medium	11.50863, 78.33962	30 KM/Hr
51	Turn	Medium	11.51168, 78.34448	30 KM/Hr
52	Turn	Medium	11.48635, 78.36925	30 KM/Hr
53	Turn	Medium	11.47929, 78.38064	30 KM/Hr
54	Turn	Medium	11.47742, 78.38120	30 KM/Hr
55	Turn	Medium	11.46997, 78.39314	30 KM/Hr
56	Turn	High	11.46764, 78.39423	15 KM/Hr
57	Turn	High	11.46440, 78.39293	15 KM/Hr
58	Turn	High	11.45635, 78.40093	15 KM/Hr
59	Turn	Medium	11.45364, 78.39983	30 KM/Hr
60	Turn	Medium	11.44655, 78.40065	30 KM/Hr
61	Turn	High	11.43998, 78.39790	15 KM/Hr
62	Turn	Medium	11.43947, 78.39844	30 KM/Hr
63	Turn	Medium	11.43588, 78.39877	30 KM/Hr
64	Turn	Medium	11.43267, 78.39550	30 KM/Hr
65	Turn	Medium	11.43181, 78.39507	30 KM/Hr
66	Turn	Medium	11.43123, 78.39373	30 KM/Hr
67	Turn	Medium	11.43016, 78.39314	30 KM/Hr
68	Turn	Medium	11.42861, 78.39045	30 KM/Hr
69	Turn	High	11.42853, 78.38769	15 KM/Hr
70	Turn	High	11.42771, 78.38735	15 KM/Hr
71	Blind Spot	Blind Spot	11.42725, 78.38771	10 KM/Hr
72	Blind Spot	Blind Spot	11.42748, 78.38672	10 KM/Hr
73	Turn	Medium	11.42674, 78.38679	30 KM/Hr
74	Turn	High	11.42599, 78.38646	15 KM/Hr
75	Blind Spot	Blind Spot	11.42437, 78.38157	10 KM/Hr
76	Turn	High	11.42456, 78.40073	15 KM/Hr
77	Turn	High	11.42405, 78.40079	15 KM/Hr
78	Blind Spot	Blind Spot	11.42311, 78.39921	10 KM/Hr
79	Blind Spot	Blind Spot	11.42400, 78.40024	10 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
80	Turn	Medium	11.42225, 78.39354	30 KM/Hr
81	Blind Spot	Blind Spot	11.42278, 78.39087	10 KM/Hr
82	Blind Spot	Blind Spot	11.42251, 78.39181	10 KM/Hr
83	Blind Spot	Blind Spot	11.42125, 78.38946	10 KM/Hr
84	Blind Spot	Blind Spot	11.42206, 78.38998	10 KM/Hr
85	Turn	Medium	11.42235, 78.38892	30 KM/Hr
86	Turn	Medium	11.42087, 78.38449	30 KM/Hr
87	Blind Spot	Blind Spot	11.41895, 78.38216	10 KM/Hr
88	Turn	High	11.42002, 78.38170	15 KM/Hr
89	Turn	High	11.42005, 78.38116	15 KM/Hr
90	Turn	High	11.41806, 78.38002	15 KM/Hr
91	Turn	Medium	11.41809, 78.37862	30 KM/Hr
92	Turn	High	11.41863, 78.37808	15 KM/Hr
93	Turn	Medium	11.41816, 78.37505	30 KM/Hr
94	Turn	High	11.41850, 78.37397	15 KM/Hr
95	Turn	High	11.41672, 78.37277	15 KM/Hr
96	Turn	High	11.41645, 78.36950	15 KM/Hr
97	Turn	High	11.41301, 78.36814	15 KM/Hr
98	Turn	Medium	11.41284, 78.36568	30 KM/Hr
99	Turn	High	11.41195, 78.36414	15 KM/Hr
100	Turn	High	11.41245, 78.36280	15 KM/Hr
101	Turn	Medium	11.41174, 78.36242	30 KM/Hr
102	Turn	High	11.41112, 78.36112	15 KM/Hr
103	Turn	Medium	11.41006, 78.36139	30 KM/Hr
104	Turn	High	11.40950, 78.36214	15 KM/Hr
105	Turn	High	11.40729, 78.36196	15 KM/Hr
106	Turn	Medium	11.40690, 78.36115	30 KM/Hr
107	Turn	High	11.40700, 78.36070	15 KM/Hr
108	Blind Spot	Blind Spot	11.40562, 78.35960	10 KM/Hr
109	Blind Spot	Blind Spot	11.40638, 78.35958	10 KM/Hr
110	Turn	Medium	11.40450, 78.35898	30 KM/Hr
111	Turn	Medium	11.40040, 78.35168	30 KM/Hr
112	Turn	High	11.40100, 78.35007	15 KM/Hr
113	Blind Spot	Blind Spot	11.40039, 78.34883	10 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
114	Blind Spot	Blind Spot	11.40037, 78.34972	10 KM/Hr
115	Blind Spot	Blind Spot	11.39996, 78.34883	10 KM/Hr
116	Turn	High	11.39932, 78.35392	15 KM/Hr
117	Turn	High	11.39910, 78.35394	15 KM/Hr
118	Turn	High	11.39769, 78.35000	15 KM/Hr
119	Turn	Medium	11.39694, 78.34989	30 KM/Hr
120	Turn	Medium	11.39417, 78.34572	30 KM/Hr
121	Blind Spot	Blind Spot	11.39342, 78.34531	10 KM/Hr
122	Blind Spot	Blind Spot	11.39443, 78.34911	10 KM/Hr
123	Turn	Medium	11.39072, 78.34748	30 KM/Hr
124	Turn	Medium	11.38752, 78.34493	30 KM/Hr
125	Turn	High	11.38345, 78.34542	15 KM/Hr
126	Turn	High	11.38224, 78.34742	15 KM/Hr
127	Blind Spot	Blind Spot	11.38159, 78.34742	10 KM/Hr
128	Blind Spot	Blind Spot	11.38154, 78.34841	10 KM/Hr
129	Blind Spot	Blind Spot	11.38101, 78.34696	10 KM/Hr
130	Turn	Medium	11.37895, 78.35005	30 KM/Hr
131	Turn	Medium	11.37900, 78.35219	30 KM/Hr
132	Turn	Medium	11.37819, 78.35337	30 KM/Hr
133	Turn	Medium	11.37822, 78.35506	30 KM/Hr
134	Blind Spot	Blind Spot	11.37730, 78.35649	10 KM/Hr
135	Blind Spot	Blind Spot	11.37628, 78.35414	10 KM/Hr
136	Turn	Medium	11.37570, 78.35599	30 KM/Hr
137	Turn	Medium	11.37439, 78.35679	30 KM/Hr
138	Turn	Medium	11.37277, 78.35945	30 KM/Hr
139	Blind Spot	Blind Spot	11.37228, 78.35963	10 KM/Hr
140	Turn	Medium	11.37216, 78.35847	30 KM/Hr
141	Turn	High	11.37016, 78.35669	15 KM/Hr

Risk Assessment - Elevation Changes

	Risk Type	Specific Risk	Risk Level	Coordinates	Speed Limit
0	Elevation Change	Ascent	High	11.42346875377585, 78.39679338743807	15 KMS/Hr
1	Elevation Change	Ascent	Medium	11.40748686281304, 78.36197603396124	30 KMS/Hr
2	Elevation Change	Ascent	High	11.40309691071518, 78.35697556623686	15 KMS/Hr
3	Elevation Change	Ascent	High	11.39893529923271, 78.35314498994481	15 KMS/Hr
4	Elevation Change	Ascent	High	11.39192883760783, 78.34765583534984	15 KMS/Hr
5	Elevation Change	Descent	Medium	11.37992005083323, 78.348594935345	30 KMS/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
7	hospital	Sudha Hospital	11.4555773, 78.1760125	30 km/h	Medium
8	hospital	Government Hospital Blood Bank, Rasipuram	11.4612082, 78.1849249	30 km/h	Medium
9	hospital	M.R. Hospital, Namakkal	11.4613462, 78.1861702	30 km/h	Medium
10	hospital	dr.thangavel dch hospital	11.4619955, 78.1849181	30 km/h	Medium
11	police	Police Station Rasipuram	11.4617825, 78.1847411	30 km/h	Medium
12	hospital	Government Hospital, Rasipuram	11.4612987, 78.1851369	30 km/h	Medium
13	hospital	Rasi Hospital	11.4618368, 78.1855695	30 km/h	Medium
14	hospital	surya hospital	11.4622163, 78.1840544	30 km/h	Medium
15	hospital	Manickkam Hospital	11.4568944, 78.1926061	30 km/h	Medium
16	hospital	R K Eye Care Center	11.4589079, 78.1913596	30 km/h	Medium
18	hospital	Snathi Hospital	11.4564245, 78.1932485	30 km/h	Medium
19	hospital	Sugam Hospital,Rasipuram	11.4553007, 78.1936221	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
20	hospital	Government Hospital, Namagiripettai	11.4569484, 78.265263	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
0	school	Sri Vinayaga Matriculation Higher Secondary School	11.4233682, 78.0736517	30 km/h	Medium
1	marketplace	Farmer Market	11.4146849, 78.0805463	30 km/h	Medium
2	school	Government Higher Secondary School	11.4150045, 78.0838172	30 km/h	Medium
3	school	Vidya madir school	11.4356335, 78.1381408	30 km/h	Medium
4	college	Thiruvalluvar Govt arts college	11.4449352, 78.1595562	30 km/h	Medium
5	school	Venkateswara School	11.4468258, 78.1595761	30 km/h	Medium
6	school	Venkateswara Middle school	11.4472063, 78.1596191	30 km/h	Medium
17	school	Govt. Hr. Sec. School	11.4585324, 78.1933666	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44024, 77.87528



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44861, 77.87429



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45489, 77.88834



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.43679, 77.91705



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.43901, 77.91701



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.43925, 77.91754



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.44049, 77.93155



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.44154, 77.93238



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44234, 77.93242



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44287, 77.93430



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.44101, 77.93842



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.44539, 77.95373



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.44401, 77.96239



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.44326, 77.96434



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.44240, 77.96502



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.44012, 77.97524



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.44122, 77.97712



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.43534, 78.01541



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.43720, 78.01776



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.43400, 78.02658



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.43269, 78.02643



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.43125, 78.02692



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.42467, 78.03438



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.42328, 78.03820



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.42364, 78.03893



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.42218, 78.04120



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.42252, 78.04300



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.42168, 78.04433



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.42164, 78.04483



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 11.42303, 78.04531



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.42130, 78.04991



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.42190, 78.05555



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.42274, 78.05597



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.42401, 78.07245



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.41977, 78.07811



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.41463, 78.08067



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.43121, 78.11977



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.43240, 78.12064



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.45586, 78.18051



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45747, 78.18128



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.46030, 78.18504



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45900, 78.18560



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44956, 78.22253



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44800, 78.22312



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.44771, 78.22557



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45343, 78.23572



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.47237, 78.30476



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.49825, 78.32406



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.50710, 78.33231



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.50863, 78.33962



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.51168, 78.34448



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47929, 78.38064



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47742, 78.38120



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.46997, 78.39314



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.46764, 78.39423



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.46440, 78.39293



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45635, 78.40093



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45364, 78.39983



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.44655, 78.40065



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.43998, 78.39790



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.43947, 78.39844



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.43588, 78.39877



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.43267, 78.39550



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.43123, 78.39373



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.43016, 78.39314



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.42861, 78.39045



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.42771, 78.38735



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.42725, 78.38771



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.42748, 78.38672



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.42674, 78.38679



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.42599, 78.38646



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.42437, 78.38157



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.42456, 78.40073



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.42405, 78.40079



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 11.42311, 78.39921



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.42400, 78.40024



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.42225, 78.39354



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.42278, 78.39087



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.42251, 78.39181



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.42125, 78.38946



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.42206, 78.38998



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.42235, 78.38892



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.42087, 78.38449



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 11.41895, 78.38216



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.42002, 78.38170



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.42005, 78.38116



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.41806, 78.38002



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.41809, 78.37862



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.41863, 78.37808



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.41816, 78.37505



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.41850, 78.37397



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.41672, 78.37277



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.41645, 78.36950



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.41301, 78.36814



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.41284, 78.36568



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.41195, 78.36414



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.41245, 78.36280



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.41174, 78.36242



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.41112, 78.36112



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.41006, 78.36139



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.40950, 78.36214



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.40729, 78.36196



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.40690, 78.36115



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.40700, 78.36070



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 11.40562, 78.35960



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.40450, 78.35898



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.40040, 78.35168



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.40100, 78.35007



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.40039, 78.34883



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.40037, 78.34972



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.39996, 78.34883



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.39932, 78.35392



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.39910, 78.35394



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.39769, 78.35000



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.39417, 78.34572



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.39342, 78.34531



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.39443, 78.34911



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.38752, 78.34493



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.38345, 78.34542



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.38224, 78.34742



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.38159, 78.34742



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.38154, 78.34841



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.38101, 78.34696



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.37895, 78.35005



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.37900, 78.35219



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.37819, 78.35337



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.37822, 78.35506



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.37730, 78.35649



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.37628, 78.35414



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.37570, 78.35599



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.37439, 78.35679



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.37277, 78.35945



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.37228, 78.35963



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.37216, 78.35847



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.37016, 78.35669
