



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal to YOGESHWARAN AGENCY

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 198.36 km
Estimated Duration: 4.0 hours
Adjusted Duration (Heavy Vehicle): 5.0 hours
Start: (11.4381, 77.8734)
End: (12.802497, 78.016068)



Welcome to the Journey Risk Management Study

Route Overview

The route from CVQF+23W, Sangagiri, Tamil Nadu to Berigai - KGF Rd, Sokkapuram, Nerigam, Tamil Nadu is approximately 198.36 kilometers long and estimated to take about 4 hours for heavy vehicles transporting hazardous materials. The journey includes major waypoints through FVV9+872, Sankari -

Edappadi - Mecheri Rd, FVVP+J73, SH 86, Ayveli, Moolapathai, Desavilakku, Tharamangalam, Shoolagiri, and ultimately to Maruthandapalli.

Typical Weather Conditions and Hazards

Tamil Nadu generally experiences a tropical climate, with hot summers (March to June), a monsoon season (July to September) with heavy rains, and a mild winter (November to February). The route might be susceptible to monsoon-related hazards like flooding and reduced visibility due to heavy rain, particularly between July and September. Care should be taken to monitor weather forecasts regularly.

Traffic Patterns and Congestion

Traffic density might vary significantly, with peak hours typically in the mornings (8-10 am) and evenings (5-8 pm), especially near urban centers and junctions like Sankari, Tharamangalam, and Shoolagiri. Areas around industrial zones or marketplaces may experience additional congestion. Monitoring live traffic updates is advised to adjust plans accordingly.

Road Quality and Infrastructure

The roads on this route generally include state highways and local roads which may vary in quality. While state highways like SH 86 are usually maintained well, local roads can have potholes or uneven surfaces, especially following the monsoon season. Drivers should be cautious of these variable road conditions and should prepare for unexpected obstacles.

Alternative Routes for Emergencies

Although there are not many alternate main roads that cover the entire distance, using nearby towns as a hub can help. For example, diversions via Salem or Dharmapuri might provide alternatives during emergencies, albeit at increased travel times. Having a GPS device or app to check for real-time route updates will be beneficial.

Regulations Affecting Transport of Hazardous Materials

In India, transporting hazardous materials requires adherence to strict regulations. It is essential to ensure that all documentation and vehicle permits are in order, including Material Safety Data Sheets (MSDS) and necessary clearances from relevant transport authorities.

Historical Incidents

There have been occasional reports of road accidents involving heavy vehicles in this region, often linked to poor visibility, vehicle overloading, or speeding. Though major incidents involving hazardous materials are not prominent, vigilance and adherence to safety protocols are crucial to prevent mishaps.

Environmental Considerations

The route crosses through several environmentally sensitive areas, including agricultural lands and small residential communities. Avoiding spillage and ensuring safe transit through these zones is paramount.

Additionally, noise and air pollution should be minimized to avoid impacting local ecosystems.

Communication Coverage

Most parts of Tamil Nadu have relatively good cellular coverage; however, there may still be potential dead zones in rural or less developed sections of the route. It is advisable to have alternative communication means or ensure plans for periodic check-ins are arranged.

Emergency Response Times

Emergency services in rural Tamil Nadu may have longer response times compared to urban areas. It is advisable to note the locations of nearby hospitals, fire stations, and police stations along the route beforehand. Local contacts should be established for quicker mobilization during an emergency.

Overall Summary of Risk Assessment

Transporting hazardous materials along this route presents several challenges predominantly due to varying road conditions, weather-related risks, traffic congestion, and potential communication gaps in rural areas. A comprehensive safety plan, rigorous adherence to transportation regulations, and constant monitoring of weather and traffic conditions are essential for ensuring a safe journey.

Preparations should include ready access to emergency contacts and alternate routing options. By considering these factors, the journey can be managed to reduce hazards effectively. Regular updates and an emphasis on safety protocols will greatly minimize risks associated with this route.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Turn	High	11.43968, 77.87345	15 KM/Hr
1	Turn	Medium	11.43995, 77.87431	30 KM/Hr
2	Turn	High	11.44107, 77.87528	15 KM/Hr
3	Turn	High	11.44900, 77.87406	15 KM/Hr
4	Turn	High	11.45028, 77.87202	15 KM/Hr
5	Turn	Medium	11.46400, 77.87323	30 KM/Hr
6	Turn	Medium	11.46765, 77.87037	30 KM/Hr
7	Turn	High	11.47403, 77.86841	15 KM/Hr
8	Turn	High	11.48277, 77.87250	15 KM/Hr
9	Turn	High	11.49288, 77.86815	15 KM/Hr
10	Blind Spot	Blind Spot	11.49009, 77.85114	10 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
11	Blind Spot	Blind Spot	11.49225, 77.89531	10 KM/Hr
12	Turn	Medium	11.49409, 77.88536	30 KM/Hr
13	Turn	Medium	11.49492, 77.88495	30 KM/Hr
14	Turn	Medium	11.55618, 77.89813	30 KM/Hr
15	Turn	High	11.58249, 77.90829	15 KM/Hr
16	Turn	Medium	11.58315, 77.90685	30 KM/Hr
17	Turn	Medium	11.58583, 77.90570	30 KM/Hr
18	Turn	Medium	11.59068, 77.90588	30 KM/Hr
19	Turn	Medium	11.59337, 77.90837	30 KM/Hr
20	Turn	High	11.64243, 77.95198	15 KM/Hr
21	Turn	Medium	11.64721, 77.95118	30 KM/Hr
22	Turn	High	11.69622, 77.97175	15 KM/Hr
23	Turn	Medium	11.69806, 77.97537	30 KM/Hr
24	Turn	Medium	11.71386, 77.99552	30 KM/Hr
25	Turn	Medium	11.71915, 78.01106	30 KM/Hr
26	Turn	Medium	11.72492, 78.01660	30 KM/Hr
27	Turn	Medium	11.73764, 78.03441	30 KM/Hr
28	Turn	Medium	11.73752, 78.03679	30 KM/Hr
29	Turn	High	11.73652, 78.03866	15 KM/Hr
30	Turn	Medium	11.74110, 78.04575	30 KM/Hr
31	Turn	Medium	11.74346, 78.04719	30 KM/Hr
32	Turn	Medium	11.77998, 78.05786	30 KM/Hr
33	Turn	High	11.86915, 78.08382	15 KM/Hr
34	Turn	Medium	11.87998, 78.08170	30 KM/Hr
35	Turn	Medium	11.91462, 78.05912	30 KM/Hr
36	Turn	Medium	11.92653, 78.06517	30 KM/Hr
37	Turn	Medium	11.93196, 78.06473	30 KM/Hr
38	Turn	Medium	11.93473, 78.06268	30 KM/Hr
39	Turn	Medium	11.93673, 78.05502	30 KM/Hr
40	Turn	Medium	11.95531, 78.04698	30 KM/Hr
41	Turn	High	11.95854, 78.04990	15 KM/Hr
42	Turn	High	11.96015, 78.04945	15 KM/Hr
43	Turn	Medium	11.96266, 78.05115	30 KM/Hr
44	Turn	High	11.96433, 78.05113	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
45	Turn	High	11.96542, 78.04938	15 KM/Hr
46	Turn	Medium	12.17041, 78.16823	30 KM/Hr
47	Turn	Medium	12.22515, 78.19158	30 KM/Hr
48	Turn	Medium	12.22995, 78.19466	30 KM/Hr
49	Turn	Medium	12.24547, 78.19501	30 KM/Hr
50	Turn	Medium	12.25120, 78.20010	30 KM/Hr
51	Turn	Medium	12.25442, 78.20015	30 KM/Hr
52	Turn	Medium	12.29194, 78.19961	30 KM/Hr
53	Turn	Medium	12.32012, 78.20734	30 KM/Hr
54	Turn	Medium	12.39952, 78.21763	30 KM/Hr
55	Turn	Medium	12.40661, 78.22318	30 KM/Hr
56	Turn	Medium	12.42548, 78.22666	30 KM/Hr
57	Turn	Medium	12.44470, 78.21807	30 KM/Hr
58	Turn	Medium	12.45066, 78.21821	30 KM/Hr
59	Turn	Medium	12.50287, 78.22350	30 KM/Hr
60	Turn	Medium	12.59794, 78.13515	30 KM/Hr
61	Turn	Medium	12.61895, 78.08313	30 KM/Hr
62	Turn	Medium	12.63692, 78.07068	30 KM/Hr
63	Turn	High	12.66132, 78.01539	15 KM/Hr
64	Turn	Medium	12.78500, 78.05884	30 KM/Hr
65	Turn	High	12.78596, 78.05894	15 KM/Hr
66	Turn	Medium	12.78853, 78.05155	30 KM/Hr
67	Blind Spot	Blind Spot	12.78792, 78.04993	10 KM/Hr
68	Blind Spot	Blind Spot	12.78923, 78.05029	10 KM/Hr
69	Turn	High	12.78797, 78.04809	15 KM/Hr
70	Turn	High	12.79133, 78.04233	15 KM/Hr
71	Turn	Medium	12.78916, 78.03308	30 KM/Hr
72	Turn	High	12.79655, 78.01412	15 KM/Hr
73	Turn	Medium	12.79818, 78.01391	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium
7	clinic	Sun Eye Care	11.6936242, 77.9730948	30 km/h	Medium
8	hospital	Dr. Pandiyarajan Hospital	11.692704, 77.969344	30 km/h	Medium
9	hospital	Dr. Sengodan Hospital	11.6959527, 77.9695325	30 km/h	Medium
10	hospital	Omalur Government Hospital	11.74161, 78.044296	30 km/h	Medium
11	clinic	R.R. Nursing Home	11.7394129, 78.0439861	30 km/h	Medium
12	hospital	Sri Hari Hospital	11.7396726, 78.0440701	30 km/h	Medium
13	hospital	Sugumar Hospital	11.7396031, 78.0426955	30 km/h	Medium
14	hospital	Sri Sugam Hospital	11.7429821, 78.0461039	30 km/h	Medium
15	hospital	Saravana Hospital	11.7409303, 78.0458308	30 km/h	Medium
16	hospital	Arun Hospital	11.7429892, 78.0466881	30 km/h	Medium
17	clinic	Saratha Clinic	11.7422818, 78.0458175	30 km/h	Medium
19	clinic	Sri Meenakshi Nursing Home, Salem	11.7449162, 78.0474637	30 km/h	Medium
20	hospital	Vinayaka Child Hospital	11.745812, 78.0480225	30 km/h	Medium
21	hospital	Dr. G.R.Thilakam Hospital	11.746097, 78.04769	30 km/h	Medium
22	clinic	Divyam Child Care Clinic	11.7447135, 78.0473858	30 km/h	Medium
23	hospital	Thulasi Hospital	11.7461516, 78.0469984	30 km/h	Medium
24	clinic	Momota Clinic	11.744982, 78.047397	30 km/h	Medium
25	hospital	Amirthalingam Hospital	11.7456708, 78.0470548	30 km/h	Medium
26	hospital	Children Hospital	11.7458377, 78.0480205	30 km/h	Medium
27	clinic	Gomathi Clinic	11.7445293, 78.0470401	30 km/h	Medium
28	clinic	Manimuthu Skin Clinic	11.7521189, 78.0484058	30 km/h	Medium
29	hospital	St. Joseph's Speciality Hospital	11.761611, 78.0522344	30 km/h	Medium
30	hospital	Anugraha Multi Speciality Hospital	11.773549, 78.0546408	30 km/h	Medium
32	hospital	L.R. Hospital	11.8703354, 78.0844554	30 km/h	Medium
33	clinic	JSA Clinic	11.8700619, 78.0844982	30 km/h	Medium
34	hospital	Government Hospital	12.3048002, 78.2060881	30 km/h	Medium
37	hospital	TCR Multi Speciality Hospital	12.5088183, 78.2237657	30 km/h	Medium
38	hospital	St. Mary's Hospital	12.5128555, 78.2186887	30 km/h	Medium
39	clinic	Shri Narayana Bone & Joint Clinic	12.523617, 78.210613	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
40	clinic	AZ Family Clinic	12.5234942, 78.2127422	30 km/h	Medium
42	clinic	Shree Ramachandra ENT Centre	12.5290096, 78.2037359	30 km/h	Medium
43	hospital	KVS Hospital	12.5277857, 78.2055049	30 km/h	Medium
44	hospital	Ga Heart Hospital	12.5287708, 78.2055336	30 km/h	Medium
45	clinic	Psychiatric Centre	12.529476, 78.205064	30 km/h	Medium
51	hospital	Shoolagiri Government Hospital	12.6669051, 78.015584	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
5	school	Goverment Boys Higher Secondary School	11.477659, 77.8659632	30 km/h	Medium
6	marketplace	Sunday Market	11.4796502, 77.8708458	30 km/h	Medium
18	school	Fathima Hr Sec School	11.7410508, 78.0479272	30 km/h	Medium
31	college	Dhirajlal Gandhi College of Technology	11.7968014, 78.0562095	30 km/h	Medium
35	school	Government Boys Higher secondary school	12.3047059, 78.2065495	30 km/h	Medium
36	school	Don Bosco School Ground	12.505954, 78.2222003	30 km/h	Medium
41	school	Vivekananda School	12.5231937, 78.2121429	30 km/h	Medium
46	college	Arignar Anna College (Arts & Science)	12.5869255, 78.1546335	30 km/h	Medium
47	college	Government Medical College	12.582332, 78.1496363	30 km/h	Medium
48	school	Crescent Matriculation Higher Seconddary School	12.6003724, 78.132787	30 km/h	Medium
49	college	Jeeva College of Nursing	12.6067058, 78.1191944	30 km/h	Medium
50	school	New Little Flower Matriculation Higher Secondary School	12.6607923, 78.0169012	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44107, 77.87528



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44900, 77.87406



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.45028, 77.87202



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.46400, 77.87323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46765, 77.87037



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47403, 77.86841



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.48277, 77.87250



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.49288, 77.86815



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 11.49009, 77.85114



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.49225, 77.89531



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49409, 77.88536



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49492, 77.88495



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.55618, 77.89813



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.58315, 77.90685



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58583, 77.90570



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59068, 77.90588



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59337, 77.90837



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.64243, 77.95198



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.64721, 77.95118



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.69622, 77.97175



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.69806, 77.97537



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.71386, 77.99552



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.71915, 78.01106



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.72492, 78.01660



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.73764, 78.03441



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.73752, 78.03679



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.73652, 78.03866



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.74110, 78.04575



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.74346, 78.04719



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.77998, 78.05786



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.86915, 78.08382



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.87998, 78.08170



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91462, 78.05912



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92653, 78.06517



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.93196, 78.06473



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.93473, 78.06268



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.93673, 78.05502



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95531, 78.04698



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95854, 78.04990



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.96015, 78.04945



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.96266, 78.05115



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.96433, 78.05113



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96542, 78.04938



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.17041, 78.16823



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.22515, 78.19158



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.22995, 78.19466



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.24547, 78.19501



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.25120, 78.20010



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.25442, 78.20015



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.29194, 78.19961



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.32012, 78.20734



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.39952, 78.21763



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.40661, 78.22318



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.42548, 78.22666



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.44470, 78.21807



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.45066, 78.21821



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50287, 78.22350



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.59794, 78.13515



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.61895, 78.08313



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.63692, 78.07068



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.66132, 78.01539



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.78500, 78.05884



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.79818, 78.01391