



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal to GOWTHAM FUELS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations

The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation

The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.


Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 111.47 km
Estimated Duration: 2.6 hours
Adjusted Duration (Heavy Vehicle): 3.3 hours

Start: (11.4381, 77.8734)
End: (12.128719, 77.887271)



Welcome to the Journey Risk Management Study

Route Overview

The route runs from Sangagiri to Koothapadi, via several key junctions including Padaiveedu, Ayveli, Erumaipatti, and Salem. It spans approximately 111.47 kilometers, covering a mix of rural roads and semi-urban arteries predominantly used for local and regional traffic. The typical travel time for heavy vehicles carrying hazardous materials is around 2.63 hours.

Weather Conditions

The region experiences a tropical climate with significant variations between the dry and wet seasons.

- **Dry Season:** Typically from December to March, with minimal rainfall and moderate temperatures.
- **Wet Season:** From June to September, heavy rain is common, leading to potential hazards like slippery roads and localized flooding.
- **Hazards:** Fog in the winter months and occasional cyclonic activity can disrupt travel.

Traffic Patterns

- **Peak Hours:** Traffic tends to peak between 8:00-10:00 AM and 5:00-7:00 PM due to local commuting.
- **Congestion Areas:** The town of Salem can experience considerable congestion, particularly around major intersections such as those on SH 86.

Road Quality and Infrastructure

- **High-quality stretches:** Bhavani Main Road and sections of SH 86 are generally well-maintained.
- **Areas of concern:** Some rural segments near Erumaipatti may have uneven surfaces and narrow lanes, posing a risk for larger vehicles.

- **Infrastructure:** Bridge crossings and roadside amenities are generally lacking; vigilance is required when navigating narrow or poorly marked roads.

Alternative Routes for Emergencies

- **Via Salem Bypass:** An alternative route that bypasses Salem city center, taking NH44 could reduce congestion during peak periods.
- **Local Roads:** In rural areas, depending on the specific issue, smaller parallel roads might offer temporary detours as needed.

Local Regulations on Hazardous Material Transport

- **Permits Required:** Special permits are often necessary, especially near populated areas like Salem.
- **Regulatory Compliance:** Comply with Tamil Nadu Motor Vehicles Act, which governs speed limits, load restrictions, and required signage for hazardous materials.

Historical Incidents

Data on specific incidents is limited, but typical challenges include:

- **Collisions:** Mostly reported in Salem due to dense traffic.
- **Material Spills:** Rare but can occur during the rainy season when roads are slick.

Environmental Considerations

- **Protected Areas:** Watch for signage indicating proximity to wildlife crossings, particularly in less urban stretches.
- **Water Bodies:** Be aware of areas near rivers or lakes where runoff could cause contamination from spills.

Communication Coverage

- **Strong Coverage:** Most urban and semi-urban areas, including Salem and major roadways, have reliable mobile network coverage.
- **Dead Zones:** Rural stretches may experience patchy service; necessary for trip planning and emergency communication.

Emergency Response Times

- **Urban Areas:** 20-30 minutes, particularly in Salem where resources are more readily available.
- **Rural Areas:** Could exceed 45 minutes due to distance and road conditions.

Overall Risk Assessment Summary

Low to Moderate Risk, with key concerns including:

- **Traffic Congestion:** Primarily in urban areas like Salem.
- **Weather Hazards:** Especially during the monsoon.
- **Road Conditions:** Uneven rural roads pose challenges, particularly during or after adverse weather conditions.

Drivers should stay informed of local traffic reports and weather forecasts. Emergency planning and communication checks are essential for safe transport of hazardous materials on this route.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	12.12857, 77.90101	15 KM/Hr
1	Turn	High	11.43968, 77.87345	15 KM/Hr
2	Turn	High	11.44029, 77.87544	15 KM/Hr
3	Turn	High	11.44900, 77.87406	15 KM/Hr
4	Turn	High	11.45353, 77.85697	15 KM/Hr
5	Turn	Medium	11.45781, 77.85203	30 KM/Hr
6	Turn	High	11.46307, 77.84941	15 KM/Hr
7	Turn	High	11.45542, 77.81725	15 KM/Hr
8	Turn	High	11.45605, 77.81683	15 KM/Hr
9	Blind Spot	Blind Spot	11.49400, 77.88538	10 KM/Hr
10	Turn	High	11.49469, 77.88488	15 KM/Hr
11	Turn	Medium	11.56072, 77.89919	30 KM/Hr
12	Turn	Medium	11.56140, 77.89991	30 KM/Hr
13	Turn	Medium	11.59085, 77.90592	30 KM/Hr
14	Turn	Medium	11.59253, 77.90690	30 KM/Hr
15	Turn	Medium	11.63848, 77.94825	30 KM/Hr
16	Turn	High	11.64197, 77.95197	15 KM/Hr
17	Turn	Medium	11.64558, 77.95108	30 KM/Hr
18	Turn	Medium	11.67883, 77.96865	30 KM/Hr
19	Turn	High	11.70227, 77.97864	15 KM/Hr
20	Turn	Medium	11.71386, 77.99552	30 KM/Hr
21	Turn	Medium	11.71735, 78.00019	30 KM/Hr
22	Turn	Medium	11.72765, 78.02291	30 KM/Hr
23	Blind Spot	Blind Spot	11.73794, 78.03545	10 KM/Hr
24	Turn	Medium	11.80839, 77.97323	30 KM/Hr
25	Turn	Medium	11.83217, 77.94546	30 KM/Hr
26	Turn	Medium	11.83280, 77.94342	30 KM/Hr
27	Turn	Medium	11.84280, 77.93329	30 KM/Hr
28	Turn	Medium	11.84530, 77.92962	30 KM/Hr
29	Turn	Medium	11.86157, 77.92350	30 KM/Hr
30	Turn	Medium	11.88139, 77.93113	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
31	Turn	Medium	11.88456, 77.93245	30 KM/Hr
32	Turn	Medium	11.89077, 77.93356	30 KM/Hr
33	Turn	Medium	11.89637, 77.93174	30 KM/Hr
34	Turn	Medium	11.89807, 77.93076	30 KM/Hr
35	Turn	High	11.89883, 77.93081	15 KM/Hr
36	Turn	High	11.90000, 77.93239	15 KM/Hr
37	Turn	High	11.90523, 77.92686	15 KM/Hr
38	Turn	Medium	11.90586, 77.92650	30 KM/Hr
39	Turn	Medium	11.90952, 77.92580	30 KM/Hr
40	Turn	Medium	11.91176, 77.92315	30 KM/Hr
41	Blind Spot	Blind Spot	11.92978, 77.92665	10 KM/Hr
42	Blind Spot	Blind Spot	11.93016, 77.92592	10 KM/Hr
43	Turn	Medium	11.93815, 77.92822	30 KM/Hr
44	Turn	Medium	11.94105, 77.92968	30 KM/Hr
45	Turn	Medium	11.94343, 77.92957	30 KM/Hr
46	Turn	Medium	11.94478, 77.93054	30 KM/Hr
47	Turn	Medium	11.94665, 77.93068	30 KM/Hr
48	Turn	High	11.95093, 77.93461	15 KM/Hr
49	Turn	High	11.95145, 77.93420	15 KM/Hr
50	Turn	High	11.95458, 77.93503	15 KM/Hr
51	Blind Spot	Blind Spot	11.95452, 77.93541	10 KM/Hr
52	Blind Spot	Blind Spot	11.95367, 77.93535	10 KM/Hr
53	Turn	Medium	11.96305, 77.93872	30 KM/Hr
54	Turn	High	11.97828, 77.95203	15 KM/Hr
55	Turn	Medium	11.97948, 77.95164	30 KM/Hr
56	Turn	Medium	11.98386, 77.95231	30 KM/Hr
57	Turn	Medium	11.98716, 77.95364	30 KM/Hr
58	Turn	High	12.00724, 77.96648	15 KM/Hr
59	Turn	Medium	12.00796, 77.96600	30 KM/Hr
60	Turn	Medium	12.01143, 77.96579	30 KM/Hr
61	Turn	High	12.01596, 77.96164	15 KM/Hr
62	Turn	Medium	12.01699, 77.95700	30 KM/Hr
63	Turn	High	12.01749, 77.95658	15 KM/Hr
64	Turn	Medium	12.01689, 77.95370	30 KM/Hr
65	Turn	Medium	12.01715, 77.95273	30 KM/Hr
66	Turn	Medium	12.01830, 77.95195	30 KM/Hr
67	Turn	Medium	12.01887, 77.94989	30 KM/Hr
68	Blind Spot	Blind Spot	12.02427, 77.94688	10 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
69	Turn	Medium	12.02412, 77.94640	30 KM/Hr
70	Blind Spot	Blind Spot	12.02428, 77.94600	10 KM/Hr
71	Turn	High	12.02541, 77.94753	15 KM/Hr
72	Turn	Medium	12.02619, 77.94737	30 KM/Hr
73	Turn	Medium	12.02700, 77.94784	30 KM/Hr
74	Turn	Medium	12.02767, 77.94904	30 KM/Hr
75	Blind Spot	Blind Spot	12.02951, 77.95305	10 KM/Hr
76	Turn	Medium	12.02945, 77.95269	30 KM/Hr
77	Turn	High	12.03003, 77.95174	15 KM/Hr
78	Turn	High	12.02962, 77.94896	15 KM/Hr
79	Turn	High	12.03093, 77.94815	15 KM/Hr
80	Turn	Medium	12.03115, 77.94650	30 KM/Hr
81	Turn	High	12.03041, 77.94542	15 KM/Hr
82	Turn	Medium	12.03081, 77.94440	30 KM/Hr
83	Turn	High	12.03201, 77.94370	15 KM/Hr
84	Turn	Medium	12.03193, 77.94147	30 KM/Hr
85	Turn	Medium	12.03315, 77.93786	30 KM/Hr
86	Turn	High	12.03576, 77.93481	15 KM/Hr
87	Turn	High	12.03936, 77.93585	15 KM/Hr
88	Turn	Medium	12.04039, 77.93391	30 KM/Hr
89	Turn	High	12.04103, 77.93365	15 KM/Hr
90	Turn	Medium	12.05083, 77.93665	30 KM/Hr
91	Turn	High	12.05150, 77.93617	15 KM/Hr
92	Turn	Medium	12.05904, 77.93631	30 KM/Hr
93	Turn	Medium	12.07420, 77.93493	30 KM/Hr
94	Turn	Medium	12.09416, 77.92369	30 KM/Hr
95	Turn	Medium	12.10070, 77.91737	30 KM/Hr
96	Turn	Medium	12.10241, 77.91346	30 KM/Hr
97	Turn	Medium	12.10332, 77.91283	30 KM/Hr
98	Turn	High	12.10499, 77.91286	15 KM/Hr
99	Turn	Medium	12.12497, 77.90110	30 KM/Hr
100	Turn	Medium	12.12827, 77.89027	30 KM/Hr
101	Turn	Medium	12.12824, 77.89022	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
1	hospital	Sri Shanthi Hospital	11.569272, 77.901937	30 km/h	Medium
2	hospital	Vasu Speciality Hospital	11.8331097, 77.943169	30 km/h	Medium
3	hospital	Rajamanickam Hospital	11.8332408, 77.9431081	30 km/h	Medium
4	hospital	Child Hospital	11.833001, 77.943415	30 km/h	Medium
5	hospital	Naveen Nursing Home	11.8335355, 77.9437441	30 km/h	Medium
6	clinic	Sri Krishna Clinic	11.835443, 77.9450587	30 km/h	Medium
7	hospital	Rishan Hospital	11.879358, 77.9286133	30 km/h	Medium
8	hospital	Government Hospital Kadaimadai	12.05434, 77.936888	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
0	school	KRP Matric. Hr. Sec School	11.4546193, 77.8142445	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.12857, 77.90101



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44029, 77.87544



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45353, 77.85697



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.45781, 77.85203



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.46307, 77.84941



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45542, 77.81725



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45605, 77.81683



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.49400, 77.88538



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49469, 77.88488



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56072, 77.89919



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56140, 77.89991



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59085, 77.90592



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59253, 77.90690



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.63848, 77.94825



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.64197, 77.95197



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64558, 77.95108



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.67883, 77.96865



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.70227, 77.97864



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71386, 77.99552



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71735, 78.00019



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.72765, 78.02291



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.73794, 78.03545



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.80839, 77.97323




Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.83217, 77.94546



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.83280, 77.94342



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.84280, 77.93329



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.84530, 77.92962



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.86157, 77.92350



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88139, 77.93113



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88456, 77.93245



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89077, 77.93356



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89637, 77.93174



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89807, 77.93076



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89883, 77.93081



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.90000, 77.93239



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.90523, 77.92686



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90586, 77.92650



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90952, 77.92580



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91176, 77.92315



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.92978, 77.92665



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.93016, 77.92592



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93815, 77.92822



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94105, 77.92968



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94343, 77.92957



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94478, 77.93054



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94665, 77.93068



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95093, 77.93461



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95145, 77.93420



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95458, 77.93503



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.95367, 77.93535



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96305, 77.93872



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.97828, 77.95203




Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.97948, 77.95164



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.98386, 77.95231



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.98716, 77.95364



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.00724, 77.96648



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.00796, 77.96600



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01143, 77.96579



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.01596, 77.96164



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01699, 77.95700



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.01749, 77.95658



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01689, 77.95370



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01715, 77.95273



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01830, 77.95195



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01887, 77.94989



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.02427, 77.94688



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02412, 77.94640



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.02428, 77.94600



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02541, 77.94753



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02619, 77.94737



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02700, 77.94784



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02767, 77.94904



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.02951, 77.95305



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02945, 77.95269



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03003, 77.95174



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02962, 77.94896




Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03093, 77.94815



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03115, 77.94650



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03041, 77.94542



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03081, 77.94440



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03201, 77.94370



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03193, 77.94147



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03315, 77.93786



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03576, 77.93481



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03936, 77.93585



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.04039, 77.93391



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.04103, 77.93365



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.05083, 77.93665



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.05150, 77.93617



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.05904, 77.93631



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.07420, 77.93493



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.09416, 77.92369



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.10070, 77.91737



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.10241, 77.91346



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.10332, 77.91283



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.10499, 77.91286



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12497, 77.90110



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12827, 77.89027



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12824, 77.89022

