



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO BHUVAN FUELS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations

The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 192.02 km
Estimated Duration: 4.0 hours
Adjusted Duration (Heavy Vehicle): 5.0 hours
Start: (11.4381, 77.8734)
End: (12.520607, 77.644791)



Welcome to the Journey Risk Management Study

Route Analysis: Sangagiri to Jowlagiri, Tamil Nadu

1. Overview of the Route Map The route from Sangagiri to Jowlagiri runs predominantly through the southern part of Tamil Nadu, encompassing rural areas, towns, and some sections of NH44. The journey is expected to cover about 192.02 kilometers, taking on average 3.98 hours with heavy vehicles carrying hazardous materials.

2. Typical Weather Conditions and Potential Weather-Related Hazards Tamil Nadu's climate is generally tropical, experiencing hot summers, mild winters, and a distinct monsoon season (October to December). The primary weather-related hazard is heavy rains during the monsoon, potentially causing flooding and reduced visibility. Occasionally, cyclonic activity can disrupt travel, especially from the Bay of Bengal.

3. Traffic Patterns and Congestion Traffic in this region is typically heavier during morning (7:30-10:00 AM) and evening (5:00-8:00 PM) hours, particularly around towns like Salem. NH44 can experience congestion, with slow-moving traffic around urban intersections and market areas. Bypass roads may alleviate some traffic, but peak hours still present significant delays.

4. Road Quality and Infrastructure The main highways such as NH44 are generally in good condition, with well-maintained surfaces and clear signages. However, some minor connecting roads might suffer from potholes and narrow passages, affecting vehicle stability. Infrastructure like bridges and traffic lights needs routine checks during monsoon due to potential waterlogging.

5. Suggestions for Alternative Routes for Emergencies In case of roadblock or emergency, explored alternatives include bypassing Salem via SH86 towards Dharmapuri and then rejoining NH44. Local routes may offer detours, but the quality varies, hence advisable mainly for emergency diversions.

6. Local Regulations on Hazardous Material Transport Tamil Nadu enforces strict regulations on the transport of hazardous materials, requiring special permits and adherence to designated routes. Nighttime travel regulations apply in some urban areas to avoid accidents, and specific corridors have speed restrictions for hazmat carriers.

7. Historical Incidents Involving Heavy Vehicles Reports from regional transport and road safety agencies indicate occasional incidents, often involving tire blowouts or brake failures on heavy lorries. Notable areas of concern include the hilly sections near Dharmapuri, where sharp bends require cautious maneuvering.

8. Environmental Considerations and Sensitive Areas The route might intersect or pass near ecologically sensitive areas like reserved forests or agricultural lands. Drivers must adhere to noise and emission standards, ensuring minimal disruption to local wildlife and communities.

9. Communication Coverage While major towns along this route have robust mobile network coverage, some rural pockets, especially in hilly or forested sections, can experience poor connectivity or dead zones. It's wise to have offline navigation tools and a pre-checked local emergency contact list.

10. Estimated Emergency Response Times for Different Route Segments Emergency response times vary; urban centers like Salem have quicker access (<30 minutes) compared to remote areas, where it might take up to 1-2 hours for aid to arrive. Proximity to major hospitals and awareness of nearby police stations is crucial.

11. Overall Summary of Risk Assessment The route poses moderate risk due to variable weather conditions, occasional traffic congestion, and potential infrastructural challenges. Close attention to local regulations, adherence to safe driving practices, and regular vehicle checks are paramount in mitigating hazards. Drivers should be well-trained in handling potential emergencies, given the less predictable rural segments and limited environmental controls. The overall risk is manageable with proper planning and vigilance.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Turn	High	11.43968, 77.87345	15 KM/Hr
1	Turn	Medium	11.43995, 77.87431	30 KM/Hr
2	Turn	High	11.44107, 77.87528	15 KM/Hr
3	Turn	High	11.44900, 77.87406	15 KM/Hr
4	Turn	High	11.45028, 77.87202	15 KM/Hr
5	Turn	Medium	11.46400, 77.87323	30 KM/Hr
6	Turn	Medium	11.46765, 77.87037	30 KM/Hr
7	Turn	High	11.47403, 77.86841	15 KM/Hr
8	Turn	Medium	11.47986, 77.88397	30 KM/Hr
9	Turn	High	11.53601, 77.95856	15 KM/Hr
10	Turn	Medium	11.62403, 78.10893	30 KM/Hr
11	Turn	Medium	11.62917, 78.11648	30 KM/Hr
12	Turn	High	11.64180, 78.11808	15 KM/Hr
13	Turn	High	11.64325, 78.11993	15 KM/Hr
14	Turn	Medium	11.67865, 78.12803	30 KM/Hr
15	Turn	Medium	11.68201, 78.12639	30 KM/Hr
16	Turn	Medium	11.69519, 78.10775	30 KM/Hr
17	Turn	Medium	11.73958, 78.05105	30 KM/Hr
18	Turn	Medium	11.86776, 78.08342	30 KM/Hr
19	Turn	Medium	11.87007, 78.08384	30 KM/Hr
20	Turn	Medium	11.88068, 78.08121	30 KM/Hr
21	Turn	Medium	11.91345, 78.05865	30 KM/Hr
22	Turn	Medium	11.92753, 78.06509	30 KM/Hr
23	Turn	Medium	11.93282, 78.06439	30 KM/Hr
24	Turn	Medium	11.93523, 78.06175	30 KM/Hr
25	Turn	Medium	11.93691, 78.05433	30 KM/Hr
26	Turn	Medium	11.94836, 78.04682	30 KM/Hr
27	Turn	Medium	11.95639, 78.04760	30 KM/Hr
28	Turn	High	11.95796, 78.04956	15 KM/Hr
29	Turn	Medium	11.96062, 78.04957	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
30	Turn	High	11.96366, 78.05142	15 KM/Hr
31	Turn	High	11.96637, 78.04923	15 KM/Hr
32	Turn	Medium	12.12134, 78.13243	30 KM/Hr
33	Turn	High	12.37029, 78.05618	15 KM/Hr
34	Turn	Medium	12.39622, 77.98882	30 KM/Hr
35	Turn	Medium	12.40242, 77.98699	30 KM/Hr
36	Turn	Medium	12.40493, 77.98483	30 KM/Hr
37	Turn	High	12.40550, 77.98277	15 KM/Hr
38	Turn	Medium	12.40728, 77.98233	30 KM/Hr
39	Turn	Medium	12.42162, 77.97467	30 KM/Hr
40	Turn	Medium	12.43019, 77.96728	30 KM/Hr
41	Turn	Medium	12.43112, 77.96354	30 KM/Hr
42	Turn	Medium	12.48984, 77.92193	30 KM/Hr
43	Turn	Medium	12.48951, 77.91686	30 KM/Hr
44	Turn	Medium	12.48925, 77.90612	30 KM/Hr
45	Turn	Medium	12.48527, 77.89699	30 KM/Hr
46	Turn	High	12.47111, 77.87676	15 KM/Hr
47	Turn	Medium	12.47173, 77.85519	30 KM/Hr
48	Turn	Medium	12.47448, 77.85028	30 KM/Hr
49	Turn	Medium	12.47733, 77.84932	30 KM/Hr
50	Turn	Medium	12.48031, 77.84441	30 KM/Hr
51	Turn	Medium	12.48593, 77.84224	30 KM/Hr
52	Turn	Medium	12.48650, 77.84041	30 KM/Hr
53	Turn	Medium	12.49441, 77.82347	30 KM/Hr
54	Turn	Medium	12.49890, 77.81941	30 KM/Hr
55	Turn	Medium	12.49943, 77.81566	30 KM/Hr
56	Turn	Medium	12.50037, 77.81494	30 KM/Hr
57	Turn	Medium	12.50102, 77.81298	30 KM/Hr
58	Turn	Medium	12.51005, 77.80222	30 KM/Hr
59	Turn	Medium	12.51386, 77.80072	30 KM/Hr
60	Turn	High	12.51454, 77.79932	15 KM/Hr
61	Turn	High	12.51635, 77.79962	15 KM/Hr
62	Turn	Medium	12.51779, 77.79564	30 KM/Hr
63	Turn	Medium	12.52240, 77.79109	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
64	Turn	High	12.52657, 77.79011	15 KM/Hr
65	Turn	Medium	12.52697, 77.78724	30 KM/Hr
66	Turn	High	12.52277, 77.78139	15 KM/Hr
67	Turn	Medium	12.51801, 77.74527	30 KM/Hr
68	Turn	Medium	12.51322, 77.73326	30 KM/Hr
69	Turn	Medium	12.50611, 77.71724	30 KM/Hr
70	Turn	High	12.50649, 77.71585	15 KM/Hr
71	Turn	High	12.50390, 77.71381	15 KM/Hr
72	Turn	Medium	12.50393, 77.69573	30 KM/Hr
73	Turn	High	12.50328, 77.69518	15 KM/Hr
74	Turn	Medium	12.50429, 77.69294	30 KM/Hr
75	Turn	Medium	12.50305, 77.68970	30 KM/Hr
76	Turn	High	12.50348, 77.68689	15 KM/Hr
77	Turn	Medium	12.50469, 77.68630	30 KM/Hr
78	Turn	High	12.50688, 77.68680	15 KM/Hr
79	Turn	Medium	12.50854, 77.68156	30 KM/Hr
80	Turn	High	12.51632, 77.64417	15 KM/Hr
81	Turn	Medium	12.52013, 77.64417	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
5	clinic	Dr. Dhanasekar Clinic	11.4793113, 77.8829247	30 km/h	Medium
6	hospital	Sri Vellaiyan Hospital	11.4798876, 77.8831394	30 km/h	Medium
8	hospital	C. N. Hospital	11.55724, 78.0096	30 km/h	Medium
9	hospital	Vinayaka Mission's Homeopathic Medical College & Hospital	11.583617, 78.059145	30 km/h	Medium
11	hospital	Vinayaka Mission’s Kirupananda Variyar Medical College	11.5977669, 78.0850992	30 km/h	Medium
16	hospital	Bharathi Hospital, Salem	11.6492647, 78.1204131	30 km/h	Medium
17	hospital	Sisu Hospital Inida Ltd	11.6505276, 78.1205003	30 km/h	Medium
18	hospital	Aishwarya Hospital	11.6716291, 78.1267807	30 km/h	Medium
20	hospital	C.M. Hospital	11.6747345, 78.1255034	30 km/h	Medium
21	pharmacy	Healthy Pharmacy	11.6762714, 78.127744	30 km/h	Medium
22	pharmacy	Thulasi Pharmacy	11.6761991, 78.1277377	30 km/h	Medium
23	hospital	Sri Gokulam Speciality Hospital	11.6788724, 78.1274258	30 km/h	Medium
24	hospital	Global Medical Center	11.6867049, 78.1186697	30 km/h	Medium
25	hospital	Manipal Hospital	11.703072, 78.1026612	30 km/h	Medium
28	clinic	Manimuthu Skin Clinic	11.7521189, 78.0484058	30 km/h	Medium
29	hospital	St. Joseph's Speciality Hospital	11.761611, 78.0522344	30 km/h	Medium
32	hospital	L.R. Hospital	11.8703354, 78.0844554	30 km/h	Medium
33	clinic	JSA Clinic	11.8700619, 78.0844982	30 km/h	Medium
35	hospital	Government Hospital Panchapalli	12.4587955, 77.9429947	30 km/h	Medium
36	hospital	Government Hospital, Thenkanikottai	12.51961, 77.793121	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
37	hospital	Govt Hospital	12.5185717, 77.7938205	30 km/h	Medium
38	police	Denkanikottai Police Station	12.5208971, 77.7903372	30 km/h	Medium
39	hospital	Mythri Hospital, Krishnagiri	12.5264111, 77.7897745	30 km/h	Medium
40	hospital	Government Hospital, Balathotanapalli	12.5068756, 77.7099988	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
10	school	Vinayaka Missions Annapoorani Matric School	11.5971662, 78.0839876	30 km/h	Medium
12	university	Vinayaka Missions Vinayaka Missions Research Foundation	11.5974056, 78.0843617	30 km/h	Medium
13	school	Dist Education Training	11.6133799, 78.1022409	30 km/h	Medium
14	school	DIET - Salem	11.6144158, 78.1025078	30 km/h	Medium
15	school	Diamond Rays Matric HR Sec School	11.6385629, 78.1206259	30 km/h	Medium
19	college	Sona College	11.6768, 78.1257052	30 km/h	Medium
26	university	Periyar University	11.7186758, 78.0771089	30 km/h	Medium
27	school	Fathima Hr Sec School	11.7410508, 78.0479272	30 km/h	Medium
30	school	John Britto Matriculation Higher Secondary School	11.7676907, 78.0513092	30 km/h	Medium
31	college	Dhirajlal Gandhi College of Technology	11.7968014, 78.0562095	30 km/h	Medium
34	college	Laxminarayana Polytechnic College	12.0421277, 78.103203	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44107, 77.87528



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45028, 77.87202



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46400, 77.87323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46765, 77.87037



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47403, 77.86841



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47986, 77.88397



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.53601, 77.95856



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.62403, 78.10893



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.62917, 78.11648



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.64180, 78.11808



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.64325, 78.11993



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.67865, 78.12803



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.68201, 78.12639



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69519, 78.10775



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.73958, 78.05105



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.86776, 78.08342



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.87007, 78.08384



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88068, 78.08121



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91345, 78.05865



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92753, 78.06509



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93282, 78.06439



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93523, 78.06175



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93691, 78.05433



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94836, 78.04682



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95639, 78.04760



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95796, 78.04956



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96062, 78.04957



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96366, 78.05142



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96637, 78.04923



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.37029, 78.05618



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.39622, 77.98882



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40242, 77.98699



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40493, 77.98483



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.40550, 77.98277



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40728, 77.98233



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.42162, 77.97467



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.43019, 77.96728



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.43112, 77.96354



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48984, 77.92193



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48925, 77.90612



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48527, 77.89699



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.47111, 77.87676



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47173, 77.85519



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47448, 77.85028



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.47733, 77.84932



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48031, 77.84441



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48593, 77.84224



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.48650, 77.84041



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49441, 77.82347



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49890, 77.81941



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.49943, 77.81566



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50037, 77.81494



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50102, 77.81298



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.51005, 77.80222



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.51386, 77.80072



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.51454, 77.79932



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.51635, 77.79962



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.51779, 77.79564



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.52240, 77.79109



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.52657, 77.79011



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.52697, 77.78724



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.52277, 77.78139



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.51801, 77.74527



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.51322, 77.73326



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50611, 77.71724



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.50649, 77.71585



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.50390, 77.71381



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.50393, 77.69573



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.50328, 77.69518



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50429, 77.69294



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50305, 77.68970



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.50348, 77.68689



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50469, 77.68630



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.50688, 77.68680



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.50854, 77.68156



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.51632, 77.64417



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.52013, 77.64417