



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO HOSUR FUELS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 193.54 km
Estimated Duration: 3.7 hours
Adjusted Duration (Heavy Vehicle): 4.7 hours
Start: (11.4381, 77.8734)
End: (12.739136, 77.820512)



Welcome to the Journey Risk Management Study

Route Overview

The route from Sangagiri to Hosur traverses several towns and cities in Tamil Nadu, covering approximately 193.54 kilometers. This route primarily follows major state highways and national highways, connecting rural and urban areas through Sangagiri, Salem, Tharamangalam, Omalur, Thoppur,

Seshampatti, Krishnagiri, and finally Hosur. The roads along this route mostly consist of two lanes, with segments of wider highways near urban centers.

Typical Weather Conditions and Potential Weather-Related Hazards

Tamil Nadu generally experiences a tropical climate, with significant variations between the wet and dry seasons. The route may encounter:

- **Monsoon months (June to September):** Heavy rainfall can lead to poor visibility, waterlogging, and slippery road conditions.
- **Summer months (April to June)**
temperatures may cause road surface damage or fatigue among drivers if not well-managed.
- **Winter months (November to February):** Fog in the early mornings, particularly in the Salem and Thoppur regions, might pose visibility challenges.

Traffic Patterns and Congestion

- **Peak Hours:** 8:00 AM to 10:00 AM and 5:00 PM to 8:00 PM in urban areas like Salem and Krishnagiri. These periods often see heightened traffic, slowing down movement especially at junctions.
- **Congestion-Prone Areas:** Salem and Krishnagiri cities frequently suffer from congestion due to market areas and narrow streets. Thoppur ghat section can also experience slowdowns due to its hilly terrain.

Road Quality and Infrastructure

The road conditions vary from well-maintained highways near urban settings to average rural roads:

- **Infrastructure:** The presence of toll plazas near Salem and Krishnagiri suggests better road maintenance.
- **Potential Challenges:** Uneven road surfaces and potholes, particularly on the less-traveled sections between smaller towns.

Suggestions for Alternative Routes

In emergencies, alternative paths through NH 44 or NH 79 offer reliable detours, though they might extend travel time. Monitoring real-time traffic updates will assist in route re-routing efficiently.

Local Regulations Affecting Hazardous Material Transport

Local regulations mandate specific permits and adherence to maximum load limits. Transport of hazardous materials requires compliance with safety guidelines, particularly in proximity to populated areas and environmentally sensitive zones.

Historical Incidents Involving Heavy Vehicles

The route sections near Salem and Krishnagiri have recorded instances of accidents, typically involving speeding or heavy vehicle breakdowns on gradients. No significant hazardous material spills noted, but caution is advised.

Environmental Considerations and Sensitive Areas

Several segments cross agricultural lands; care must be taken to prevent contamination from hazardous materials. Proper containment measures are critical to prevent accidental spills impacting local ecosystems.

Communication Coverage and Dead Zones

While urban areas like Salem and Hosur have robust communication networks, rural sections, particularly between Thoppur and Seshampatti, may experience intermittent connectivity. Planning for communication redundancy (satellite phones or radio sets) is advisable.

Estimated Emergency Response Times

- Urban Areas (Salem, Krishnagiri, Hosur):** 30 to 45 minutes, with ready access to emergency services.
- Rural Areas (Thoppur, Seshampatti):** Approximately 60 to 90 minutes, subject to road accessibility and traffic conditions.

Overall Summary of Risk Assessment

This route is moderately safe with proper precautions. Key recommendations include travel planning outside peak hours, vigilant weather condition monitoring, and ensuring compliance with regulations and safety standards for hazardous materials. Preparedness for varying road conditions and potential emergencies must be emphasized to ensure the safe transport of goods along this corridor.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	U-Turn	High	11.4749755, 77.869149	10 KM/Hr
1	Turn	High	11.43968, 77.87345	15 KM/Hr
2	Turn	High	11.44077, 77.87533	15 KM/Hr
3	Turn	High	11.44898, 77.87410	15 KM/Hr
4	Turn	High	11.45007, 77.87201	15 KM/Hr
5	Turn	Medium	11.46392, 77.87328	30 KM/Hr
6	Turn	Medium	11.46755, 77.87044	30 KM/Hr
7	Turn	High	11.47391, 77.86844	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
8	Turn	Medium	11.47481, 77.86920	30 KM/Hr
9	Turn	Medium	11.48005, 77.88450	30 KM/Hr
10	Turn	Medium	11.48265, 77.88700	30 KM/Hr
11	Turn	Medium	11.49155, 77.88776	30 KM/Hr
12	Turn	High	11.49469, 77.88488	15 KM/Hr
13	Turn	High	11.55614, 77.89764	15 KM/Hr
14	Turn	Medium	11.55680, 77.89969	30 KM/Hr
15	Turn	High	11.58218, 77.90845	15 KM/Hr
16	Turn	High	11.58330, 77.90642	15 KM/Hr
17	Turn	Medium	11.59189, 77.90645	30 KM/Hr
18	Turn	Medium	11.59328, 77.90809	30 KM/Hr
19	Turn	Medium	11.63867, 77.94841	30 KM/Hr
20	Turn	High	11.64217, 77.95200	15 KM/Hr
21	Turn	Medium	11.64712, 77.95118	30 KM/Hr
22	Turn	High	11.69597, 77.97126	15 KM/Hr
23	Turn	Medium	11.69794, 77.97520	30 KM/Hr
24	Turn	Medium	11.71380, 77.99532	30 KM/Hr
25	Turn	Medium	11.71731, 78.00006	30 KM/Hr
26	Turn	Medium	11.71913, 78.01064	30 KM/Hr
27	Turn	Medium	11.72472, 78.01630	30 KM/Hr
28	Turn	Medium	11.73761, 78.03437	30 KM/Hr
29	Turn	Medium	11.73759, 78.03658	30 KM/Hr
30	Turn	High	11.73652, 78.03863	15 KM/Hr
31	Turn	Medium	11.74103, 78.04564	30 KM/Hr
32	Turn	Medium	11.74325, 78.04722	30 KM/Hr
33	Turn	Medium	11.77968, 78.05777	30 KM/Hr
34	Turn	Medium	11.86887, 78.08377	30 KM/Hr
35	Turn	Medium	11.87976, 78.08182	30 KM/Hr
36	Turn	Medium	11.92621, 78.06514	30 KM/Hr
37	Turn	Medium	11.93159, 78.06483	30 KM/Hr
38	Turn	Medium	11.93461, 78.06286	30 KM/Hr
39	Turn	Medium	11.93719, 78.05372	30 KM/Hr
40	Turn	Medium	11.95457, 78.04685	30 KM/Hr
41	Turn	Medium	11.95688, 78.04803	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
42	Turn	High	11.95828, 78.04983	15 KM/Hr
43	Turn	Medium	11.95997, 78.04946	30 KM/Hr
44	Turn	High	11.96408, 78.05131	15 KM/Hr
45	Turn	High	11.96511, 78.04966	15 KM/Hr
46	Turn	High	11.96697, 78.04959	15 KM/Hr
47	Turn	Medium	11.96819, 78.05088	30 KM/Hr
48	Turn	Medium	12.16993, 78.16780	30 KM/Hr
49	Turn	Medium	12.19885, 78.18158	30 KM/Hr
50	Turn	Medium	12.22467, 78.19138	30 KM/Hr
51	Turn	Medium	12.24490, 78.19495	30 KM/Hr
52	Turn	Medium	12.25061, 78.19978	30 KM/Hr
53	Turn	Medium	12.25349, 78.20037	30 KM/Hr
54	Turn	Medium	12.29134, 78.19920	30 KM/Hr
55	Turn	Medium	12.39927, 78.21762	30 KM/Hr
56	Turn	Medium	12.40597, 78.22280	30 KM/Hr
57	Turn	Medium	12.42465, 78.22673	30 KM/Hr
58	Turn	Medium	12.44404, 78.21820	30 KM/Hr
59	Turn	Medium	12.50170, 78.22334	30 KM/Hr
60	Turn	Medium	12.50553, 78.22318	30 KM/Hr
61	Turn	Medium	12.59749, 78.13593	30 KM/Hr
62	Turn	Medium	12.63720, 78.07020	30 KM/Hr
63	Turn	Medium	12.71186, 77.89309	30 KM/Hr
64	Turn	Medium	12.71133, 77.88922	30 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
6	hospital	Sankari Hospital	11.4777496, 77.873892	30 km/h	Medium
7	clinic	Dr. Dhanasekar Clinic	11.4793113, 77.8829247	30 km/h	Medium
8	hospital	Sri Vellaiyan Hospital	11.4798876, 77.8831394	30 km/h	Medium
9	clinic	Sun Eye Care	11.6936242, 77.9730948	30 km/h	Medium
10	hospital	Dr. Pandiyarajan Hospital	11.692704, 77.969344	30 km/h	Medium
11	hospital	Dr. Sengodan Hospital	11.6959527, 77.9695325	30 km/h	Medium
12	hospital	Omalur Government Hospital	11.74161, 78.044296	30 km/h	Medium
13	clinic	R.R. Nursing Home	11.7394129, 78.0439861	30 km/h	Medium
14	hospital	Sri Hari Hospital	11.7396726, 78.0440701	30 km/h	Medium
15	hospital	Sugumar Hospital	11.7396031, 78.0426955	30 km/h	Medium
16	hospital	Sri Sugam Hospital	11.7429821, 78.0461039	30 km/h	Medium
17	hospital	Saravana Hospital	11.7409303, 78.0458308	30 km/h	Medium
18	hospital	Arun Hospital	11.7429892, 78.0466881	30 km/h	Medium
19	clinic	Saratha Clinic	11.7422818, 78.0458175	30 km/h	Medium
21	clinic	Sri Meenakshi Nursing Home, Salem	11.7449162, 78.0474637	30 km/h	Medium
22	hospital	Vinayaka Child Hospital	11.745812, 78.0480225	30 km/h	Medium
23	clinic	Divyam Child Care Clinic	11.7447135, 78.0473858	30 km/h	Medium
24	clinic	Momota Clinic	11.744982, 78.047397	30 km/h	Medium
25	hospital	Amirthalingam Hospital	11.7456708, 78.0470548	30 km/h	Medium
26	hospital	Children Hospital	11.7458377, 78.0480205	30 km/h	Medium
27	clinic	Gomathi Clinic	11.7445293, 78.0470401	30 km/h	Medium
28	clinic	Manimuthu Skin Clinic	11.7521189, 78.0484058	30 km/h	Medium
29	hospital	St. Joseph's Speciality Hospital	11.761611, 78.0522344	30 km/h	Medium
30	hospital	Anugraha Multi Speciality Hospital	11.773549, 78.0546408	30 km/h	Medium
32	hospital	L.R. Hospital	11.8703354, 78.0844554	30 km/h	Medium
33	clinic	JSA Clinic	11.8700619, 78.0844982	30 km/h	Medium
34	hospital	Thoppur,Government Hospital	11.9398824, 78.0551658	30 km/h	Medium
35	hospital	Government Hospital	12.3048002, 78.2060881	30 km/h	Medium
39	hospital	TCR Multi Speciality Hospital	12.5088183, 78.2237657	30 km/h	Medium
40	clinic	Shri Narayana Bone & Joint Clinic	12.523617, 78.210613	30 km/h	Medium
41	clinic	AZ Family Clinic	12.5234942, 78.2127422	30 km/h	Medium
43	hospital	KVS Hospital	12.5277857, 78.2055049	30 km/h	Medium
44	hospital	Ga Heart Hospital	12.5287708, 78.2055336	30 km/h	Medium
45	clinic	Psychiatric Centre	12.529476, 78.205064	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
49	pharmacy	Mithran Medicals	12.6837657, 77.93838	30 km/h	Medium
50	pharmacy	Jaisheka Medical	12.7116723, 77.890613	30 km/h	Medium
52	pharmacy	H2 Pharmacy	12.7301802, 77.8401037	30 km/h	Medium
53	clinic	Meera Nursing Home, Krishnagiri	12.7326185, 77.8292795	30 km/h	Medium
54	hospital	Velnath Maternity Home	12.7353452, 77.8261929	30 km/h	Medium
55	hospital	Vijay Hospital, Krishnagiri	12.7350679, 77.825517	30 km/h	Medium
56	hospital	Uma Kumar Hospital	12.7362537, 77.8243053	30 km/h	Medium
57	hospital	S.B.S Hospital	12.7338924, 77.8259338	30 km/h	Medium
58	hospital	Dr Agarwals Eye Hospital Ltd, Hosur	12.7405888, 77.8205797	30 km/h	Medium
59	clinic	Thangam Private Nursing Home	12.737023, 77.8185638	30 km/h	Medium
60	hospital	Vasan Eye Care Hospital-Hosur	12.7414997, 77.8187729	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
5	school	Goverment Boys Higher Secondary School	11.477659, 77.8659632	30 km/h	Medium
20	school	Fathima Hr Sec School	11.7410508, 78.0479272	30 km/h	Medium
31	college	Dhirajlal Gandhi College of Technology	11.7968014, 78.0562095	30 km/h	Medium
36	school	Government Boys Higher secondary school	12.3047059, 78.2065495	30 km/h	Medium
37	school	Nalanda International Public School	12.4994979, 78.2235094	30 km/h	Medium
38	school	Don Bosco School Ground	12.505954, 78.2222003	30 km/h	Medium
42	school	Vivekananda School	12.5231937, 78.2121429	30 km/h	Medium
46	college	Government Medical College	12.582332, 78.1496363	30 km/h	Medium
47	school	Crescent Matriculation Higher Seconddary School	12.6003724, 78.132787	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
48	college	Jeeva College of Nursing	12.6067058, 78.1191944	30 km/h	Medium
51	college	Adhiyamaan College of Engineering	12.7152133, 77.8678715	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: U-Turn

Risk Level: High

Speed Limit: 10 KM/Hr

Coordinates: 11.4749755, 77.869149



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44077, 77.87533



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44898, 77.87410



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.45007, 77.87201



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46392, 77.87328



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46755, 77.87044



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47391, 77.86844



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.47481, 77.86920



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.48005, 77.88450



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.48265, 77.88700



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.49155, 77.88776



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.49469, 77.88488




Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.55614, 77.89764



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.58330, 77.90642



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59189, 77.90645



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59328, 77.90809



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.63867, 77.94841



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.64217, 77.95200



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.64712, 77.95118



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.69597, 77.97126



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69794, 77.97520



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71380, 77.99532



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.71731, 78.00006



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.71913, 78.01064



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.72472, 78.01630



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.73761, 78.03437



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.73759, 78.03658



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.73652, 78.03863



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.74103, 78.04564



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.74325, 78.04722



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.86887, 78.08377



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.87976, 78.08182



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.92621, 78.06514



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.93159, 78.06483



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93461, 78.06286



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93719, 78.05372



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95457, 78.04685




Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.95688, 78.04803



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.95828, 78.04983



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95997, 78.04946



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96408, 78.05131



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96511, 78.04966



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.96697, 78.04959



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.96819, 78.05088



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.16993, 78.16780



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.19885, 78.18158



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.22467, 78.19138



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.24490, 78.19495



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.25061, 78.19978



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.25349, 78.20037



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.29134, 78.19920



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.39927, 78.21762



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.40597, 78.22280



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.42465, 78.22673



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.44404, 78.21820



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.50170, 78.22334



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.50553, 78.22318



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.59749, 78.13593



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.63720, 78.07020



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.71186, 77.89309



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.71133, 77.88922
