



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO KAVYA FUELS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations


The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 213.39 km
Estimated Duration: 4.3 hours
Adjusted Duration (Heavy Vehicle): 5.3 hours
Start: (11.4381, 77.8734)
End: (12.677332, 77.766797)



Welcome to the Journey Risk Management Study

1. **Overview of the Route Map:** The route stretches approximately 213.39 kilometers, passing through various towns and cities across Tamil Nadu. Starting from Sangagiri, it moves through Puthur, Padaiveedu, Omalur, Thoppur, Dharmapuri, and Krishnagiri, before reaching the final destination in Belagondanahalli, Tamil Nadu. This route includes a mix of state highways, main roads, and involves bypasses near major towns to avoid congestion.

2. **Typical Weather Conditions and Potential Weather-Related Hazards:** The region generally experiences a tropical climate. Weather conditions can vary with bouts of heavy rain during the monsoon season (June to September), which might lead to slippery roads and reduced visibility. Summers can be extremely hot, adding stress to vehicle air conditioning systems and posing a risk of heat-related mechanical issues.
3. **Analysis of Traffic Patterns:** The route experiences peak hours during mornings (8-10 AM) and evenings (6-8 PM) due to commuter traffic, especially near major towns like Salem and Dharmapuri. Congestion is commonly found at the Salem-Hosur section due to its heavy industrial presence.
4. **Assessment of Road Quality and Infrastructure:** Road conditions are generally good on highways, but there might be some rough patches near rural junctions or portions under construction. Infrastructure like rest stops and fuel stations are available at regular intervals, but facilities for heavy vehicles might be sparse in less urban areas.
5. **Suggestions for Alternative Routes for Emergencies:** In case of emergencies, detours can be made via NH44, connecting various points along this route. Local roads offer alternative bypasses during roadblocks but may take longer due to their lower road quality.
6. **Summary of Local Regulations Affecting Hazardous Material Transport:** Transport of hazardous materials requires adherence to national safety regulations, including proper labeling and containment. There may be specific restrictions in urban areas, and obtaining permits can be necessary.
7. **Overview of Historical Incidents Involving Heavy Vehicles or Hazardous Materials:** While specific data may not be readily available, recorded incidents generally involve either mechanical failure or poor weather conditions affecting maneuverability, especially in ghat sections.
8. **Environmental Considerations and Sensitive Areas:** The route passes close to several ecological zones, so measures should be taken to avoid spills. Awareness of local wildlife crossings and farmer lands is crucial, particularly during monsoons and nights.
9. **Analysis of Communication Coverage:** Coverage is mostly reliable along major highways. However, certain rural or forested sections might have dead zones, particularly around the Dharmapuri hills.
10. **Estimated Emergency Response Times:** Response time can vary, with urban areas like Salem having quicker access within 30 minutes, whereas remote areas might extend over an hour due to challenging terrain and slower ambulance services.
11. **Overall Summary of Risk Assessment:** This route entails manageable risks with the key hazards being weather-related issues, traffic congestion, potential roadblocks, and inadequate communication in rural areas. Proper preparation, real-time navigation tools, and regular updates on weather and traffic can mitigate most risks. An alternate plan should always be ready in instances of road closures or detours. Furthermore, ensuring that all safety protocols concerning heavy and hazardous vehicles are strictly met is crucial for safe transit.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	12.71023, 77.79802	15 KM/Hr
1	Turn	High	11.43961, 77.87341	15 KM/Hr
2	Turn	High	11.44077, 77.87533	15 KM/Hr
3	Turn	High	11.44898, 77.87410	15 KM/Hr
4	Turn	Medium	11.45352, 77.85698	30 KM/Hr
5	Turn	High	11.46303, 77.84945	15 KM/Hr
6	Turn	Medium	11.45545, 77.81812	30 KM/Hr
7	Turn	High	11.45584, 77.81695	15 KM/Hr
8	Turn	Medium	11.45656, 77.81709	30 KM/Hr
9	Turn	High	11.49448, 77.88490	15 KM/Hr
10	Turn	Medium	11.59034, 77.90578	30 KM/Hr
11	Turn	Medium	11.59328, 77.90809	30 KM/Hr
12	Turn	Medium	11.63867, 77.94841	30 KM/Hr
13	Turn	High	11.64217, 77.95200	15 KM/Hr
14	Turn	Medium	11.64712, 77.95118	30 KM/Hr
15	Turn	Medium	11.67858, 77.96834	30 KM/Hr
16	Turn	Medium	11.68550, 77.97610	30 KM/Hr
17	Turn	Medium	11.69776, 77.97983	30 KM/Hr
18	Turn	Medium	11.70179, 77.97900	30 KM/Hr
19	Turn	Medium	11.71394, 77.99572	30 KM/Hr
20	Turn	Medium	11.71916, 78.01117	30 KM/Hr
21	Turn	Medium	11.72504, 78.01680	30 KM/Hr
22	Turn	High	11.73766, 78.03445	15 KM/Hr
23	Turn	High	11.73651, 78.03868	15 KM/Hr
24	Turn	Medium	11.74120, 78.04588	30 KM/Hr
25	Turn	Medium	11.77998, 78.05786	30 KM/Hr
26	Turn	High	11.86915, 78.08382	15 KM/Hr
27	Turn	Medium	11.87998, 78.08170	30 KM/Hr
28	Turn	Medium	11.90925, 78.05902	30 KM/Hr
29	Turn	Medium	11.91462, 78.05912	30 KM/Hr
30	Turn	Medium	11.92653, 78.06517	30 KM/Hr
31	Turn	Medium	11.93196, 78.06473	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
32	Turn	Medium	11.93473, 78.06268	30 KM/Hr
33	Turn	Medium	11.93673, 78.05504	30 KM/Hr
34	Turn	Medium	11.95498, 78.04689	30 KM/Hr
35	Turn	High	11.95847, 78.04989	15 KM/Hr
36	Turn	High	11.96011, 78.04944	15 KM/Hr
37	Turn	Medium	11.96251, 78.05104	30 KM/Hr
38	Turn	High	11.96427, 78.05118	15 KM/Hr
39	Turn	High	11.96526, 78.04950	15 KM/Hr
40	Turn	Medium	12.12010, 78.13282	30 KM/Hr
41	Blind Spot	Blind Spot	12.14099, 78.12817	10 KM/Hr
42	Turn	High	12.14053, 78.13947	15 KM/Hr
43	Turn	Medium	12.19881, 78.18157	30 KM/Hr
44	Turn	Medium	12.22459, 78.19136	30 KM/Hr
45	Turn	Medium	12.24731, 78.19601	30 KM/Hr
46	Turn	Medium	12.25060, 78.19977	30 KM/Hr
47	Turn	Medium	12.25329, 78.20039	30 KM/Hr
48	Turn	Medium	12.29110, 78.19909	30 KM/Hr
49	Turn	Medium	12.32082, 78.20751	30 KM/Hr
50	Turn	Medium	12.39904, 78.21764	30 KM/Hr
51	Turn	Medium	12.40156, 78.21845	30 KM/Hr
52	Turn	Medium	12.40589, 78.22275	30 KM/Hr
53	Turn	Medium	12.42428, 78.22671	30 KM/Hr
54	Turn	Medium	12.50534, 78.22324	30 KM/Hr
55	Turn	Medium	12.59737, 78.13608	30 KM/Hr
56	Turn	Medium	12.63692, 78.07068	30 KM/Hr
57	Turn	Medium	12.67139, 77.97411	30 KM/Hr
58	Turn	Medium	12.71175, 77.89386	30 KM/Hr
59	Turn	Medium	12.71126, 77.88986	30 KM/Hr
60	Blind Spot	Blind Spot	12.73871, 77.82102	10 KM/Hr
61	Turn	Medium	12.73529, 77.81986	30 KM/Hr
62	Turn	High	12.73382, 77.82028	15 KM/Hr
63	Turn	Medium	12.71672, 77.80463	30 KM/Hr
64	Turn	Medium	12.71501, 77.80402	30 KM/Hr
65	Turn	High	12.71008, 77.79428	15 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
1	hospital	Sri Shanthi Hospital	11.569272, 77.901937	30 km/h	Medium
2	hospital	Omalur Government Hospital	11.74161, 78.044296	30 km/h	Medium
3	clinic	R.R. Nursing Home	11.7394129, 78.0439861	30 km/h	Medium
4	hospital	Sri Hari Hospital	11.7396726, 78.0440701	30 km/h	Medium
5	hospital	Sugumar Hospital	11.7396031, 78.0426955	30 km/h	Medium
6	hospital	Sri Sugam Hospital	11.7429821, 78.0461039	30 km/h	Medium
7	hospital	Saravana Hospital	11.7409303, 78.0458308	30 km/h	Medium
8	hospital	Arun Hospital	11.7429892, 78.0466881	30 km/h	Medium
9	clinic	Saratha Clinic	11.7422818, 78.0458175	30 km/h	Medium
11	clinic	Sri Meenakshi Nursing Home, Salem	11.7449162, 78.0474637	30 km/h	Medium
12	hospital	Vinayaka Child Hospital	11.745812, 78.0480225	30 km/h	Medium
13	hospital	Dr. G.R.Thilakam Hospital	11.746097, 78.04769	30 km/h	Medium
14	clinic	Divyam Child Care Clinic	11.7447135, 78.0473858	30 km/h	Medium
15	hospital	Thulasi Hospital	11.7461516, 78.0469984	30 km/h	Medium
16	clinic	Momota Clinic	11.744982, 78.047397	30 km/h	Medium
17	hospital	Amirthalingam Hospital	11.7456708, 78.0470548	30 km/h	Medium
18	hospital	Children Hospital	11.7458377, 78.0480205	30 km/h	Medium
19	clinic	Gomathi Clinic	11.7445293, 78.0470401	30 km/h	Medium
20	clinic	Manimuthu Skin Clinic	11.7521189, 78.0484058	30 km/h	Medium
22	hospital	Anugraha Multi Speciality Hospital	11.773549, 78.0546408	30 km/h	Medium
24	hospital	L.R. Hospital	11.8703354, 78.0844554	30 km/h	Medium
25	clinic	JSA Clinic	11.8700619, 78.0844982	30 km/h	Medium
26	hospital	Government Hospital	12.3048002, 78.2060881	30 km/h	Medium
31	hospital	St. Mary's Hospital	12.5128555, 78.2186887	30 km/h	Medium
32	hospital	KVS Hospital	12.5277857, 78.2055049	30 km/h	Medium
33	hospital	Ga Heart Hospital	12.5287708, 78.2055336	30 km/h	Medium
34	clinic	Psychiatric Centre	12.529476, 78.205064	30 km/h	Medium
40	pharmacy	Mithran Medicals	12.6837657, 77.93838	30 km/h	Medium
41	pharmacy	Jaisheka Medical	12.7116723, 77.890613	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
44	police	HUDCO Police Station	12.7258052, 77.8579715	30 km/h	Medium
45	hospital	Lions Eye Hospital	12.7264366, 77.8576503	30 km/h	Medium
46	hospital	Velnath Maternity Home	12.7353452, 77.8261929	30 km/h	Medium
47	hospital	Vijay Hospital, Krishnagiri	12.7350679, 77.825517	30 km/h	Medium
48	hospital	Uma Kumar Hospital	12.7362537, 77.8243053	30 km/h	Medium
49	hospital	S.B.S Hospital	12.7338924, 77.8259338	30 km/h	Medium
50	hospital	Dr Agarwals Eye Hospital Ltd, Hosur	12.7405888, 77.8205797	30 km/h	Medium
51	clinic	Thangam Private Nursing Home	12.737023, 77.8185638	30 km/h	Medium
52	hospital	Vasan Eye Care Hospital-Hosur	12.7414997, 77.8187729	30 km/h	Medium
54	clinic	Thangam Nursing Home	12.7359712, 77.8181389	30 km/h	Medium
55	hospital	Sri Venkat Sai Private Hospital	12.7327925, 77.8185057	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
0	school	KRP Matric. Hr. Sec School	11.4546193, 77.8142445	30 km/h	Medium
10	school	Fathima Hr Sec School	11.7410508, 78.0479272	30 km/h	Medium
21	school	John Britto Matriculation Higher Secondary School	11.7676907, 78.0513092	30 km/h	Medium
23	college	Dhirajlal Gandhi College of Technology	11.7968014, 78.0562095	30 km/h	Medium
27	school	Government Boys Higher secondary school	12.3047059, 78.2065495	30 km/h	Medium
28	school	Nalanda Metric Higher Secondary School	12.488407, 78.21856	30 km/h	Medium
29	school	Nalanda International Public School	12.4994979, 78.2235094	30 km/h	Medium
30	school	Don Bosco School Ground	12.505954, 78.2222003	30 km/h	Medium
35	school	Sri Saraswathi Vidyalaya	12.5620799, 78.183049	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
36	college	Government Medical College	12.582332, 78.1496363	30 km/h	Medium
37	school	Crescent Matriculation Higher Seconddary School	12.6003724, 78.132787	30 km/h	Medium
38	college	Jeeva College of Nursing	12.6067058, 78.1191944	30 km/h	Medium
39	school	New Little Flower Matriculation Higher Secondary School	12.6607923, 78.0169012	30 km/h	Medium
42	college	Adhiyamaan College of Engineering	12.7152133, 77.8678715	30 km/h	Medium
43	marketplace	Bathalapalli Vegetable Market	12.7260477, 77.8598177	30 km/h	Medium
53	school	Vailankanni School	12.7336014, 77.8190755	30 km/h	Medium
56	school	Seventh-day Adventists School	12.7310055, 77.8167581	30 km/h	Medium
57	school	Sishya school	12.7263093, 77.8145058	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.71023, 77.79802



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44077, 77.87533



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.44898, 77.87410



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45352, 77.85698



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.46303, 77.84945



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45545, 77.81812



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.45584, 77.81695



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.45656, 77.81709



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.49448, 77.88490



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59034, 77.90578



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.59328, 77.90809



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.63867, 77.94841



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.64217, 77.95200



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64712, 77.95118



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.67858, 77.96834



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69776, 77.97983



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.70179, 77.97900



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.71394, 77.99572



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.71916, 78.01117



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.72504, 78.01680



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.73766, 78.03445



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.73651, 78.03868



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.74120, 78.04588



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.77998, 78.05786



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.86915, 78.08382



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.87998, 78.08170



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.90925, 78.05902



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.91462, 78.05912



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92653, 78.06517



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93196, 78.06473



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93473, 78.06268



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.93673, 78.05504



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 11.95498, 78.04689




Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.95847, 78.04989



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.96011, 78.04944



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96251, 78.05104



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.96427, 78.05118



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 11.96526, 78.04950



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.12010, 78.13282



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 12.14099, 78.12817



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.14053, 78.13947



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.19881, 78.18157



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.22459, 78.19136



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.24731, 78.19601



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.25060, 78.19977



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.25329, 78.20039



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.29110, 78.19909



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.32082, 78.20751



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.39904, 78.21764



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40156, 78.21845



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.40589, 78.22275




Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.42428, 78.22671




Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.50534, 78.22324



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.59737, 78.13608



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.63692, 78.07068



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.67139, 77.97411



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.71175, 77.89386



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.71126, 77.88986



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.73871, 77.82102



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.73529, 77.81986



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.73382, 77.82028



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.71672, 77.80463



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.71501, 77.80402



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.71008, 77.79428
