



IndianOil

JOURNEY RISK MANAGEMENT (JRM) STUDY

Salem Terminal TO SRI R. MUTHALAGAN FUELS

Objective of the JRM Report

This JRM report is designed to ensure compliance with the Central Motor Vehicle Rules, 1989 (CMVR), AIS 140 standards, and the Road Transport Safety Policy (RTSP). It provides a comprehensive risk assessment for the transportation of hazardous materials along specified routes. By integrating these legal frameworks, the report offers a broad strategy for identifying and mitigating route-specific risks.

Regulatory Compliance

The report complies with the Central Motor Vehicles (Eleventh Amendment) Rules, 2022, mandating safe transportation practices for N2 and N3 category vehicles carrying hazardous materials. These rules require detailed route assessments, especially regarding road conditions, speed limits, and risk areas, to ensure safety compliance.

Risk Management Strategy

This report categorizes transportation routes into high-risk and medium-risk areas, with a focus on factors such as sharp turns, accident-prone regions, and elevation changes. The goal is to provide actionable

recommendations to minimize these risks, including speed regulations, driver warnings for hazardous zones, and the option of alternate routes.

Compliance with the Road Transport Safety Policy (RTSP)

The report integrates RTSP provisions, including mandatory driving hours, rest periods, and nighttime driving restrictions. It ensures that drivers follow official guidelines, such as taking prescribed rest breaks and avoiding dangerous road conditions like poor visibility, heavy crowds, or high-traffic areas during peak hours.

Emergency Preparedness and Response

The report highlights the significance of predetermined emergency stops for refueling, rest, and overnight stays. It includes protocols for safe responses to road hazards, alternative routes, and rerouting processes if roads are closed or severe weather arises. This aligns with the RTSP emphasis on driver safety and rapid emergency response.

Environmental Considerations

The JRM report addresses environmental risks along the route, ensuring compliance with environmental protection laws in ecologically sensitive zones. It suggests strategies such as identifying areas near water bodies, forests, or populated regions and implementing safety measures to minimize environmental impacts during transport.

Journey Risk Mitigation


The report includes route-specific risk assessments, detailed journey charts, and defensive driving guidelines for each transport route. Integration with vehicle tracking systems guarantees real-time warnings on hazardous areas, speed limits, and mandatory stops, consistent with RTSP and CMVR safety norms.

Compliance with Government Directives

This report fully adheres to governmental directives regarding hazardous material transportation, implementing mandatory speed limits, nighttime driving restrictions, and comprehensive driver briefings and real-time alerts about route-related risks.



Route Summary:
Total Distance: 99.81 km
Estimated Duration: 2.5 hours
Adjusted Duration (Heavy Vehicle): 3.2 hours
Start: (11.4381, 77.8734)
End: (12.104144, 77.863644)



Welcome to the Journey Risk Management Study

Route Overview

The route from CVQF+23W, Sangagiri to 4V37+MF Pudhur spans approximately 99.81 km, predominantly through Tamil Nadu's rural and semi-urban areas. The typical path involves the use of state highways and smaller connecting roads. Given the nature of the location, the roads are likely to be two-lane with limited access to overhead lighting and overtaking lanes.

Weather Conditions

Tamil Nadu experiences a tropical climate, with significant variations between the summer and monsoon seasons. From June to September, the monsoon can result in heavy rainfall, which may lead to waterlogging and reduced visibility on roads. Summer months can see extremely high temperatures, potentially causing road degradation and heat-related fatigue in drivers. Fog can occasionally occur in the mornings during winter months.

Traffic Patterns

The route experiences moderate traffic, with peak hours typically between 8:00 AM - 10:00 AM and 5:00 PM - 8:00 PM, particularly near urban centers like Sangagiri and at major highway intersections. Traffic congestion can be expected in towns due to local markets or festivities. Agricultural vehicles may also influence traffic flow, especially post-harvest season.

Road Quality and Infrastructure

Road conditions vary along the route, with state highways generally being in better condition than rural connectors. Potholes and uneven surfaces are common, particularly post-monsoon. Road signage may not be consistent, and maintenance work can sometimes be sporadically completed.

Alternative Routes for Emergencies

In the event of road closures or accidents, alternative routes through adjacent local roads are available, although these might extend travel time and may not be suitable for heavy vehicles due to limited road width and quality. GPS systems should be used to dynamically select the most viable detours.

Local Regulations

Tamil Nadu has strict regulations on the transport of hazardous materials, requiring specific permits and compliance with safety protocols. Drivers must be trained and licensed for such transport, and vehicles must be equipped with safety gear including spill kits and placards indicating the nature of hazardous materials.

Historical Incidents

Historical data indicates a relatively lower incidence of accidents involving heavy vehicles or hazardous material on these roads. However, isolated incidents of vehicle overturning on sharp turns and spills have been reported, mainly due to driver fatigue and poor weather conditions.

Environmental Considerations

The route passes through areas with agrarian landscapes and occasional wildlife crossings. Caution is required to avoid impacting the local ecosystem, especially near villages and during monsoons, where wildlife movements may increase.

Communication Coverage

Telecommunication coverage is generally good along highways and near urban areas but can be intermittent in rural stretches and near hills or densely vegetated regions.

Emergency Response Times

Response times can vary significantly, with faster responses near urban centers (30-45 minutes) and longer delays (up to 2 hours) in remote areas. Emergency services in Tamil Nadu are generally efficient, albeit slower in less populated areas.

Overall Risk Assessment

Overall, this route poses moderate risk to heavy vehicle operators, primarily due to variable road quality, weather conditions, and potential for traffic congestion. Preparedness through proper route planning, adherence to regulations, and emergency preparedness is critical to mitigating risks effectively. Regular communication checks and a robust understanding of alternative paths for detours will enhance safety on this route.

Risk Assessment - Turns

	Risk Type	Risk Level	Coordinates	Speed Limit
0	Roundabout	High	11.58300, 77.85813	15 KM/Hr
1	Roundabout	High	11.60348, 77.83967	15 KM/Hr
2	Roundabout	High	12.12827, 77.89027	15 KM/Hr
3	Turn	High	11.43968, 77.87345	15 KM/Hr
4	Turn	High	11.44029, 77.87544	15 KM/Hr
5	Turn	High	11.44900, 77.87406	15 KM/Hr
6	Turn	High	11.45028, 77.87202	15 KM/Hr
7	Turn	Medium	11.46400, 77.87323	30 KM/Hr
8	Turn	High	11.47403, 77.86841	15 KM/Hr
9	Turn	Medium	11.47468, 77.86913	30 KM/Hr
10	Turn	Medium	11.47934, 77.87008	30 KM/Hr
11	Turn	Medium	11.48045, 77.87147	30 KM/Hr
12	Turn	High	11.48277, 77.87250	15 KM/Hr
13	Turn	Medium	11.49496, 77.86660	30 KM/Hr
14	Turn	Medium	11.50914, 77.86023	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
15	Turn	Medium	11.52571, 77.85522	30 KM/Hr
16	Turn	Medium	11.52772, 77.85585	30 KM/Hr
17	Turn	Medium	11.55460, 77.85624	30 KM/Hr
18	Turn	Medium	11.55650, 77.85798	30 KM/Hr
19	Turn	Medium	11.56401, 77.85969	30 KM/Hr
20	Turn	High	11.57893, 77.85430	15 KM/Hr
21	Turn	Medium	11.58000, 77.85722	30 KM/Hr
22	Turn	Medium	11.58700, 77.85827	30 KM/Hr
23	Turn	Medium	11.60960, 77.84159	30 KM/Hr
24	Turn	Medium	11.63031, 77.84081	30 KM/Hr
25	Turn	Medium	11.64055, 77.84600	30 KM/Hr
26	Turn	Medium	11.64173, 77.84878	30 KM/Hr
27	Turn	Medium	11.64600, 77.85144	30 KM/Hr
28	Turn	Medium	11.65232, 77.85184	30 KM/Hr
29	Turn	Medium	11.67289, 77.86017	30 KM/Hr
30	Turn	High	11.68488, 77.86889	15 KM/Hr
31	Turn	Medium	11.68458, 77.87219	30 KM/Hr
32	Turn	High	11.68486, 77.87288	15 KM/Hr
33	Turn	Medium	11.69158, 77.87396	30 KM/Hr
34	Turn	High	11.69437, 77.87569	15 KM/Hr
35	Turn	Medium	11.69491, 77.87546	30 KM/Hr
36	Turn	High	11.69551, 77.87442	15 KM/Hr
37	Turn	Medium	11.75989, 77.89002	30 KM/Hr
38	Turn	Medium	11.76018, 77.89078	30 KM/Hr
39	Turn	High	11.75964, 77.89200	15 KM/Hr
40	Turn	High	11.83269, 77.94377	15 KM/Hr
41	Turn	Medium	11.84525, 77.92965	30 KM/Hr
42	Turn	Medium	11.86140, 77.92345	30 KM/Hr
43	Turn	Medium	11.88136, 77.93109	30 KM/Hr
44	Turn	Medium	11.88452, 77.93244	30 KM/Hr
45	Turn	Medium	11.89067, 77.93354	30 KM/Hr
46	Turn	Medium	11.89632, 77.93178	30 KM/Hr
47	Turn	Medium	11.89805, 77.93079	30 KM/Hr
48	Turn	High	11.89875, 77.93076	15 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
49	Turn	High	11.89993, 77.93235	15 KM/Hr
50	Turn	Medium	11.90479, 77.92922	30 KM/Hr
51	Turn	High	11.90518, 77.92695	15 KM/Hr
52	Turn	Medium	11.90939, 77.92582	30 KM/Hr
53	Turn	Medium	11.91171, 77.92323	30 KM/Hr
54	Turn	Medium	11.91260, 77.92302	30 KM/Hr
55	Turn	Medium	11.91349, 77.92329	30 KM/Hr
56	Turn	Medium	11.92614, 77.92379	30 KM/Hr
57	Blind Spot	Blind Spot	11.92973, 77.92664	10 KM/Hr
58	Turn	High	11.93014, 77.92593	15 KM/Hr
59	Turn	Medium	11.93803, 77.92819	30 KM/Hr
60	Turn	Medium	11.94096, 77.92964	30 KM/Hr
61	Turn	Medium	11.94333, 77.92956	30 KM/Hr
62	Turn	Medium	11.94474, 77.93053	30 KM/Hr
63	Turn	Medium	11.94648, 77.93059	30 KM/Hr
64	Turn	Medium	11.95089, 77.93461	30 KM/Hr
65	Turn	Medium	11.95272, 77.93436	30 KM/Hr
66	Blind Spot	Blind Spot	11.95454, 77.93500	10 KM/Hr
67	Turn	Medium	11.95410, 77.93536	30 KM/Hr
68	Blind Spot	Blind Spot	11.95363, 77.93532	10 KM/Hr
69	Turn	Medium	11.96299, 77.93871	30 KM/Hr
70	Turn	High	11.97819, 77.95203	15 KM/Hr
71	Turn	Medium	11.97936, 77.95164	30 KM/Hr
72	Turn	Medium	11.98364, 77.95231	30 KM/Hr
73	Turn	Medium	11.98699, 77.95347	30 KM/Hr
74	Turn	Medium	11.99180, 77.95980	30 KM/Hr
75	Turn	High	12.00716, 77.96648	15 KM/Hr
76	Turn	Medium	12.00790, 77.96603	30 KM/Hr
77	Turn	Medium	12.01135, 77.96581	30 KM/Hr
78	Turn	Medium	12.01619, 77.96110	30 KM/Hr
79	Turn	Medium	12.01694, 77.95710	30 KM/Hr
80	Turn	High	12.01744, 77.95666	15 KM/Hr
81	Turn	High	12.01708, 77.95282	15 KM/Hr
82	Turn	Medium	12.01825, 77.95204	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
83	Turn	Medium	12.01884, 77.94996	30 KM/Hr
84	Turn	High	12.02422, 77.94658	15 KM/Hr
85	Blind Spot	Blind Spot	12.02423, 77.94597	10 KM/Hr
86	Turn	High	12.02540, 77.94753	15 KM/Hr
87	Turn	Medium	12.02586, 77.94742	30 KM/Hr
88	Turn	High	12.02694, 77.94771	15 KM/Hr
89	Blind Spot	Blind Spot	12.02949, 77.95305	10 KM/Hr
90	Turn	Medium	12.03001, 77.95183	30 KM/Hr
91	Turn	High	12.02961, 77.94906	15 KM/Hr
92	Turn	High	12.03085, 77.94825	15 KM/Hr
93	Turn	High	12.03119, 77.94655	15 KM/Hr
94	Turn	High	12.03043, 77.94551	15 KM/Hr
95	Turn	High	12.03069, 77.94450	15 KM/Hr
96	Turn	High	12.03198, 77.94378	15 KM/Hr
97	Turn	Medium	12.03194, 77.94164	30 KM/Hr
98	Turn	Medium	12.03297, 77.93970	30 KM/Hr
99	Turn	Medium	12.03299, 77.93816	30 KM/Hr
100	Turn	High	12.03574, 77.93480	15 KM/Hr
101	Turn	High	12.03919, 77.93586	15 KM/Hr
102	Turn	Medium	12.04032, 77.93400	30 KM/Hr
103	Turn	High	12.04099, 77.93364	15 KM/Hr
104	Turn	High	12.05080, 77.93668	15 KM/Hr
105	Turn	High	12.05139, 77.93616	15 KM/Hr
106	Turn	Medium	12.05878, 77.93632	30 KM/Hr
107	Turn	Medium	12.09395, 77.92372	30 KM/Hr
108	Turn	Medium	12.10060, 77.91757	30 KM/Hr
109	Turn	High	12.10307, 77.91287	15 KM/Hr
110	Turn	High	12.10489, 77.91289	15 KM/Hr
111	Turn	Medium	12.12487, 77.90112	30 KM/Hr
112	Turn	High	12.12839, 77.90114	15 KM/Hr
113	Turn	Medium	12.11542, 77.88157	30 KM/Hr
114	Turn	High	12.11257, 77.87857	15 KM/Hr
115	Turn	High	12.11281, 77.87797	15 KM/Hr
116	Turn	Medium	12.11233, 77.87708	30 KM/Hr

	Risk Type	Risk Level	Coordinates	Speed Limit
117	Turn	High	12.11019, 77.87608	15 KM/Hr
118	Turn	Medium	12.10940, 77.87354	30 KM/Hr
119	Turn	Medium	12.10785, 77.87265	30 KM/Hr
120	Turn	Medium	12.10475, 77.86557	30 KM/Hr
121	Turn	High	12.10531, 77.86431	15 KM/Hr

Emergency Locations

	type	name	coordinates	speed_limit	risk_level
0	hospital	Thilagam Hospital	11.4753573, 77.8685829	30 km/h	Medium
1	clinic	Meyyazhagan Clinic	11.4752254, 77.8685671	30 km/h	Medium
2	hospital	Dr. Jaganathan Hospital	11.4752717, 77.8709312	30 km/h	Medium
3	hospital	Kathir Eye Hospital	11.4740976, 77.8681591	30 km/h	Medium
4	police	Police Quarters	11.4741243, 77.8673495	30 km/h	Medium
7	hospital	Sankari Hospital	11.4777496, 77.873892	30 km/h	Medium
8	hospital	Parusuraman Hospital	11.697164, 77.877792	30 km/h	Medium
9	hospital	JP Nature Cure Hospital Siddha and Naturopathy	11.7002949, 77.8770897	30 km/h	Medium
10	hospital	SSS Hospital	11.7501471, 77.8832809	30 km/h	Medium
11	clinic	DSR Clinic	11.7603176, 77.8908853	30 km/h	Medium
12	hospital	Srilakshmi Hospital	11.7601, 77.892272	30 km/h	Medium
13	hospital	Government Hospital	11.758158, 77.894528	30 km/h	Medium
15	hospital	Vasu Speciality Hospital	11.8331097, 77.943169	30 km/h	Medium

	type	name	coordinates	speed_limit	risk_level
16	hospital	Rajamanickam Hospital	11.8332408, 77.9431081	30 km/h	Medium
17	hospital	Child Hospital	11.833001, 77.943415	30 km/h	Medium
18	hospital	Naveen Nursing Home	11.8335355, 77.9437441	30 km/h	Medium
19	clinic	Sri Krishna Clinic	11.835443, 77.9450587	30 km/h	Medium
20	hospital	Sri Sakthi Hospital	11.835714, 77.9451014	30 km/h	Medium
21	hospital	Rishan Hospital	11.879358, 77.9286133	30 km/h	Medium
22	hospital	Government Hospital Kadaimadai	12.05434, 77.936888	30 km/h	Medium

Crowded Spots

	type	name	coordinates	speed_limit	risk_level
5	school	Goverment Boys Higher Secondary School	11.477659, 77.8659632	30 km/h	Medium
6	marketplace	Sunday Market	11.4796502, 77.8708458	30 km/h	Medium
14	college	Kavery Educational Institutions	11.8255319, 77.9342256	30 km/h	Medium

Route Photos of Risky Spots



Risk Type: Roundabout
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.58300, 77.85813



Risk Type: Roundabout
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.60348, 77.83967



Risk Type: Roundabout
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.12827, 77.89027



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44029, 77.87544



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.44900, 77.87406



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.45028, 77.87202



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.46400, 77.87323



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.47403, 77.86841



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47468, 77.86913



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.47934, 77.87008



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.48045, 77.87147



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.48277, 77.87250



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.49496, 77.86660



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.50914, 77.86023



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.52571, 77.85522



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.52772, 77.85585



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55460, 77.85624



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.55650, 77.85798



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.56401, 77.85969



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.57893, 77.85430



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58000, 77.85722



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.58700, 77.85827



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.60960, 77.84159



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.63031, 77.84081



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64055, 77.84600



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64173, 77.84878



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.64600, 77.85144



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.65232, 77.85184



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.67289, 77.86017



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.68488, 77.86889



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.68458, 77.87219



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.68486, 77.87288



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69158, 77.87396



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.69437, 77.87569



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.69491, 77.87546



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.69551, 77.87442



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.75989, 77.89002



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.76018, 77.89078



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.75964, 77.89200



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.83269, 77.94377



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.84525, 77.92965



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.86140, 77.92345



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88136, 77.93109



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.88452, 77.93244



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89067, 77.93354



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89632, 77.93178



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.89805, 77.93079



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89875, 77.93076



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.89993, 77.93235



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90479, 77.92922



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.90518, 77.92695



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.90939, 77.92582



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91171, 77.92323



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91260, 77.92302



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.91349, 77.92329



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.92614, 77.92379



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.92973, 77.92664



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.93014, 77.92593



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.93803, 77.92819



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94096, 77.92964



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94333, 77.92956



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94474, 77.93053



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.94648, 77.93059



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95089, 77.93461



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95272, 77.93436



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.95410, 77.93536



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 11.95363, 77.93532



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.96299, 77.93871



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 11.97819, 77.95203



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.97936, 77.95164



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.98364, 77.95231



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.98699, 77.95347



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 11.99180, 77.95980



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.00716, 77.96648



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.00790, 77.96603



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01135, 77.96581



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01619, 77.96110



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01694, 77.95710



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.01744, 77.95666



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.01708, 77.95282



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01825, 77.95204



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.01884, 77.94996



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.02422, 77.94658



Risk Type: Blind Spot

Risk Level: Blind Spot

Speed Limit: 10 KM/Hr

Coordinates: 12.02423, 77.94597



Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.02540, 77.94753



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.02586, 77.94742



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02694, 77.94771



Risk Type: Blind Spot
Risk Level: Blind Spot
Speed Limit: 10 KM/Hr
Coordinates: 12.02949, 77.95305



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03001, 77.95183



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.02961, 77.94906



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03085, 77.94825



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03119, 77.94655



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03043, 77.94551



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03069, 77.94450



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03198, 77.94378



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03194, 77.94164



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03297, 77.93970



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.03299, 77.93816



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03574, 77.93480



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.03919, 77.93586



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.04032, 77.93400



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.04099, 77.93364



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.05080, 77.93668



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.05139, 77.93616



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.05878, 77.93632



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.09395, 77.92372



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.10060, 77.91757



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.10307, 77.91287



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.10489, 77.91289



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.12487, 77.90112



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.12839, 77.90114



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.11542, 77.88157



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.11257, 77.87857



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.11281, 77.87797



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.11233, 77.87708



Risk Type: Turn
Risk Level: High
Speed Limit: 15 KM/Hr
Coordinates: 12.11019, 77.87608



Risk Type: Turn
Risk Level: Medium
Speed Limit: 30 KM/Hr
Coordinates: 12.10940, 77.87354



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.10785, 77.87265



Risk Type: Turn

Risk Level: Medium

Speed Limit: 30 KM/Hr

Coordinates: 12.10475, 77.86557

Risk Type: Turn

Risk Level: High

Speed Limit: 15 KM/Hr

Coordinates: 12.10531, 77.86431