

# EDInet Connector – manual

## Table of contents

|                                |   |
|--------------------------------|---|
| EDInet Connector – manual..... | 1 |
| Installation.....              | 1 |
| Orders relation .....          | 3 |
| Retanns relation .....         | 5 |
| Invoices relations .....       | 5 |

## Installation

1. Please download EC from here: <http://www.infinite.pl/pub/soft/edinetconnector/>

File: [EdinetConnector-1.6.exe](#)

**You need the latest java library.**

2. Start installation process with [EdinetConnector-1.6.exe](#)


3. Chose language and click **Next**




4. Accept the agreement

5. Please implement **License key**.


**You got the License from Edinet helpdesk**




6. Click install



7. Start and open EDInet Connector from tray




8. Type login and password (**admin/admin**).



## Orders relation


1. Proceed to **RELATIONS** bookmark and **Add** new relation.



2. You can create few types of relations: DIRECTORY to DIRECTORY, FTP to FTP, DIRECTORY to FTP or FTP to DIRECTORY.

**Please select: FTP -> Directory**

Also type name of relation.



3. Enter the source settings:

**You got those data from Edinet helpdesk.**

Host name: [ftp.infinite.pl](http://ftp.infinite.pl)

Remote directory: **/orders/**

## Port: 21

User name and password are different for every client.



Source settings

? Host name ftp.infinite.pl

? Port 21

? Remote directory /orders/

? User name test

? Password

? Pattern filename

? FTP type FTP

? Type of connection passive

? Proxy method

? Proxy host name


? Proxy port

? Proxy user name

? Proxy password

? Validate? true

4. Check the connection:



Check connection Success

5. Enter the destination settings. Where orders will be downloading to your system.




Destination settings

? Path for destination directory d:\orders

Check connection Success

6. Save the relation




TRANSACTION NODE MESSAGE TRACKER RELATIONS ADMINISTRATION

Save Add Remove

| Id | ON | Relation description | Source type | Connection type |
|----|----|----------------------|-------------|-----------------|
| 1  | No | orders               | FTP         | DIRECTORY       |

7. To launch the EDInet Connector go to TRANSACTION MODE and **press start or start all button**. Order will be downloading from Edinet system to your server



TRANSACTION NODE MESSAGE TRACKER RELATIONS ADMINISTRATION

Start all Stop all Cancel Alerts

| Rel. Id | Status  | Relation description | Last monitoring date | Last hour statistics |       |
|---------|---------|----------------------|----------------------|----------------------|-------|
| 1       | STOPPED | orders               |                      | ok: 0 errors: 0      | Start |

8. To check the document status, please go to MESSAGE TRACKER bookmark.

TRANSACTION NODE
MESSAGE TRACKER
RELATIONS
ADMINISTRATION

**Status:**
☒ processing  
☒ sent  
☒ confirmed  
☒ error

**Relations:**  
All

**Date:**  
☒ search by date  
☐ date range  
1 day

Filter  
Reset

**File name:**

| Rel. Id | Status | File name       | Last operation date | Date of retry message sending |  |
|---------|--------|-----------------|---------------------|-------------------------------|--|
| 2       | SENT   | PKI12188209.xml | 2012-11-28 14:26:52 |                               |  |
| 2       | SENT   | PKI12188210.xml | 2012-11-28 14:26:52 |                               |  |
| 2       | SENT   | PKI12188211.xml | 2012-11-28 14:26:52 |                               |  |
| 2       | SENT   | PKI12188212.xml | 2012-11-28 14:26:52 |                               |  |
| 2       | SENT   | PKI12188208.xml | 2012-11-28 14:26:52 |                               |  |

| Date                | Type | Content                                |
|---------------------|------|----------------------------------------|
| 2012-11-28 14:26:52 | INFO | Upload success. File PKI12188209.xml   |
| 2012-11-28 14:26:52 | INFO | Upload start. File PKI12188209.xml     |
| 2012-11-28 14:26:52 | INFO | Download success. File PKI12188209.xml |
| 2012-11-28 14:26:52 | INFO | Download start. File PKI12188209.xml   |

## Retanns relation

Configuration is the same like for **orders**.  
Only remote directory is different.

The source settings:

**You got those data from Edinet helpdesk.**

Host name: <ftp.infinite.pl>

Remote directory: **/retanns/**

**Port: 21**

User name and password are different for every client.

## Invoices relations

1. Proceed to **RELATIONS** bookmark and **Add** new relation.

TRANSACTION NODE
MESSAGE TRACKER
RELATIONS
ADMINISTRATION


Save
Add
Remove

| Id | ON | Relation description | Source type | Connection type |
|----|----|----------------------|-------------|-----------------|
|----|----|----------------------|-------------|-----------------|

2. You can create few types of relations: DIRECTORY to DIRECTORY, FTP to FTP, DIRECTORY to FTP or FTP to DIRECTORY.

**Please select: Directory -> FTP**

Also type name of relation.



The screenshot shows a dialog box for adding a new relation. It has two input fields: 'Relation description' with the value 'invoices' and 'Relation with' with a dropdown menu showing 'DIRECTORY'. To the right of the dropdown is a 'to' label and another dropdown menu showing 'FTP'. There is an 'Add' button on the right side of the dialog.

3. Main setting:


3.1 Signature type: please select **Key storage**

3.2 Path to key store: type the path where you put Edinet key (you got from Edinet helpdesk, file **edinet.p12**)

3.3 Enter the password

3.4 Click on Certificate list, select certificate and click OK.


3.5 The rest stays in default.



The screenshot shows the 'Main settings' dialog box. It contains several fields and options: 'Relation description' (invoices), 'Retry interval for directory monitoring (seconds)' (30), 'Frequency of sending attempts' (5), 'Maximum retry attempts of message sending' (5), 'Maximum retry interval of message sending (seconds)' (300), 'Transformations' (radio buttons: Do not transform, Transform to PDF, Transform specially), 'Signature type' (radio buttons: Not sign, Key storage, Card Signature), 'Path to key store' (C:\Users\Konrad Majewski\Desktop\pick\phd\edinet.p12), 'Password to key store' (masked with dots), 'Signature certificate' (with a 'Certificate list' button), 'Signature algorithm' (SHA128withRSA), and 'Signature file format' (S/MIME). There are also 'Check key store' and 'Certificate list' buttons.

4. Enter the source settings:

The place where invoices are imported from your ERP system.



The screenshot shows the 'Source settings' dialog box. It contains several fields: 'Path for source directory' (D:\invoices\), 'Pattern filename' (empty), 'Validate?' (true), 'Min. file size' (empty), and 'File contents' (empty). There are also buttons for file selection and validation.

5. Enter the destination settings.

**You got those data from Edinet helpdesk.**

Host name: [ftp.infinite.pl](http://ftp.infinite.pl)

Remote directory: **/invoice/**

Port: 21

User name and password are different for every client.

**Destination settings**

? Host name ftp.infinite.pl

? Port 21

? Remote directory /invoice/

? User name test

? Password .....

? FTP type FTP

? Type of connection passive

? Proxy method

? Proxy host name

? Proxy port

? Proxy user name

? Proxy password

Check connection Success

6. Check the connection:

Check connection Success

7. Save the relation

TRANSACTION NODE MESSAGE TRACKER RELATIONS ADMINISTRATION

Save Add Remove

| Id | ON | Relation description | Source type | Connection type |
|----|----|----------------------|-------------|-----------------|
| 1  | No | orders               | FTP         | DIRECTORY       |

8. To launch the EDInet Connector go to TRANSACTION MODE and **press start or start all button**. Invoices will be sending to Edinet system.

TRANSACTION NODE MESSAGE TRACKER RELATIONS ADMINISTRATION

Start all Stop all Cancel Alerts

| Rel. Id | Status  | Relation description | Last monitoring date | Last hour statistics |       |
|---------|---------|----------------------|----------------------|----------------------|-------|
| 1       | STOPPED | orders               |                      | ok: 0 errors: 0      | Start |

9. To check the document status, please go to MESSAGE TRACKER bookmark.

TRANSACTION NODE MESSAGE TRACKER RELATIONS ADMINISTRATION

**Status:**

☒ processing

☒ sent

☒ confirmed

☒ error

**Relations:**

All

**Date:**

search by date

date range

1 day

Filter

Reset

| Rel. Id | Status | File name       | Last operation date | Date of retry message sending |  |
|---------|--------|-----------------|---------------------|-------------------------------|--|
| 2       | SENT   | PKI12188209.xml | 2012-11-28 14:26:52 |                               |  |
| 2       | SENT   | PKI12188210.xml | 2012-11-28 14:26:52 |                               |  |
| 2       | SENT   | PKI12188211.xml | 2012-11-28 14:26:52 |                               |  |
| 2       | SENT   | PKI12188212.xml | 2012-11-28 14:26:52 |                               |  |
| 2       | SENT   | PKI12188208.xml | 2012-11-28 14:26:52 |                               |  |