## Instalación del PorisToolkit Web Editor

Requisitos
-
-
-
-
-
_
-
Problemas de instalación conocidos
Instalaciones comprobadas
_
_
_
_
I.// A.D.I. D.I. CEMC
Intérprete Ruby y Ruby GEMS
> ruby -v

_		
_		
_		
_		
a com -u		
gem -v		
-		
_		
_		
_		
_		
_		
_		
nstalación de SQLite		
_		
111 2		
sqlite3 -version		
	-	
	<del>_</del>	
_		

Librerías Ruby (Gems)

```
- > sudo gem sources --add http://gems.github.com
  - > sudo gem install hobo -v=1.0.2 --include-dependencies
  - > sudo gem install sqlite3 --include-dependencies
  - > sudo gem install sqlite3-ruby -include-dependencies
- > gem list hobo
    gem list rails
 > gem list sqlite3
```

```
> gem list
actionmailer (2.3.14)
actionpack (2.3.14)
activerecord (2.3.14)
activeresource (2.3.14)
activesupport (2.3.14)
hobo (1.0.2)
hobofields (1.0.2)
hobosupport (1.0.2)
rack (1.1.2)
rails (2.3.14)
rake (0.9.2.2)
sqlite3 (1.3.3)
sqlite3-ruby (1.3.3)
will_paginate (2.3.16)
```

## Instalación código fuente

```
- > tar xvf poristoolkit.tar.gz
```

## Arranque de la aplicación web

_		