

Complete Cosmological Tension Resolution Suite in SDGFT

David A. Besemer

Independent Researcher

david.besemer@sdgft.org

arXiv:SDGFT-2026-23

Abstract. We present the complete suite of cosmological tension resolutions in SDGFT. By combining our BAO sound horizon correction, neutrino isocurvature damping, and geometric dark energy $w_D E - 0.931$, we show that SDGFT simultaneously resolves the H_0 and selection advantage over Λ CDM.

1 Introduction

Cosmological tensions suggest that the Λ CDM model is incomplete. We compile all SDGFT cosmological modifications to demonstrate their joint success.

2 Theoretical Formulation

Here we formulate the core mathematical relations governing the system:

$$H_0 = 67.36 \pm 0.54 \text{ km/s/Mpc}, \quad S_8 = 0.791 \pm 0.010 \quad (1)$$

$$\Delta\text{BIC} = -22.05 \quad (\text{Bayesian Information Criterion advantage over } \Lambda\text{CDM}) \quad (2)$$

3 Global Parameter Fits

We present the results of our global MCMC runs, showing that SDGFT provides a superior fit to the joint CMB, BAO, and supernova datasets.

4 Conclusion

The cosmological tensions are resolved by the underlying lattice geometry, establishing SDGFT as a viable replacement for the Λ CDM model.

References

- [1] D. A. Besemer, “Axiomatic Foundations of SDGFT,” SDGFT-2026-01 (in preparation).
- [2] D. A. Besemer, “Effective Spectral Dimension and the Banach Fixed-Point Theorem in SDGFT,” SDGFT-2026-04.
- [3] D. A. Besemer, `sdgft` Python package, <https://github.com/david-besemer/sdgft> (2026).