

RadiationPressureModel

5.0

Generated by Doxygen 1.8.14

Contents

1	Module Index	1
1.1	Modules	1
2	Namespace Index	3
2.1	Namespace List	3
3	Hierarchical Index	5
3.1	Class Hierarchy	5
4	Data Structure Index	7
4.1	Data Structures	7
5	File Index	9
5.1	File List	9
6	Module Documentation	11
6.1	Models	11
6.1.1	Detailed Description	11
6.2	Interactions	12
6.2.1	Detailed Description	12
6.3	RadiationPressure	13
6.3.1	Detailed Description	14
6.3.2	Macro Definition Documentation	14
6.3.2.1	PATH	14

7	Namespace Documentation	15
7.1	jeod Namespace Reference	15
7.1.1	Detailed Description	15
8	Data Structure Documentation	17
8.1	jeod::FlatPlateRadiationFacet Class Reference	17
8.1.1	Detailed Description	18
8.1.2	Constructor & Destructor Documentation	18
8.1.2.1	FlatPlateRadiationFacet() [1/2]	18
8.1.2.2	~FlatPlateRadiationFacet()	19
8.1.2.3	FlatPlateRadiationFacet() [2/2]	19
8.1.3	Member Function Documentation	19
8.1.3.1	define_facet()	19
8.1.3.2	incident_radiation()	19
8.1.3.3	initialize_geom()	20
8.1.3.4	operator=()	20
8.1.3.5	radiation_pressure()	21
8.1.4	Friends And Related Function Documentation	21
8.1.4.1	init_attrjeod__FlatPlateRadiationFacet	21
8.1.4.2	InputProcessor	21
8.1.5	Field Documentation	21
8.1.5.1	incident_flux_hat	21
8.1.5.2	normal	22
8.1.5.3	sin_theta	22
8.2	jeod::FlatPlateRadiationFactory Class Reference	22
8.2.1	Detailed Description	23
8.2.2	Constructor & Destructor Documentation	23
8.2.2.1	FlatPlateRadiationFactory() [1/2]	23
8.2.2.2	~FlatPlateRadiationFactory()	24
8.2.2.3	FlatPlateRadiationFactory() [2/2]	24
8.2.3	Member Function Documentation	24

8.2.3.1	create_facet()	24
8.2.3.2	is_correct_factory()	24
8.2.3.3	operator=()	25
8.2.4	Friends And Related Function Documentation	25
8.2.4.1	init_attrjeod__FlatPlateRadiationFactory	25
8.2.4.2	InputProcessor	25
8.3	jeod::RadiationBaseFacet Class Reference	25
8.3.1	Detailed Description	27
8.3.2	Constructor & Destructor Documentation	27
8.3.2.1	RadiationBaseFacet() [1/2]	27
8.3.2.2	~RadiationBaseFacet()	27
8.3.2.3	RadiationBaseFacet() [2/2]	27
8.3.3	Member Function Documentation	28
8.3.3.1	incident_radiation()	28
8.3.3.2	initialize()	29
8.3.3.3	initialize_runtime_values()	29
8.3.3.4	interact_with_third_body()	29
8.3.3.5	operator=()	30
8.3.4	Friends And Related Function Documentation	30
8.3.4.1	init_attrjeod__RadiationBaseFacet	30
8.3.4.2	InputProcessor	30
8.3.5	Field Documentation	30
8.3.5.1	albedo	31
8.3.5.2	albedo_IR	31
8.3.5.3	albedo_vis	31
8.3.5.4	areaxflux	31
8.3.5.5	areaxflux_e	32
8.3.5.6	cx_area	32
8.3.5.7	diffuse	32
8.3.5.8	F_absorption	33

8.3.5.9	F_diffuse	33
8.3.5.10	F_emission	33
8.3.5.11	F_specular	34
8.3.5.12	speed_of_light	34
8.3.5.13	thermal	34
8.4	jeod::RadiationDefaultSurface Class Reference	35
8.4.1	Detailed Description	36
8.4.2	Constructor & Destructor Documentation	36
8.4.2.1	RadiationDefaultSurface() [1/2]	36
8.4.2.2	~RadiationDefaultSurface()	36
8.4.2.3	RadiationDefaultSurface() [2/2]	36
8.4.3	Member Function Documentation	36
8.4.3.1	add_thermal_integrator_to()	36
8.4.3.2	incident_radiation()	37
8.4.3.3	initialize()	37
8.4.3.4	operator=()	38
8.4.3.5	set_name()	38
8.4.3.6	thermal_update()	38
8.4.4	Friends And Related Function Documentation	38
8.4.4.1	init_attrjeod__RadiationDefaultSurface	39
8.4.4.2	InputProcessor	39
8.4.5	Field Documentation	39
8.4.5.1	name	39
8.4.5.2	rad_coeff	39
8.4.5.3	surface_area	40
8.4.5.4	temperature	40
8.5	jeod::RadiationFacet Class Reference	40
8.5.1	Detailed Description	41
8.5.2	Constructor & Destructor Documentation	42
8.5.2.1	RadiationFacet() [1/2]	42

8.5.2.2	~RadiationFacet()	42
8.5.2.3	RadiationFacet() [2/2]	42
8.5.3	Member Function Documentation	42
8.5.3.1	define_facet_core()	42
8.5.3.2	get_thermal_integrator()	43
8.5.3.3	initialize()	43
8.5.3.4	initialize_geom()	43
8.5.3.5	operator=()	44
8.5.3.6	radiation_pressure()	44
8.5.4	Friends And Related Function Documentation	44
8.5.4.1	init_attrjeod__RadiationFacet	44
8.5.4.2	InputProcessor	44
8.5.5	Field Documentation	44
8.5.5.1	center_pressure	45
8.5.5.2	crot_to_cp	45
8.5.5.3	two_thirds	45
8.6	jeod::RadiationMessages Class Reference	46
8.6.1	Detailed Description	46
8.6.2	Constructor & Destructor Documentation	46
8.6.2.1	RadiationMessages() [1/2]	46
8.6.2.2	RadiationMessages() [2/2]	47
8.6.3	Member Function Documentation	47
8.6.3.1	operator=()	47
8.6.4	Friends And Related Function Documentation	47
8.6.4.1	init_attrjeod__RadiationMessages	47
8.6.4.2	InputProcessor	47
8.6.5	Field Documentation	47
8.6.5.1	incomplete_setup_error	47
8.6.5.2	invalid_function_call	48
8.6.5.3	invalid_setup_error	48

8.6.5.4	operational_setup_error	48
8.6.5.5	unknown_numerical_error	49
8.7	jeod::RadiationParams Class Reference	49
8.7.1	Detailed Description	50
8.7.2	Constructor & Destructor Documentation	50
8.7.2.1	RadiationParams() [1/2]	50
8.7.2.2	~RadiationParams()	50
8.7.2.3	RadiationParams() [2/2]	50
8.7.3	Member Function Documentation	51
8.7.3.1	operator=()	51
8.7.4	Friends And Related Function Documentation	51
8.7.4.1	init_attrjeod__RadiationParams	51
8.7.4.2	InputProcessor	51
8.7.5	Field Documentation	51
8.7.5.1	albedo	51
8.7.5.2	diffuse	52
8.7.5.3	thermal	52
8.8	jeod::RadiationPressure Class Reference	52
8.8.1	Detailed Description	54
8.8.2	Constructor & Destructor Documentation	54
8.8.2.1	RadiationPressure() [1/2]	54
8.8.2.2	~RadiationPressure()	54
8.8.2.3	RadiationPressure() [2/2]	55
8.8.3	Member Function Documentation	55
8.8.3.1	add_third_body()	55
8.8.3.2	find_third_body()	55
8.8.3.3	initialize() [1/2]	56
8.8.3.4	initialize() [2/2]	56
8.8.3.5	initialize_environment()	57
8.8.3.6	operator=()	57

8.8.3.7	set_calculate_forces()	57
8.8.3.8	set_third_body_active()	57
8.8.3.9	set_third_body_inactive()	58
8.8.3.10	third_body_adjustments()	58
8.8.3.11	update()	59
8.8.3.12	update_default_surface()	59
8.8.3.13	update_facet_surface()	59
8.8.4	Friends And Related Function Documentation	60
8.8.4.1	init_attrjeod__RadiationPressure	60
8.8.4.2	InputProcessor	60
8.8.5	Field Documentation	60
8.8.5.1	active	60
8.8.5.2	calculate_forces	60
8.8.5.3	default_surface_ptr	61
8.8.5.4	dyn_manager_ptr	61
8.8.5.5	force	61
8.8.5.6	illum_factor	61
8.8.5.7	initialized	62
8.8.5.8	num_third_bodies	62
8.8.5.9	source	62
8.8.5.10	surface_ptr	62
8.8.5.11	thermal	63
8.8.5.12	third_bodies	63
8.8.5.13	third_bodies_active	63
8.8.5.14	torque	64
8.9	jeod::RadiationSource Class Reference	64
8.9.1	Detailed Description	66
8.9.2	Member Enumeration Documentation	66
8.9.2.1	OldShadowGeometry	66
8.9.3	Constructor & Destructor Documentation	66

8.9.3.1	RadiationSource() [1/2]	66
8.9.3.2	~RadiationSource()	67
8.9.3.3	RadiationSource() [2/2]	67
8.9.4	Member Function Documentation	67
8.9.4.1	calculate_flux()	67
8.9.4.2	initialize()	67
8.9.4.3	operator=()	68
8.9.4.4	set_name()	68
8.9.5	Friends And Related Function Documentation	68
8.9.5.1	init_attrjeod__RadiationSource	68
8.9.5.2	InputProcessor	68
8.9.6	Field Documentation	69
8.9.6.1	bodies_active	69
8.9.6.2	d_source_to_cg	69
8.9.6.3	flux_hat	69
8.9.6.4	flux_inertial	69
8.9.6.5	flux_mag	70
8.9.6.6	flux_struct	70
8.9.6.7	flux_struct_hat	70
8.9.6.8	inertial_cg	70
8.9.6.9	inertial_frame_ptr	71
8.9.6.10	luminosity	71
8.9.6.11	multiple_shadow_bodies	71
8.9.6.12	name	71
8.9.6.13	num_bodies	72
8.9.6.14	radius	72
8.9.6.15	shadow_geometry	72
8.9.6.16	solar_luminosity	72
8.9.6.17	solar_radius	73
8.9.6.18	source_to_cg	73

8.9.6.19	<code>source_to_struc_origin</code>	73
8.9.6.20	<code>third_body</code>	73
8.10	<code>jeod::RadiationSurface</code> Class Reference	74
8.10.1	Detailed Description	75
8.10.2	Constructor & Destructor Documentation	75
8.10.2.1	<code>RadiationSurface()</code> [1/2]	75
8.10.2.2	<code>~RadiationSurface()</code>	76
8.10.2.3	<code>RadiationSurface()</code> [2/2]	76
8.10.3	Member Function Documentation	76
8.10.3.1	<code>accumulate_thermal_sources()</code>	76
8.10.3.2	<code>add_thermal_integrators_to()</code>	76
8.10.3.3	<code>allocate_array()</code>	77
8.10.3.4	<code>allocate_interaction_facet()</code>	77
8.10.3.5	<code>equalize_absorption_emission()</code>	77
8.10.3.6	<code>incident_radiation()</code>	78
8.10.3.7	<code>initialize()</code>	78
8.10.3.8	<code>initialize_runtime_values()</code>	78
8.10.3.9	<code>interact_with_third_body()</code>	79
8.10.3.10	<code>operator=()</code>	79
8.10.3.11	<code>radiation_pressure()</code>	79
8.10.3.12	<code>thermal_integrator()</code>	79
8.10.4	Friends And Related Function Documentation	80
8.10.4.1	<code>init_attrjeod__RadiationSurface</code>	80
8.10.4.2	<code>InputProcessor</code>	80
8.10.5	Field Documentation	80
8.10.5.1	<code>facets</code>	80
8.10.5.2	<code>force</code>	80
8.10.5.3	<code>ii_facet</code>	81
8.10.5.4	<code>include_conduction</code>	81
8.10.5.5	<code>num_facets</code>	81

8.10.5.6	thermal_conduction	81
8.10.5.7	torque	82
8.11	jeod::RadiationSurfaceFactory Class Reference	82
8.11.1	Detailed Description	83
8.11.2	Constructor & Destructor Documentation	83
8.11.2.1	RadiationSurfaceFactory() [1/2]	83
8.11.2.2	~RadiationSurfaceFactory()	83
8.11.2.3	RadiationSurfaceFactory() [2/2]	83
8.11.3	Member Function Documentation	83
8.11.3.1	add_facet_params()	83
8.11.3.2	operator=()	84
8.11.4	Friends And Related Function Documentation	84
8.11.4.1	init_attrjeod__RadiationSurfaceFactory	84
8.11.4.2	InputProcessor	84
8.11.5	Field Documentation	84
8.11.5.1	flat_plate_radiation_factory	84
8.12	jeod::RadiationThirdBody Class Reference	85
8.12.1	Detailed Description	87
8.12.2	Member Enumeration Documentation	87
8.12.2.1	ShadowGeometry	87
8.12.3	Constructor & Destructor Documentation	87
8.12.3.1	RadiationThirdBody() [1/2]	87
8.12.3.2	~RadiationThirdBody()	88
8.12.3.3	RadiationThirdBody() [2/2]	88
8.12.4	Member Function Documentation	88
8.12.4.1	accumulate_rad_flux()	88
8.12.4.2	accumulate_refl_flux()	88
8.12.4.3	calculate_shadow()	89
8.12.4.4	convert_shadow_from_int()	89
8.12.4.5	generate_alpha()	89

8.12.4.6	get_added_to_model()	90
8.12.4.7	initialize()	90
8.12.4.8	is_interactive()	91
8.12.4.9	operator=()	91
8.12.4.10	process_third_body()	91
8.12.4.11	set_added_to_model()	91
8.12.4.12	set_name()	93
8.12.4.13	test_for_state_update()	93
8.12.4.14	update_third_body_state()	93
8.12.5	Friends And Related Function Documentation	94
8.12.5.1	init_attrjeod__RadiationThirdBody	94
8.12.5.2	InputProcessor	94
8.12.6	Field Documentation	94
8.12.6.1	active	94
8.12.6.2	added_to_model	95
8.12.6.3	d_source_to_third	95
8.12.6.4	force_state_update	95
8.12.6.5	illum_factor	95
8.12.6.6	initialized	96
8.12.6.7	last_update_time	96
8.12.6.8	local_frame_ptr	96
8.12.6.9	name	96
8.12.6.10	output_flux	97
8.12.6.11	planet_link	97
8.12.6.12	primary_source_ptr	97
8.12.6.13	r_minus	97
8.12.6.14	r_par	98
8.12.6.15	r_perp	98
8.12.6.16	r_plus	98
8.12.6.17	r_ratio	98
8.12.6.18	radius	99
8.12.6.19	shadow_geometry	99
8.12.6.20	source_to_third_hat_inrtl	99
8.12.6.21	source_to_third_inrtl	99
8.12.6.22	third_to_cg_inrtl	100
8.12.6.23	update_interval	100

9 File Documentation	101
9.1 flat_plate_radiation_facet.cc File Reference	101
9.1.1 Detailed Description	101
9.2 flat_plate_radiation_facet.hh File Reference	101
9.2.1 Detailed Description	102
9.3 flat_plate_radiation_factory.cc File Reference	102
9.3.1 Detailed Description	102
9.4 flat_plate_radiation_factory.hh File Reference	102
9.4.1 Detailed Description	103
9.5 radiation_base_facet.cc File Reference	103
9.5.1 Detailed Description	103
9.6 radiation_base_facet.hh File Reference	103
9.6.1 Detailed Description	104
9.7 radiation_default_surface.cc File Reference	104
9.7.1 Detailed Description	104
9.8 radiation_default_surface.hh File Reference	104
9.8.1 Detailed Description	105
9.9 radiation_facet.cc File Reference	105
9.9.1 Detailed Description	105
9.10 radiation_facet.hh File Reference	105
9.10.1 Detailed Description	106
9.11 radiation_messages.cc File Reference	106
9.11.1 Detailed Description	106
9.12 radiation_messages.hh File Reference	106
9.12.1 Detailed Description	107
9.13 radiation_params.cc File Reference	107
9.13.1 Detailed Description	107
9.14 radiation_params.hh File Reference	107
9.14.1 Detailed Description	108
9.15 radiation_pressure.cc File Reference	108

9.15.1 Detailed Description	108
9.16 radiation_pressure.hh File Reference	108
9.16.1 Detailed Description	109
9.17 radiation_pressure__default_surface.cc File Reference	109
9.17.1 Detailed Description	109
9.18 radiation_pressure__surface_model.cc File Reference	109
9.18.1 Detailed Description	110
9.19 radiation_source.cc File Reference	110
9.19.1 Detailed Description	110
9.20 radiation_source.hh File Reference	110
9.20.1 Detailed Description	111
9.21 radiation_surface.cc File Reference	111
9.21.1 Detailed Description	111
9.22 radiation_surface.hh File Reference	111
9.22.1 Detailed Description	112
9.23 radiation_surface_factory.cc File Reference	112
9.23.1 Detailed Description	112
9.24 radiation_surface_factory.hh File Reference	112
9.24.1 Detailed Description	113
9.25 radiation_third_body.cc File Reference	113
9.25.1 Detailed Description	113
9.26 radiation_third_body.hh File Reference	113
9.26.1 Detailed Description	114
Index	115

Chapter 1

Module Index

1.1 Modules

Here is a list of all modules:

Models	11
Interactions	12
RadiationPressure	13

Chapter 2

Namespace Index

2.1 Namespace List

Here is a list of all namespaces with brief descriptions:

jeod	Namespace jeod	15
----------------------	--------------------------	--------------------

Chapter 3

Hierarchical Index

3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

FacetParams	
jeod::RadiationParams	49
InteractionFacet	
jeod::RadiationFacet	40
jeod::FlatPlateRadiationFacet	17
InteractionFacetFactory	
jeod::FlatPlateRadiationFactory	22
InteractionSurface	
jeod::RadiationSurface	74
InteractionSurfaceFactory	
jeod::RadiationSurfaceFactory	82
jeod::RadiationBaseFacet	25
jeod::RadiationDefaultSurface	35
jeod::RadiationFacet	40
jeod::RadiationMessages	46
jeod::RadiationPressure	52
jeod::RadiationSource	64
jeod::RadiationThirdBody	85

Chapter 4

Data Structure Index

4.1 Data Structures

Here are the data structures with brief descriptions:

jeod::FlatPlateRadiationFacet	
A flat plate facet to be used for radiation interaction	17
jeod::FlatPlateRadiationFactory	
The factory for building flat plate radiation facets	22
jeod::RadiationBaseFacet	
Generic type of facet for radiation pressure	25
jeod::RadiationDefaultSurface	
The default spherical surface for radiation pressure	35
jeod::RadiationFacet	
Generic type of facet for radiation pressure	40
jeod::RadiationMessages	
Provides error messages	46
jeod::RadiationParams	
Provides a parameter list to each facet, based on the facet material properties	49
jeod::RadiationPressure	
Radiation pressure top-level definition	52
jeod::RadiationSource	
Provides information on the source of the incident radiation	64
jeod::RadiationSurface	
The surface of the vehicle that interacts with the incident flux	74
jeod::RadiationSurfaceFactory	
The factory for creating Radiation Surfaces	82
jeod::RadiationThirdBody	
Provide information on bodies that may cause shadowing or reflected illumination	85

Chapter 5

File Index

5.1 File List

Here is a list of all files with brief descriptions:

flat_plate_radiation_facet.cc	Define member functions for class FlatPlateRadiationFacet	101
flat_plate_radiation_facet.hh	Individual facets for use with rad environment interaction models	101
flat_plate_radiation_factory.cc	Factory that creates a FlatPlateRadiationFacet, from a facet model	102
flat_plate_radiation_factory.hh	Factory that creates an interaction facet, for a specific environment interaction model, from a facet model	102
radiation_base_facet.cc	Define member functions for class RadiationBaseFacet	103
radiation_base_facet.hh	Individual facets for use with radiation environment interaction models	103
radiation_default_surface.cc	Default surface for use with Radiation Pressure interaction model	104
radiation_default_surface.hh	Individual facets for use with radiation environment interaction models	104
radiation_facet.cc	Individual facets for use with Radiation Pressure interaction models	105
radiation_facet.hh	Individual facets for use with radiation environment interaction models	105
radiation_messages.cc	Implement the class RadiationMessages	106
radiation_messages.hh	Define the class RadiationMessages, the class that specifies the message IDs used in the Radiation model	106
radiation_params.cc	A virtual base class for radiation facet parameters, used to create interaction facets for radiation in the InteractionSurfaceFactorys	107
radiation_params.hh	A virtual base class for radiation facet parameters, used to create interaction facets for radiation in the InteractionSurfaceFactorys	107
radiation_pressure.cc	Calculation of force and torque due to radiation pressure	108
radiation_pressure.hh	Radiation pressure top-level definition	108

radiation_pressure__default_surface.cc	
Calculation of force and torque due to radiation pressure	109
radiation_pressure__surface_model.cc	
Calculation of force and torque due to radiation pressure	109
radiation_source.cc	
Definition of methods associated with Primary Sources	110
radiation_source.hh	
Radiation pressure parameter and variable definitions	110
radiation_surface.cc	
Vehicle surface model for Radiation Pressure model	111
radiation_surface.hh	
Vehicle surface model for general environment interaction models	111
radiation_surface_factory.cc	
Factory that creates an interaction surface, for a specific environment interaction model, from a surface model	112
radiation_surface_factory.hh	
Factory that creates an interaction surface, for a specific environment interaction model, from a surface model	112
radiation_third_body.cc	
Provides the functionality associated with RadiationThirdBodys	113
radiation_third_body.hh	
Define the class RadiationThirdBody	113

Chapter 6

Module Documentation

6.1 Models

Modules

- [Interactions](#)

6.1.1 Detailed Description

6.2 Interactions

Modules

- [RadiationPressure](#)

6.2.1 Detailed Description

6.3 RadiationPressure

Files

- file [flat_plate_radiation_facet.hh](#)
Individual facets for use with rad environment interaction models.
- file [flat_plate_radiation_factory.hh](#)
Factory that creates an interaction facet, for a specific environment interaction model, from a facet model.
- file [radiation_base_facet.hh](#)
Individual facets for use with radiation environment interaction models.
- file [radiation_default_surface.hh](#)
Individual facets for use with radiation environment interaction models.
- file [radiation_facet.hh](#)
Individual facets for use with radiation environment interaction models.
- file [radiation_messages.hh](#)
Define the class RadiationMessages, the class that specifies the message IDs used in the Radiation model.
- file [radiation_params.hh](#)
A virtual base class for radiation facet parameters, used to create interaction facets for radiation in the Interaction↔SurfaceFactorys.
- file [radiation_pressure.hh](#)
Radiation pressure top-level definition.
- file [radiation_source.hh](#)
Radiation pressure parameter and variable definitions.
- file [radiation_surface.hh](#)
Vehicle surface model for general environment interaction models.
- file [radiation_surface_factory.hh](#)
Factory that creates an interaction surface, for a specific environment interaction model, from a surface model.
- file [radiation_third_body.hh](#)
Define the class RadiationThirdBody.
- file [flat_plate_radiation_facet.cc](#)
Define member functions for class FlatPlateRadiationFacet.
- file [flat_plate_radiation_factory.cc](#)
Factory that creates a FlatPlateRadiationFacet, from a facet model.
- file [radiation_base_facet.cc](#)
Define member functions for class RadiationBaseFacet.
- file [radiation_default_surface.cc](#)
Default surface for use with Radiation Pressure interaction model.
- file [radiation_facet.cc](#)
Individual facets for use with Radiation Pressure interaction models.
- file [radiation_messages.cc](#)
Implement the class RadiationMessages.
- file [radiation_params.cc](#)
A virtual base class for radiation facet parameters, used to create interaction facets for radiation in the Interaction↔SurfaceFactorys.
- file [radiation_pressure.cc](#)
Calculation of force and torque due to radiation pressure.
- file [radiation_pressure__default_surface.cc](#)
Calculation of force and torque due to radiation pressure.
- file [radiation_pressure__surface_model.cc](#)
Calculation of force and torque due to radiation pressure.
- file [radiation_source.cc](#)

Definition of methods associated with Primary Sources.

- file [radiation_surface.cc](#)

Vehicle surface model for Radiation Pressure model.

- file [radiation_surface_factory.cc](#)

Factory that creates an interaction surface, for a specific environment interaction model, from a surface model.

- file [radiation_third_body.cc](#)

Provides the functionality associated with RadiationThirdBodys.

Namespaces

- [jeod](#)

Namespace jeod.

Macros

- `#define` [PATH](#) "interactions/radiation_pressure/"

6.3.1 Detailed Description

6.3.2 Macro Definition Documentation

6.3.2.1 PATH

```
#define PATH "interactions/radiation_pressure/"
```

Definition at line 38 of file radiation_messages.cc.

Chapter 7

Namespace Documentation

7.1 jeod Namespace Reference

Namespace jeod.

Data Structures

- class [FlatPlateRadiationFacet](#)
A flat plate facet to be used for radiation interaction.
- class [FlatPlateRadiationFactory](#)
The factory for building flat plate radiation facets.
- class [RadiationBaseFacet](#)
Generic type of facet for radiation pressure.
- class [RadiationDefaultSurface](#)
The default spherical surface for radiation pressure.
- class [RadiationFacet](#)
Generic type of facet for radiation pressure.
- class [RadiationMessages](#)
Provides error messages.
- class [RadiationParams](#)
Provides a parameter list to each facet, based on the facet material properties.
- class [RadiationPressure](#)
Radiation pressure top-level definition.
- class [RadiationSource](#)
Provides information on the source of the incident radiation.
- class [RadiationSurface](#)
The surface of the vehicle that interacts with the incident flux.
- class [RadiationSurfaceFactory](#)
The factory for creating Radiation Surfaces.
- class [RadiationThirdBody](#)
Provide information on bodies that may cause shadowing or reflected illumination.

7.1.1 Detailed Description

Namespace jeod.

Chapter 8


Data Structure Documentation

8.1 jeod::FlatPlateRadiationFacet Class Reference

A flat plate facet to be used for radiation interaction.

```
#include <flat_plate_radiation_facet.hh>
```

Inheritance diagram for jeod::FlatPlateRadiationFacet:



Public Member Functions

- `FlatPlateRadiationFacet ()`
Construct a `FlatPlateRadiationFacet`.
- `virtual ~FlatPlateRadiationFacet ()`
Destructor for `FlatPlateRadiationFacet`.
- `void incident_radiation (const double flux_mag, const double flux_struct_hat[3], const bool calculate_forces)`
Calculation of force and torque due to radiation pressure.
- `void initialize_geom (double center_grav[3])`
Initializes the Facet for use in the model.
- `void define_facet (FlatPlate *flat_plate)`
Defines the facet data values.
- `void radiation_pressure (void)`
Calculates the radiative emission force, accumulated force, and torque acting on a facet.

Data Fields

- double * [normal](#)
Unit vector normal to the plate surface, pointing outward (structural frame).
- double [incident_flux_hat](#) [3]
Temporary value.

Private Member Functions

- [FlatPlateRadiationFacet](#) & [operator=](#) (const [FlatPlateRadiationFacet](#) &rhs)
- [FlatPlateRadiationFacet](#) (const [FlatPlateRadiationFacet](#) &rhs)

Private Attributes

- double [sin_theta](#)
Theta is the angle between the plate and the radiation vector.

Friends

- class [InputProcessor](#)
- void [init_attrjeod__FlatPlateRadiationFacet](#) ()

Additional Inherited Members

8.1.1 Detailed Description

A flat plate facet to be used for radiation interaction.

Definition at line 86 of file `flat_plate_radiation_facet.hh`.

8.1.2 Constructor & Destructor Documentation

8.1.2.1 [FlatPlateRadiationFacet\(\)](#) [1/2]

```
jeod::FlatPlateRadiationFacet::FlatPlateRadiationFacet (
    void )
```

Construct a [FlatPlateRadiationFacet](#).

Definition at line 55 of file `flat_plate_radiation_facet.cc`.

8.1.2.2 ~FlatPlateRadiationFacet()

```
jeod::FlatPlateRadiationFacet::~~FlatPlateRadiationFacet (
    void ) [virtual]
```

Destructor for [FlatPlateRadiationFacet](#).

Definition at line 218 of file `flat_plate_radiation_facet.cc`.

8.1.2.3 FlatPlateRadiationFacet() [2/2]

```
jeod::FlatPlateRadiationFacet::FlatPlateRadiationFacet (
    const FlatPlateRadiationFacet & rhs ) [private]
```

8.1.3 Member Function Documentation

8.1.3.1 define_facet()

```
void jeod::FlatPlateRadiationFacet::define_facet (
    FlatPlate * flat_plate )
```

Defines the facet data values.

Parameters

in	<i>flat_plate</i>	pointer to the flat plate object
----	-------------------	----------------------------------

Definition at line 70 of file `flat_plate_radiation_facet.cc`.

References `jeod::RadiationFacet::center_pressure`, and `normal`.

Referenced by `jeod::FlatPlateRadiationFactory::create_facet()`.

8.1.3.2 incident_radiation()

```
void jeod::FlatPlateRadiationFacet::incident_radiation (
    const double flux_mag,
    const double flux_struct_hat[3],
    const bool calculate_forces ) [virtual]
```

Calculation of force and torque due to radiation pressure.

Assumptions and Limitations

- Only called when `flux_mag > 0`

Parameters

in	<i>flux_mag</i>	incident flux (per unit area) Units: N/m
in	<i>flux_struct_hat</i>	the flux unit vector in structural frame
in	<i>calculate_forces</i>	on/off flag for whether to calculate forces.

Implements [jeod::RadiationBaseFacet](#).

Definition at line 114 of file flat_plate_radiation_facet.cc.

References [jeod::RadiationBaseFacet::albedo](#), [jeod::RadiationBaseFacet::areaxflux](#), [jeod::RadiationBaseFacet::areaxflux_e](#), [jeod::RadiationBaseFacet::cx_area](#), [jeod::RadiationBaseFacet::diffuse](#), [jeod::RadiationBaseFacet::F_absorption](#), [jeod::RadiationBaseFacet::F_diffuse](#), [jeod::RadiationBaseFacet::F_specular](#), [normal](#), [sin_theta](#), [jeod::RadiationBaseFacet::speed_of_light](#), [jeod::RadiationBaseFacet::thermal](#), and [jeod::RadiationFacet::two thirds](#).

8.1.3.3 initialize_geom()

```
void jeod::FlatPlateRadiationFacet::initialize_geom (
    double center_grav[3] ) [virtual]
```

Initializes the Facet for use in the model.

Parameters

in	<i>center_grav</i>	center of gravity position Units: M
----	--------------------	--

Implements [jeod::RadiationFacet](#).

Definition at line 92 of file flat_plate_radiation_facet.cc.

References [jeod::RadiationFacet::center_pressure](#), [jeod::RadiationFacet::crot_to_cp](#), [jeod::RadiationFacet::initialize\(\)](#), and [jeod::RadiationBaseFacet::thermal](#).

8.1.3.4 operator=()

```
FlatPlateRadiationFacet& jeod::FlatPlateRadiationFacet::operator= (
    const FlatPlateRadiationFacet & rhs ) [private]
```

8.1.3.5 radiation_pressure()

```
void jeod::FlatPlateRadiationFacet::radiation_pressure (
    void ) [virtual]
```

Calculates the radiative emission force, accumulated force, and torque acting on a facet.

Implements [jeod::RadiationFacet](#).

Definition at line 177 of file flat_plate_radiation_facet.cc.

References [jeod::RadiationFacet::crot_to_cp](#), [jeod::RadiationBaseFacet::F_absorption](#), [jeod::RadiationBaseFacet::F_diffuse](#), [jeod::RadiationBaseFacet::F_emission](#), [jeod::RadiationBaseFacet::F_specular](#), [normal](#), [jeod::RadiationBaseFacet::speed_of_light](#), [jeod::RadiationBaseFacet::thermal](#), [jeod::RadiationFacet::two_thirds](#), and [jeod::RadiationMessages::unknown_numerical_error](#).

8.1.4 Friends And Related Function Documentation

8.1.4.1 init_attrjeod__FlatPlateRadiationFacet

```
void init_attrjeod__FlatPlateRadiationFacet ( ) [friend]
```

8.1.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 88 of file flat_plate_radiation_facet.hh.

8.1.5 Field Documentation

8.1.5.1 incident_flux_hat

```
double jeod::FlatPlateRadiationFacet::incident_flux_hat[3]
```

Temporary value.

trick_units(-)

Definition at line 104 of file flat_plate_radiation_facet.hh.

8.1.5.2 normal

```
double* jeod::FlatPlateRadiationFacet::normal
```

Unit vector normal to the plate surface, pointing outward (structural frame).

once the radiation surface is initialized, it points to the normal found in FlatPlatetrick_units(-)

Definition at line 99 of file flat_plate_radiation_facet.hh.

Referenced by define_facet(), incident_radiation(), and radiation_pressure().

8.1.5.3 sin_theta

```
double jeod::FlatPlateRadiationFacet::sin_theta [private]
```

Theta is the angle between the plate and the radiation vector.

trick_units(-)

Definition at line 110 of file flat_plate_radiation_facet.hh.

Referenced by incident_radiation().

The documentation for this class was generated from the following files:


- [flat_plate_radiation_facet.hh](#)
- [flat_plate_radiation_facet.cc](#)

8.2 jeod::FlatPlateRadiationFactory Class Reference

The factory for building flat plate radiation facets.

```
#include <flat_plate_radiation_factory.hh>
```

Inheritance diagram for jeod::FlatPlateRadiationFactory:



Public Member Functions

- [FlatPlateRadiationFactory](#) ()
Constructor for [FlatPlateRadiationFactory](#).
- [~FlatPlateRadiationFactory](#) ()
Destructor for [FlatPlateRadiationFactory](#).
- virtual InteractionFacet * [create_facet](#) (Facet *facet, FacetParams *params)
Records the data for the Flat Plate Radiation Facet.
- virtual bool [is_correct_factory](#) (Facet *facet)
Tests to ensure that the factory can function on the facet as intended.

Private Member Functions

- [FlatPlateRadiationFactory](#) & [operator=](#) (const [FlatPlateRadiationFactory](#) &rhs)
- [FlatPlateRadiationFactory](#) (const [FlatPlateRadiationFactory](#) &rhs)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__FlatPlateRadiationFactory](#) ()

8.2.1 Detailed Description

The factory for building flat plate radiation facets.

Definition at line 85 of file flat_plate_radiation_factory.hh.

8.2.2 Constructor & Destructor Documentation

8.2.2.1 [FlatPlateRadiationFactory](#)() [1/2]

```
jeod::FlatPlateRadiationFactory::FlatPlateRadiationFactory (  
    void )
```

Constructor for [FlatPlateRadiationFactory](#).

Definition at line 63 of file flat_plate_radiation_factory.cc.

8.2.2.2 ~FlatPlateRadiationFactory()

```
jeod::FlatPlateRadiationFactory::~~FlatPlateRadiationFactory (
    void )
```

Destructor for [FlatPlateRadiationFactory](#).

Definition at line 154 of file flat_plate_radiation_factory.cc.

8.2.2.3 FlatPlateRadiationFactory() [2/2]

```
jeod::FlatPlateRadiationFactory::FlatPlateRadiationFactory (
    const FlatPlateRadiationFactory & rhs ) [private]
```

8.2.3 Member Function Documentation

8.2.3.1 create_facet()

```
InteractionFacet * jeod::FlatPlateRadiationFactory::create_facet (
    Facet * facet,
    FacetParams * params ) [virtual]
```

Records the data for the Flat Plate Radiation Facet.

Returns

pointer to the interaction facet that this function creates.

Parameters

in	<i>facet</i>	pointer to the facet
in	<i>params</i>	pointer to the set of parameters for the facet.

Definition at line 77 of file flat_plate_radiation_factory.cc.

References [jeod::FlatPlateRadiationFacet::define_facet\(\)](#), and [jeod::RadiationMessages::invalid_setup_error](#).

8.2.3.2 is_correct_factory()

```
bool jeod::FlatPlateRadiationFactory::is_correct_factory (
    Facet * facet ) [virtual]
```

Tests to ensure that the factory can function on the facet as intended.

Returns

Boolean, is this the correct factory?

Parameters

in	<i>facet</i>	pointer to the facet being manipulated by the factory
----	--------------	---

Definition at line 136 of file flat_plate_radiation_factory.cc.

8.2.3.3 operator=()

```
FlatPlateRadiationFactory& jeod::FlatPlateRadiationFactory::operator= (
    const FlatPlateRadiationFactory & rhs ) [private]
```

8.2.4 Friends And Related Function Documentation**8.2.4.1 init_attrjeod__FlatPlateRadiationFactory**

```
void init_attrjeod__FlatPlateRadiationFactory ( ) [friend]
```

8.2.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 87 of file flat_plate_radiation_factory.hh.

The documentation for this class was generated from the following files:


- [flat_plate_radiation_factory.hh](#)
- [flat_plate_radiation_factory.cc](#)

8.3 jeod::RadiationBaseFacet Class Reference

Generic type of facet for radiation pressure.

```
#include <radiation_base_facet.hh>
```

Inheritance diagram for jeod::RadiationBaseFacet:



Public Member Functions

- [RadiationBaseFacet](#) ()
Construct a [RadiationBaseFacet](#).
- virtual [~RadiationBaseFacet](#) ()
Destructor for [RadiationBaseFacet](#).
- virtual void [initialize](#) (void)
initializes the base surface
- virtual void [interact_with_third_body](#) ([RadiationThirdBody](#) *third_body, const bool calc_forces)
Calculation of force, torques and irradiance due to ThirdBody flux.
- virtual void [initialize_runtime_values](#) (void)
To initialize the values during each update run.
- virtual void [incident_radiation](#) (const double flux_mag, const double flux_hat[3], const bool calc_forc)=0
Calculates the effect on the facet of the incident radiation

Data Fields

- double [albedo](#)
Usable value of albedo, set to either [albedo_IR](#) or [albedo_vis](#), depending on situation.
- double [albedo_vis](#)
Fraction of incident visible radiation that is immediately reflected.
- double [albedo_IR](#)
Fraction of incident IR radiation that is immediately reflected.
- double [diffuse](#)
Fraction of reflected radiation that is reflected diffusely (balance reflected specularly)
- ThermalFacetRider [thermal](#)
thermal characteristics of the facet.
- double [cx_area](#)
cross-sectional area projected perpendicular to the radiation vector.
- double [areaxflux](#)
product of momentum flux and cross-sectional area ([cx_area](#)).
- double [areaxflux_e](#)
product of energy flux and cross-sectional area
- double [F_absorption](#) [3]
Force due to photon absorption from ONLY ONE source.
- double [F_specular](#) [3]
Force due to photon specular reflection from ONLY ONE source.
- double [F_diffuse](#) [3]
Force due to photon diffuse reflection from ONLY ONE source.
- double [F_emission](#) [3]
Force due to photon (thermal) emission.

Static Protected Attributes

- static const double [speed_of_light](#) = 299792458.0
Speed of light in vacuum.

Private Member Functions

- [RadiationBaseFacet](#) & `operator=` (const [RadiationBaseFacet](#) &rhs)
- [RadiationBaseFacet](#) (const [RadiationBaseFacet](#) &rhs)

Friends

- class [InputProcessor](#)
- void `init_attrjeod__RadiationBaseFacet` ()

8.3.1 Detailed Description

Generic type of facet for radiation pressure.

Definition at line 86 of file `radiation_base_facet.hh`.

8.3.2 Constructor & Destructor Documentation

8.3.2.1 `RadiationBaseFacet()` [1/2]

```
jeod::RadiationBaseFacet::RadiationBaseFacet (  
    void )
```

Construct a [RadiationBaseFacet](#).

Definition at line 56 of file `radiation_base_facet.cc`.

8.3.2.2 `~RadiationBaseFacet()`

```
jeod::RadiationBaseFacet::~~RadiationBaseFacet (  
    void ) [virtual]
```

Destructor for [RadiationBaseFacet](#).

Definition at line 157 of file `radiation_base_facet.cc`.

8.3.2.3 `RadiationBaseFacet()` [2/2]

```
jeod::RadiationBaseFacet::RadiationBaseFacet (  
    const RadiationBaseFacet & rhs ) [private]
```

8.3.3 Member Function Documentation

8.3.3.1 incident_radiation()

```
virtual void jeod::RadiationBaseFacet::incident_radiation (
    const double flux_mag,
    const double flux_hat[3],
    const bool calc_forc ) [pure virtual]
```

Calculates the effect on the facet of the incident radiation

Parameters

in	<i>flux_mag</i>	Magnitude of the incident flux
in	<i>flux_hat</i>	unit vector associated with the incident flux vector
in	<i>calc_forc</i>	true/false, do forces get calculated

Implemented in [jeod::RadiationDefaultSurface](#), and [jeod::FlatPlateRadiationFacet](#).

Referenced by [jeod::RadiationSurface::incident_radiation\(\)](#).

8.3.3.2 initialize()

```
void jeod::RadiationBaseFacet::initialize (
    void ) [virtual]
```

initializes the base surface

Reimplemented in [jeod::RadiationDefaultSurface](#), and [jeod::RadiationFacet](#).

Definition at line 76 of file `radiation_base_facet.cc`.

References `albedo`, `albedo_IR`, `albedo_vis`, and [jeod::RadiationMessages::invalid_setup_error](#).

Referenced by [jeod::RadiationFacet::initialize\(\)](#), and [jeod::RadiationDefaultSurface::initialize\(\)](#).

8.3.3.3 initialize_runtime_values()

```
void jeod::RadiationBaseFacet::initialize_runtime_values (
    void ) [virtual]
```

To initialize the values during each update run.

Definition at line 144 of file `radiation_base_facet.cc`.

References `F_absorption`, `F_diffuse`, `F_specular`, and `thermal`.

Referenced by [jeod::RadiationSurface::initialize_runtime_values\(\)](#), and [jeod::RadiationPressure::update_default_surface\(\)](#).

8.3.3.4 interact_with_third_body()

```
void jeod::RadiationBaseFacet::interact_with_third_body (
    RadiationThirdBody * third_body_ptr,
    const bool calculate_forces ) [virtual]
```

Calculation of force, torques and irradiance due to ThirdBody flux.

Parameters

<code>in, out</code>	<code>third_body_ptr</code>	Third body that emits radiation
<code>in</code>	<code>calculate_forces</code>	Calculate forces on this facet if true.

Definition at line 122 of file radiation_base_facet.cc.

References `jeod::RadiationThirdBody::accumulate_rad_flux()`, `jeod::RadiationThirdBody::accumulate_refl_flux()`, `albedo`, `albedo_IR`, and `albedo_vis`.

Referenced by `jeod::RadiationSurface::interact_with_third_body()`, and `jeod::RadiationPressure::update_default_surface()`.

8.3.3.5 operator=()

```
RadiationBaseFacet& jeod::RadiationBaseFacet::operator= (
    const RadiationBaseFacet & rhs ) [private]
```

8.3.4 Friends And Related Function Documentation**8.3.4.1 init_attrjeod__RadiationBaseFacet**

```
void init_attrjeod__RadiationBaseFacet ( ) [friend]
```

8.3.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 88 of file radiation_base_facet.hh.

8.3.5 Field Documentation

8.3.5.1 albedo

```
double jeod::RadiationBaseFacet::albedo
```

Usable value of albedo, set to either albedo_IR or albedo_vis, depending on situation.

trick_units(-)

Definition at line 98 of file radiation_base_facet.hh.

Referenced by jeod::RadiationFacet::define_facet_core(), jeod::FlatPlateRadiationFacet::incident_radiation(), jeod::RadiationDefaultSurface::incident_radiation(), jeod::RadiationFacet::initialize(), jeod::RadiationDefaultSurface::initialize(), initialize(), interact_with_third_body(), and jeod::RadiationDefaultSurface::RadiationDefaultSurface().

8.3.5.2 albedo_IR

```
double jeod::RadiationBaseFacet::albedo_IR
```

Fraction of incident IR radiation that is immediately reflected.

trick_units(-)

Definition at line 108 of file radiation_base_facet.hh.

Referenced by jeod::RadiationFacet::initialize(), initialize(), and interact_with_third_body().

8.3.5.3 albedo_vis

```
double jeod::RadiationBaseFacet::albedo_vis
```

Fraction of incident visible radiation that is immediately reflected.

trick_units(-)

Definition at line 103 of file radiation_base_facet.hh.

Referenced by jeod::RadiationFacet::initialize(), initialize(), and interact_with_third_body().

8.3.5.4 areaxflux

```
double jeod::RadiationBaseFacet::areaxflux
```

product of momentum flux and cross-sectional area (cx_area).

Highly variable.trick_units(-)

Definition at line 138 of file radiation_base_facet.hh.

Referenced by jeod::FlatPlateRadiationFacet::incident_radiation(), jeod::RadiationDefaultSurface::incident_radiation(), and jeod::RadiationDefaultSurface::RadiationDefaultSurface().

8.3.5.5 areaxflux_e

```
double jeod::RadiationBaseFacet::areaxflux_e
```

product of energy flux and cross-sectional area

trick_units(—)

Definition at line 143 of file radiation_base_facet.hh.

Referenced by `jeod::FlatPlateRadiationFacet::incident_radiation()`, `jeod::RadiationDefaultSurface::incident_radiation()`, and `jeod::RadiationDefaultSurface::RadiationDefaultSurface()`.

8.3.5.6 cx_area

```
double jeod::RadiationBaseFacet::cx_area
```

cross-sectional area projected perpendicular to the radiation vector.

For facets that have an orientation, this is intended to be a variable value, dependent upon the orientation. For spherical surfaces, this can be set at initialization.trick_units(m2)

Definition at line 129 of file radiation_base_facet.hh.

Referenced by `jeod::FlatPlateRadiationFacet::incident_radiation()`, `jeod::RadiationDefaultSurface::incident_radiation()`, `jeod::RadiationDefaultSurface::initialize()`, and `jeod::RadiationDefaultSurface::RadiationDefaultSurface()`.

8.3.5.7 diffuse

```
double jeod::RadiationBaseFacet::diffuse
```

Fraction of reflected radiation that is reflected diffusely (balance reflected specularly)

trick_units(—)

Definition at line 114 of file radiation_base_facet.hh.

Referenced by `jeod::RadiationFacet::define_facet_core()`, `jeod::FlatPlateRadiationFacet::incident_radiation()`, `jeod::RadiationDefaultSurface::incident_radiation()`, `jeod::RadiationFacet::initialize()`, `jeod::RadiationDefaultSurface::initialize()`, and `jeod::RadiationDefaultSurface::RadiationDefaultSurface()`.

8.3.5.8 F_absorption

```
double jeod::RadiationBaseFacet::F_absorption[3]
```

Force due to photon absorption from ONLY ONE source.

trick_units(—)

Definition at line 148 of file radiation_base_facet.hh.

Referenced by jeod::FlatPlateRadiationFacet::incident_radiation(), jeod::RadiationDefaultSurface::incident_radiation(), initialize_runtime_values(), jeod::FlatPlateRadiationFacet::radiation_pressure(), jeod::RadiationDefaultSurface::RadiationDefaultSurface(), and jeod::RadiationPressure::update_default_surface().

8.3.5.9 F_diffuse

```
double jeod::RadiationBaseFacet::F_diffuse[3]
```

Force due to photon diffuse reflection from ONLY ONE source.

trick_units(—)

Definition at line 158 of file radiation_base_facet.hh.

Referenced by jeod::FlatPlateRadiationFacet::incident_radiation(), jeod::RadiationDefaultSurface::incident_radiation(), initialize_runtime_values(), jeod::FlatPlateRadiationFacet::radiation_pressure(), jeod::RadiationDefaultSurface::RadiationDefaultSurface(), and jeod::RadiationPressure::update_default_surface().

8.3.5.10 F_emission

```
double jeod::RadiationBaseFacet::F_emission[3]
```

Force due to photon (thermal) emission.

trick_units(—)

Definition at line 163 of file radiation_base_facet.hh.

Referenced by jeod::FlatPlateRadiationFacet::radiation_pressure(), and jeod::RadiationDefaultSurface::RadiationDefaultSurface().

8.3.5.11 F_specular

```
double jeod::RadiationBaseFacet::F_specular[3]
```

Force due to photon specular reflection from ONLY ONE source.

trick_units(—)

Definition at line 153 of file radiation_base_facet.hh.

Referenced by `jeod::FlatPlateRadiationFacet::incident_radiation()`, `jeod::RadiationDefaultSurface::incident_radiation()`, `initialize_runtime_values()`, `jeod::FlatPlateRadiationFacet::radiation_pressure()`, `jeod::RadiationDefaultSurface::RadiationDefaultSurface()`, and `jeod::RadiationPressure::update_default_surface()`.

8.3.5.12 speed_of_light

```
const double jeod::RadiationBaseFacet::speed_of_light = 299792458.0 [static], [protected]
```

Speed of light in vacuum.

trick_io(*o) trick_units(m/s)

Definition at line 171 of file radiation_base_facet.hh.

Referenced by `jeod::FlatPlateRadiationFacet::incident_radiation()`, `jeod::RadiationDefaultSurface::incident_radiation()`, and `jeod::FlatPlateRadiationFacet::radiation_pressure()`.

8.3.5.13 thermal

```
ThermalFacetRider jeod::RadiationBaseFacet::thermal
```

thermal characteristics of the facet.

trick_units(—)

Definition at line 119 of file radiation_base_facet.hh.

Referenced by `jeod::RadiationSurface::accumulate_thermal_sources()`, `jeod::RadiationDefaultSurface::add_thermal_integrator_to()`, `jeod::RadiationFacet::define_facet_core()`, `jeod::RadiationSurface::equalize_absorption_emission()`, `jeod::RadiationFacet::get_thermal_integrator()`, `jeod::FlatPlateRadiationFacet::incident_radiation()`, `jeod::RadiationDefaultSurface::incident_radiation()`, `jeod::RadiationFacet::initialize()`, `jeod::RadiationSurface::initialize()`, `jeod::RadiationDefaultSurface::initialize()`, `jeod::FlatPlateRadiationFacet::initialize_geom()`, `initialize_runtime_values()`, `jeod::FlatPlateRadiationFacet::radiation_pressure()`, `jeod::RadiationSurface::thermal_integrator()`, and `jeod::RadiationDefaultSurface::thermal_update()`.

The documentation for this class was generated from the following files:


- [radiation_base_facet.hh](#)
- [radiation_base_facet.cc](#)

8.4 jeod::RadiationDefaultSurface Class Reference

The default spherical surface for radiation pressure.

```
#include <radiation_default_surface.hh>
```

Inheritance diagram for jeod::RadiationDefaultSurface:



Public Member Functions

- [RadiationDefaultSurface](#) ()
Constructor for [RadiationDefaultSurface](#).
- virtual [~RadiationDefaultSurface](#) ()
Destructor for [RadiationDefaultSurface](#).
- virtual void [initialize](#) (void)
initializes the default surface
- virtual void [incident_radiation](#) (const double flux_mag, const double flux_struct_hat[3], const bool calculate_forces)
Calculation of force and torque due to radiation pressure.
- void [thermal_update](#) (void)
Test for necessity of maintaining thermal updates, and performs them as necessary.
- void [add_thermal_integrator_to](#) (DynBody *dyn_body)
Adds the thermal integrator of this surface to the integration group of the DynBody.
- void [set_name](#) (std::string name_in)
Setter for the name.

Data Fields

- double [rad_coeff](#)
The radiation-equivalent of a drag coefficient.
- double [temperature](#)
The value of the surface kinetic temperature.
- std::string [name](#)
The name of the surface.
- double [surface_area](#)
surface area of the default sphere.

Private Member Functions

- [RadiationDefaultSurface](#) & [operator=](#) (const [RadiationDefaultSurface](#) &rhs)
- [RadiationDefaultSurface](#) (const [RadiationDefaultSurface](#) &rhs)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__RadiationDefaultSurface](#) ()

Additional Inherited Members

8.4.1 Detailed Description

The default spherical surface for radiation pressure.

Definition at line 89 of file `radiation_default_surface.hh`.

8.4.2 Constructor & Destructor Documentation

8.4.2.1 RadiationDefaultSurface() [1/2]

```
jeod::RadiationDefaultSurface::RadiationDefaultSurface (
    void )
```

Constructor for [RadiationDefaultSurface](#).

Definition at line 65 of file `radiation_default_surface.cc`.

References `jeod::RadiationBaseFacet::albedo`, `jeod::RadiationBaseFacet::areaxflux`, `jeod::RadiationBaseFacet::areaxflux_e`, `jeod::RadiationBaseFacet::cx_area`, `jeod::RadiationBaseFacet::diffuse`, `jeod::RadiationBaseFacet::F_absorption`, `jeod::RadiationBaseFacet::F_diffuse`, `jeod::RadiationBaseFacet::F_emission`, `jeod::RadiationBaseFacet::F_specular`, `rad_coeff`, `surface_area`, and `temperature`.

8.4.2.2 ~RadiationDefaultSurface()

```
jeod::RadiationDefaultSurface::~~RadiationDefaultSurface (
    void ) [virtual]
```

Destructor for [RadiationDefaultSurface](#).

Definition at line 299 of file `radiation_default_surface.cc`.

8.4.2.3 RadiationDefaultSurface() [2/2]

```
jeod::RadiationDefaultSurface::RadiationDefaultSurface (
    const RadiationDefaultSurface & rhs ) [private]
```

8.4.3 Member Function Documentation

8.4.3.1 add_thermal_integrator_to()

```
void jeod::RadiationDefaultSurface::add_thermal_integrator_to (
    DynBody * dyn_body )
```

Adds the thermal integrator of this surface to the integration group of the `DynBody`.

Parameters

<i>in, out</i>	<i>dyn_body</i>	Body associated with this thermal object.
----------------	-----------------	---

Definition at line 289 of file radiation_default_surface.cc.

References [jeod::RadiationBaseFacet::thermal](#).

8.4.3.2 incident_radiation()

```
void jeod::RadiationDefaultSurface::incident_radiation (
    const double flux_mag,
    const double flux_struc_hat[3],
    const bool calculate_forces ) [virtual]
```

Calculation of force and torque due to radiation pressure.

Assumptions and Limitations

- Assumes that flux magnitude is positive.
- Will only be called if flux magnitude is positive.
- Assumes spherical surface.

Parameters

<i>in</i>	<i>flux_mag</i>	the magnitude of the incident flux
<i>in</i>	<i>flux_struc_hat</i>	the unit vector in structural frame for the flux vector.
<i>in</i>	<i>calculate_forces</i>	boolean indicating whether to calculate forces.

Implements [jeod::RadiationBaseFacet](#).

Definition at line 218 of file radiation_default_surface.cc.

References [jeod::RadiationBaseFacet::albedo](#), [jeod::RadiationBaseFacet::areaxflux](#), [jeod::RadiationBaseFacet::areaxflux_e](#), [jeod::RadiationBaseFacet::cx_area](#), [jeod::RadiationBaseFacet::diffuse](#), [jeod::RadiationBaseFacet::F_absorption](#), [jeod::RadiationBaseFacet::F_diffuse](#), [jeod::RadiationBaseFacet::F_specular](#), [jeod::RadiationBaseFacet::speed_of_light](#), and [jeod::RadiationBaseFacet::thermal](#).

Referenced by [jeod::RadiationPressure::update_default_surface\(\)](#).

8.4.3.3 initialize()

```
void jeod::RadiationDefaultSurface::initialize (
    void ) [virtual]
```

initializes the default surface

Reimplemented from [jeod::RadiationBaseFacet](#).

Definition at line 89 of file radiation_default_surface.cc.

References [jeod::RadiationBaseFacet::albedo](#), [jeod::RadiationBaseFacet::cx_area](#), [jeod::RadiationBaseFacet::diffuse](#), [jeod::RadiationBaseFacet::initialize\(\)](#), [jeod::RadiationMessages::invalid_setup_error](#), [jeod::RadiationMessages::operational_setup_error](#), [rad_coeff](#), [surface_area](#), [temperature](#), and [jeod::RadiationBaseFacet::thermal](#).

Referenced by [jeod::RadiationPressure::initialize\(\)](#).

8.4.3.4 operator=()

```
RadiationDefaultSurface& jeod::RadiationDefaultSurface::operator= (
    const RadiationDefaultSurface & rhs ) [private]
```

8.4.3.5 set_name()

```
void jeod::RadiationDefaultSurface::set_name (
    std::string name_in ) [inline]
```

Setter for the name.

Definition at line 160 of file radiation_default_surface.hh.

References [name](#).

8.4.3.6 thermal_update()

```
void jeod::RadiationDefaultSurface::thermal_update (
    void )
```

Test for necessity of maintaining thermal updates, and performs them as necessary.

Definition at line 270 of file radiation_default_surface.cc.

References [temperature](#), and [jeod::RadiationBaseFacet::thermal](#).

Referenced by [jeod::RadiationPressure::update_default_surface\(\)](#).

8.4.4 Friends And Related Function Documentation

8.4.4.1 init_attrjeod__RadiationDefaultSurface

```
void init_attrjeod__RadiationDefaultSurface ( ) [friend]
```

8.4.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 91 of file radiation_default_surface.hh.

8.4.5 Field Documentation

8.4.5.1 name

```
std::string jeod::RadiationDefaultSurface::name
```

The name of the surface.

This is optional.trick_units(-)

Definition at line 119 of file radiation_default_surface.hh.

Referenced by set_name().

8.4.5.2 rad_coeff

```
double jeod::RadiationDefaultSurface::rad_coeff
```

The radiation-equivalent of a drag coefficient.

It is the value by which the area must be multiplied in order to generate the same force if the reflecting surface were considered a perfectly absorbing surface. For a sphere, this has a value between 1.0 (perfectly absorbing, or perfect specular reflection) to 1.4444 (all diffuse reflection). Specify either: rad_coeff OR (albedo AND diffuse). NOTE 1 - this value is used at initialization only; changes to its value mid-simulation cannot be effected. NOTE 2 - the values albedo and diffuse are inherited from RadiationBaseFacet.trick_units(-)

Definition at line 109 of file radiation_default_surface.hh.

Referenced by initialize(), and RadiationDefaultSurface().

8.4.5.3 surface_area

```
double jeod::RadiationDefaultSurface::surface_area
```

surface area of the default sphere.

trick_units(m2)

Definition at line 129 of file radiation_default_surface.hh.

Referenced by initialize(), and RadiationDefaultSurface().

8.4.5.4 temperature

```
double jeod::RadiationDefaultSurface::temperature
```

The value of the surface kinetic temperature.

trick_units(K)

Definition at line 114 of file radiation_default_surface.hh.

Referenced by initialize(), RadiationDefaultSurface(), and thermal_update().

The documentation for this class was generated from the following files:


- [radiation_default_surface.hh](#)
- [radiation_default_surface.cc](#)

8.5 jeod::RadiationFacet Class Reference

Generic type of facet for radiation pressure.

```
#include <radiation_facet.hh>
```

Inheritance diagram for jeod::RadiationFacet:



Public Member Functions

- [RadiationFacet](#) ()
Constructor for Radiationfacet.
- virtual [~RadiationFacet](#) ()
Destructor for [RadiationFacet](#).
- virtual void [radiation_pressure](#) ()=0
Calculates the effect of radiation pressure on the facet.
- virtual void [initialize_geom](#) (double cg[3])=0
Initialize the facet geometry.
- virtual void [initialize](#) ()
Run sanity checks on input variables.
- void [define_facet_core](#) (Facet *facet, ThermalFacetRider &facet_thermal, [RadiationParams](#) *params)
Defines the inherent facet values.
- ThermalIntegrableObject & [get_thermal_integrator](#) ()
Get the integrator for thermal characteristics.

Data Fields

- double [crot_to_cp](#) [3]
position of center of pressure w.r.t.
- double * [center_pressure](#)
Center of pressure (in structural frame).

Static Protected Attributes

- static const double [two_thirds](#) = 2.0 / 3.0
quite literally, 2/3.

Private Member Functions

- [RadiationFacet](#) & [operator=](#) (const [RadiationFacet](#) &rhs)
- [RadiationFacet](#) (const [RadiationFacet](#) &rhs)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__RadiationFacet](#) ()

8.5.1 Detailed Description

Generic type of facet for radiation pressure.

Definition at line 87 of file radiation_facet.hh.

8.5.2 Constructor & Destructor Documentation

8.5.2.1 RadiationFacet() [1/2]

```
jeod::RadiationFacet::RadiationFacet (  
    void )
```

Constructor for Radiationfacet.

Definition at line 59 of file radiation_facet.cc.

References center_pressure, and crot_to_cp.

8.5.2.2 ~RadiationFacet()

```
jeod::RadiationFacet::~~RadiationFacet (  
    void ) [virtual]
```

Destructor for [RadiationFacet](#).

Definition at line 121 of file radiation_facet.cc.

8.5.2.3 RadiationFacet() [2/2]

```
jeod::RadiationFacet::RadiationFacet (  
    const RadiationFacet & rhs ) [private]
```

8.5.3 Member Function Documentation

8.5.3.1 define_facet_core()

```
void jeod::RadiationFacet::define_facet_core (  
    Facet * facet,  
    ThermalFacetRider & facet_thermal,  
    RadiationParams * params )
```

Defines the inherent facet values.

Parameters

in	<i>facet</i>	pointer to the facet
in	<i>facet_thermal</i>	reference to the thermal components of the facet.
in	<i>params</i>	pointer to the list of material parameters for the facet.

Definition at line 100 of file radiation_facet.cc.

References [jeod::RadiationParams::albedo](#), [jeod::RadiationBaseFacet::albedo](#), [jeod::RadiationParams::diffuse](#), [jeod::RadiationBaseFacet::diffuse](#), [jeod::RadiationParams::thermal](#), and [jeod::RadiationBaseFacet::thermal](#).

8.5.3.2 get_thermal_integrator()

```
ThermalIntegrableObject& jeod::RadiationFacet::get_thermal_integrator ( ) [inline]
```

Get the integrator for thermal characteristics.

Returns

Integrable object that integrates temperature.

Definition at line 154 of file radiation_facet.hh.

References [jeod::RadiationBaseFacet::thermal](#).

8.5.3.3 initialize()

```
void jeod::RadiationFacet::initialize (
    void ) [virtual]
```

Run sanity checks on input variables.

Reimplemented from [jeod::RadiationBaseFacet](#).

Definition at line 70 of file radiation_facet.cc.

References [jeod::RadiationBaseFacet::albedo](#), [jeod::RadiationBaseFacet::albedo_IR](#), [jeod::RadiationBaseFacet::albedo_vis](#), [jeod::RadiationBaseFacet::diffuse](#), [jeod::RadiationBaseFacet::initialize\(\)](#), [jeod::RadiationMessages::invalid_setup_error](#), and [jeod::RadiationBaseFacet::thermal](#).

Referenced by [jeod::FlatPlateRadiationFacet::initialize_geom\(\)](#).

8.5.3.4 initialize_geom()

```
virtual void jeod::RadiationFacet::initialize_geom (
    double cg[3] ) [pure virtual]
```

Initialize the facet geometry.

Parameters

<i>cg</i>	Center of mass.
-----------	-----------------

Implemented in [jeod::FlatPlateRadiationFacet](#).

Referenced by [jeod::RadiationSurface::initialize\(\)](#).

8.5.3.5 operator=()

```
RadiationFacet& jeod::RadiationFacet::operator= (
    const RadiationFacet & rhs ) [private]
```

8.5.3.6 radiation_pressure()

```
virtual void jeod::RadiationFacet::radiation_pressure ( ) [pure virtual]
```

Calculates the effect of radiation pressure on the facet.

Implemented in [jeod::FlatPlateRadiationFacet](#).

Referenced by [jeod::RadiationSurface::radiation_pressure\(\)](#).

8.5.4 Friends And Related Function Documentation**8.5.4.1 init_attrjeod__RadiationFacet**

```
void init_attrjeod__RadiationFacet ( ) [friend]
```

8.5.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 89 of file [radiation_facet.hh](#).

8.5.5 Field Documentation

8.5.5.1 center_pressure

```
double* jeod::RadiationFacet::center_pressure
```

Center of pressure (in structural frame).

Potentially variable, depending on the topology of the facet. For a flat plate facet, this just points to the position found in `FlatPlate::trick_units(m)`

Definition at line 108 of file `radiation_facet.hh`.

Referenced by `jeod::FlatPlateRadiationFacet::define_facet()`, `jeod::FlatPlateRadiationFacet::initialize_geom()`, and `RadiationFacet()`.

8.5.5.2 crot_to_cp

```
double jeod::RadiationFacet::crot_to_cp[3]
```

position of center of pressure w.r.t.

center of rotation (usually center of mass, or center of gravity), expressed in structural reference frame. Potentially variable, depending on the topology of the facet and the configuration of the vehicle. `trick_units(m)`

Definition at line 101 of file `radiation_facet.hh`.

Referenced by `jeod::FlatPlateRadiationFacet::initialize_geom()`, `jeod::FlatPlateRadiationFacet::radiation_pressure()`, and `RadiationFacet()`.

8.5.5.3 two_thirds

```
const double jeod::RadiationFacet::two_thirds = 2.0 / 3.0 [static], [protected]
```

quite literally, 2/3.

Occurs frequently with diffuse reflection and emission, so it is calculated once. `trick_io(*o) trick_units(-)`

Definition at line 118 of file `radiation_facet.hh`.

Referenced by `jeod::FlatPlateRadiationFacet::incident_radiation()`, and `jeod::FlatPlateRadiationFacet::radiation_pressure()`.

The documentation for this class was generated from the following files:

- [radiation_facet.hh](#)
- [radiation_facet.cc](#)

8.6 jeod::RadiationMessages Class Reference

Provides error messages.

```
#include <radiation_messages.hh>
```

Static Public Attributes

- static char const * [incomplete_setup_error](#)
The setup was not fully defined.
- static char const * [invalid_setup_error](#)
The setup is invalid.
- static char const * [operational_setup_error](#)
Something internal went wrong in the setup methods without obvious user error.
- static char const * [invalid_function_call](#)
A function was called before it was fully implemented.
- static char const * [unknown_numerical_error](#)
Something went horribly wrong.

Private Member Functions

- [RadiationMessages](#) (void)
- [RadiationMessages](#) (const [RadiationMessages](#) &)
- [RadiationMessages](#) & operator= (const [RadiationMessages](#) &)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__RadiationMessages](#) ()

8.6.1 Detailed Description

Provides error messages.

Definition at line 87 of file radiation_messages.hh.

8.6.2 Constructor & Destructor Documentation

8.6.2.1 RadiationMessages() [1/2]

```
jeod::RadiationMessages::RadiationMessages (
    void ) [private]
```

8.6.2.2 RadiationMessages() [2/2]

```
jeod::RadiationMessages::RadiationMessages (
    const RadiationMessages & ) [private]
```

8.6.3 Member Function Documentation

8.6.3.1 operator=()

```
RadiationMessages& jeod::RadiationMessages::operator= (
    const RadiationMessages & ) [private]
```

8.6.4 Friends And Related Function Documentation

8.6.4.1 init_attrjeod__RadiationMessages

```
void init_attrjeod__RadiationMessages ( ) [friend]
```

8.6.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 90 of file radiation_messages.hh.

8.6.5 Field Documentation

8.6.5.1 incomplete_setup_error

```
char const * jeod::RadiationMessages::incomplete_setup_error [static]
```

Initial value:

```
=
    "interactions/radiation_pressure/" "incomplete_setup_error"
```

The setup was not fully defined.

```
trick_units(-)
```

Definition at line 99 of file radiation_messages.hh.

Referenced by jeod::RadiationPressure::add_third_body(), and jeod::RadiationSource::initialize().

8.6.5.2 invalid_function_call

```
char const * jeod::RadiationMessages::invalid_function_call [static]
```

Initial value:

```
=
    "interactions/radiation_pressure/" "invalid_function_call"
```

A function was called before it was fully implemented.

trick_units(−)

Definition at line 112 of file radiation_messages.hh.

Referenced by jeod::RadiationPressure::find_third_body(), jeod::RadiationPressure::set_third_body_active(), and jeod::RadiationPressure::set_third_body_inactive().

8.6.5.3 invalid_setup_error

```
char const * jeod::RadiationMessages::invalid_setup_error [static]
```

Initial value:

```
=
    "interactions/radiation_pressure/" "invalid_setup_error"
```

The setup is invalid.

trick_units(−)

Definition at line 103 of file radiation_messages.hh.

Referenced by jeod::RadiationSurfaceFactory::add_facet_params(), jeod::RadiationPressure::add_third_body(), jeod::RadiationSurface::allocate_interaction_facet(), jeod::RadiationThirdBody::calculate_shadow(), jeod::RadiationThirdBody::convert_shadow_from_int(), jeod::FlatPlateRadiationFactory::create_facet(), jeod::RadiationFacet::initialize(), jeod::RadiationSurface::initialize(), jeod::RadiationDefaultSurface::initialize(), jeod::RadiationBaseFacet::initialize(), jeod::RadiationThirdBody::initialize(), jeod::RadiationThirdBody::process_third_body(), and jeod::RadiationThirdBody::update_third_body_state().

8.6.5.4 operational_setup_error

```
char const * jeod::RadiationMessages::operational_setup_error [static]
```

Initial value:

```
=
    "interactions/radiation_pressure/" "operational_setup_error"
```

Something internal went wrong in the setup methods without obvious user error.

trick_units(−)

Definition at line 108 of file radiation_messages.hh.

Referenced by jeod::RadiationSurface::allocate_array(), jeod::RadiationSurface::allocate_interaction_facet(), jeod::RadiationSurface::initialize(), jeod::RadiationDefaultSurface::initialize(), and jeod::RadiationThirdBody::process_third_body().

8.6.5.5 unknown_numerical_error

```
char const * jeod::RadiationMessages::unknown_numerical_error [static]
```

Initial value:

```
=
    "interactions/radiation_pressure/" "unknown_numerical_error"
```

Something went horribly wrong.

```
trick_units(-)
```

Definition at line 117 of file radiation_messages.hh.

Referenced by jeod::FlatPlateRadiationFacet::radiation_pressure().

The documentation for this class was generated from the following files:


- [radiation_messages.hh](#)
- [radiation_messages.cc](#)

8.7 jeod::RadiationParams Class Reference

Provides a parameter list to each facet, based on the facet material properties.

```
#include <radiation_params.hh>
```

Inheritance diagram for jeod::RadiationParams:



Public Member Functions

- [RadiationParams](#) ()
Constructor for [RadiationParams](#).
- virtual [~RadiationParams](#) ()
Destructor for [RadiationParams](#).

Data Fields

- double [albedo](#)
Fraction of incident radiation that is immediately reflected.
- double [diffuse](#)
Fraction of reflected radiation that is reflected diffusely (balance reflected specularly)
- ThermalParams [thermal](#)
Additional thermal parameters.

Private Member Functions

- [RadiationParams](#) & operator= (const [RadiationParams](#) &rhs)
- [RadiationParams](#) (const [RadiationParams](#) &rhs)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__RadiationParams](#) ()

8.7.1 Detailed Description

Provides a parameter list to each facet, based on the facet material properties.

Definition at line 83 of file radiation_params.hh.

8.7.2 Constructor & Destructor Documentation

8.7.2.1 RadiationParams() [1/2]

```
jeod::RadiationParams::RadiationParams (
    void )
```

Constructor for [RadiationParams](#).

Definition at line 43 of file radiation_params.cc.

References [albedo](#), and [diffuse](#).

8.7.2.2 ~RadiationParams()

```
jeod::RadiationParams::~~RadiationParams (
    void ) [virtual]
```

Destructor for [RadiationParams](#).

Definition at line 53 of file radiation_params.cc.

8.7.2.3 RadiationParams() [2/2]

```
jeod::RadiationParams::RadiationParams (
    const RadiationParams & rhs ) [private]
```

8.7.3 Member Function Documentation

8.7.3.1 operator=()

```
RadiationParams& jeod::RadiationParams::operator= (
    const RadiationParams & rhs ) [private]
```

8.7.4 Friends And Related Function Documentation

8.7.4.1 init_attrjeod__RadiationParams

```
void init_attrjeod__RadiationParams ( ) [friend]
```

8.7.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 85 of file radiation_params.hh.

8.7.5 Field Documentation

8.7.5.1 albedo

```
double jeod::RadiationParams::albedo
```

Fraction of incident radiation that is immediately reflected.

trick_units(-)

Definition at line 93 of file radiation_params.hh.

Referenced by jeod::RadiationFacet::define_facet_core(), and RadiationParams().

8.7.5.2 diffuse

```
double jeod::RadiationParams::diffuse
```

Fraction of reflected radiation that is reflected diffusely (balance reflected specularly)

trick_units(-)

Definition at line 99 of file radiation_params.hh.

Referenced by jeod::RadiationFacet::define_facet_core(), and RadiationParams().

8.7.5.3 thermal

```
ThermalParams jeod::RadiationParams::thermal
```

Additional thermal parameters.

trick_units(-)

Definition at line 104 of file radiation_params.hh.

Referenced by jeod::RadiationFacet::define_facet_core().

The documentation for this class was generated from the following files:

- [radiation_params.hh](#)
- [radiation_params.cc](#)

8.8 jeod::RadiationPressure Class Reference

Radiation pressure top-level definition.

```
#include <radiation_pressure.hh>
```

Public Member Functions

- [RadiationPressure](#) ()
Constructor for [RadiationPressure](#).
- virtual [~RadiationPressure](#) ()
Destructor for [RadiationPressure](#).
- void [initialize](#) (DynManager &dyn_manager, [RadiationSurface](#) *surf_ptr, double center_grav[3])
Initialize the radiation pressure model when using a [RadiationSurface](#) (i.e.
- void [initialize](#) (DynManager &dyn_manager, [RadiationDefaultSurface](#) *surf_ptr)
Initialize the radiation pressure model when using a [RadiationDefaultSurface](#) (i.e.
- void [update](#) (RefFrame &vehicle_structural_frame, double center_grav[3], double scale_factor, double time)
Updates the model at each time step.
- void [add_third_body](#) ([RadiationThirdBody](#) *third_body_ptr)
Adds a third body to the vector storage of third bodies.
- void [set_third_body_active](#) (const char *third_body_name)
Sets a Third Body to be active when it previously was not.
- void [set_third_body_inactive](#) (const char *third_body_name)
Sets a Third Body to be inactive when it previously was not.
- void [set_calculate_forces](#) (bool calc_forces)
Sets the value calculate_forces.

Data Fields

- bool [active](#)
Is radiation pressure desired?
- double [force](#) [3]
Net force due to radiation.
- double [torque](#) [3]
Net torque due to radiation.
- double [illum_factor](#)
fraction of primary flux that is not eclipsed
- [RadiationSource](#) [source](#)
Collection of data for radiation source.
- ThermalModelRider [thermal](#)
Rider to allow dynamic thermal variation on facets in this model.

Protected Member Functions

- void [update_default_surface](#) (void)
Used to update the model when the surface is a default surface.
- void [update_facet_surface](#) (void)
Used to update the model when the surface comprises facets.
- void [initialize_environment](#) (DynManager *dyn_mgr_ptr)
Initializes the source and third bodies.
- void [third_body_adjustments](#) (double time, RefFrame &vehicle_structural_frame)
Used to modify the flux for shadowing.
- int [find_third_body](#) (const char *third_body_name)
Finds the index of a third body based on its name.

Protected Attributes

- bool [initialized](#)
Has model been initialized?
- bool [calculate_forces](#)
Flag to indicate whether forces and torques should be calculated.
- bool [third_bodies_active](#)
Flag indicates whether there are any of the third bodies currently active.
- unsigned int [num_third_bodies](#)
Number of ThirdBodies available.
- JeodPointerVector< [RadiationThirdBody](#) >::type [third_bodies](#)
Planetary bodies that provide shadowing or indirect, reflected, illumination.
- [RadiationSurface](#) * [surface_ptr](#)
The surface over which the radiation pressure will be collected.
- [RadiationDefaultSurface](#) * [default_surface_ptr](#)
If no surface is defined, use a DefaultSurface; this is the pointer to that default surface,.
- DynManager * [dyn_manager_ptr](#)
Pointer to the Dynamics Manager.

Private Member Functions

- [RadiationPressure](#) (const [RadiationPressure](#) &)
- [RadiationPressure](#) & operator= (const [RadiationPressure](#) &)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__RadiationPressure](#) ()

8.8.1 Detailed Description

Radiation pressure top-level definition.

Definition at line 93 of file radiation_pressure.hh.

8.8.2 Constructor & Destructor Documentation

8.8.2.1 RadiationPressure() [1/2]

```
jeod::RadiationPressure::RadiationPressure (
    void )
```

Constructor for [RadiationPressure](#).

Definition at line 68 of file radiation_pressure.cc.

References [active](#), [calculate_forces](#), [default_surface_ptr](#), [dyn_manager_ptr](#), [force](#), [illum_factor](#), [initialized](#), [num_](#)↵
[third_bodies](#), [surface_ptr](#), [third_bodies](#), [third_bodies_active](#), and [torque](#).

8.8.2.2 ~RadiationPressure()

```
jeod::RadiationPressure::~~RadiationPressure (
    void ) [virtual]
```

Destructor for [RadiationPressure](#).

Definition at line 393 of file radiation_pressure.cc.

References [third_bodies](#).

8.8.2.3 RadiationPressure() [2/2]

```
jeod::RadiationPressure::RadiationPressure (
    const RadiationPressure & ) [private]
```

8.8.3 Member Function Documentation

8.8.3.1 add_third_body()

```
void jeod::RadiationPressure::add_third_body (
    RadiationThirdBody * third_body_ptr )
```

Adds a third body to the vector storage of third bodies.

Parameters

in	<i>third_body_ptr</i>	pointer to ThirdBody
----	-----------------------	----------------------

Definition at line 183 of file radiation_pressure.cc.

References jeod::RadiationThirdBody::active, dyn_manager_ptr, jeod::RadiationThirdBody::get_added_to_model(), jeod::RadiationMessages::incomplete_setup_error, jeod::RadiationThirdBody::initialize(), initialized, jeod::RadiationMessages::invalid_setup_error, jeod::RadiationThirdBody::name, num_third_bodies, jeod::RadiationThirdBody::set_added_to_model(), third_bodies, and third_bodies_active.

Referenced by initialize().

8.8.3.2 find_third_body()

```
int jeod::RadiationPressure::find_third_body (
    const char * third_body_name ) [protected]
```

Finds the index of a third body based on its name.

Returns

void

Parameters

in	<i>third_body_name</i>	Name of ThirdBody
----	------------------------	-------------------

Definition at line 357 of file radiation_pressure.cc.

References `jeod::RadiationMessages::invalid_function_call`, `num_third_bodies`, and `third_bodies`.

Referenced by `set_third_body_active()`, and `set_third_body_inactive()`.

8.8.3.3 initialize() [1/2]

```
void jeod::RadiationPressure::initialize (
    DynManager & dyn_mgr,
    RadiationSurface * surf_ptr,
    double center_grav[3] )
```

Initialize the radiation pressure model when using a [RadiationSurface](#) (i.e. with facets).

Parameters

in	<i>dyn_mgr</i>	The dynamics manager
in	<i>surf_ptr</i>	pointer to the radiation surface
in	<i>center_grav</i>	position of center of mass Units: M

Definition at line 75 of file `radiation_pressure__surface_model.cc`.

References `add_third_body()`, `dyn_manager_ptr`, `jeod::RadiationSurface::initialize()`, `initialize_environment()`, `jeod::RadiationSource::num_bodies`, `jeod::RadiationSource::shadow_geometry`, `source`, `surface_ptr`, `thermal`, `third_bodies`, and `jeod::RadiationSource::third_body`.

8.8.3.4 initialize() [2/2]

```
void jeod::RadiationPressure::initialize (
    DynManager & dyn_mgr,
    RadiationDefaultSurface * surf_ptr )
```

Initialize the radiation pressure model when using a [RadiationDefaultSurface](#) (i.e. spherical, uniform properties.)

Parameters

in	<i>dyn_mgr</i>	The dynamics manager
in	<i>surf_ptr</i>	pointer to the radiation surface

Definition at line 71 of file `radiation_pressure__default_surface.cc`.

References `add_third_body()`, `default_surface_ptr`, `dyn_manager_ptr`, `jeod::RadiationDefaultSurface::initialize()`, `initialize_environment()`, `jeod::RadiationSource::num_bodies`, `jeod::RadiationSource::shadow_geometry`, `source`, `third_bodies`, and `jeod::RadiationSource::third_body`.

8.8.3.5 initialize_environment()

```
void jeod::RadiationPressure::initialize_environment (
    DynManager * dyn_mgr_ptr ) [protected]
```

Initializes the source and third bodies.

Parameters

in	<i>dyn_mgr_ptr</i>	The dynamics manager
----	--------------------	----------------------

Definition at line 93 of file radiation_pressure.cc.

References jeod::RadiationSource::initialize(), initialized, num_third_bodies, source, and third_bodies.

Referenced by initialize().

8.8.3.6 operator=()

```
RadiationPressure& jeod::RadiationPressure::operator= (
    const RadiationPressure & ) [private]
```

8.8.3.7 set_calculate_forces()

```
void jeod::RadiationPressure::set_calculate_forces (
    bool value )
```

Sets the value calculate_forces.

Parameters

in	<i>value</i>	whether forces are needed
----	--------------	---------------------------

Definition at line 378 of file radiation_pressure.cc.

References calculate_forces, force, and torque.

8.8.3.8 set_third_body_active()

```
void jeod::RadiationPressure::set_third_body_active (
    const char * third_body_name )
```

Sets a Third Body to be active when it previously was not.

Parameters

in	<i>third_body_name</i>	Name of ThirdBody
----	------------------------	-------------------

Definition at line 279 of file radiation_pressure.cc.

References active, dyn_manager_ptr, find_third_body(), jeod::RadiationMessages::invalid_function_call, third_bodies, and third_bodies_active.

8.8.3.9 set_third_body_inactive()

```
void jeod::RadiationPressure::set_third_body_inactive (
    const char * third_body_name )
```

Sets a Third Body to be inactive when it previously was not.

Parameters

in	<i>third_body_name</i>	Name of ThirdBody
----	------------------------	-------------------

Definition at line 316 of file radiation_pressure.cc.

References active, dyn_manager_ptr, find_third_body(), jeod::RadiationMessages::invalid_function_call, num_third_bodies, third_bodies, and third_bodies_active.

8.8.3.10 third_body_adjustments()

```
void jeod::RadiationPressure::third_body_adjustments (
    double real_time,
    RefFrame & veh_struc_frame ) [protected]
```

Used to modify the flux for shadowing.

Parameters

in	<i>real_time</i>	The current time, e.g. TAI or UT1. Units: s
in	<i>veh_struc_frame</i>	Structure frame of vehicle

Definition at line 159 of file radiation_pressure.cc.

References active, jeod::RadiationSource::flux_inertial, jeod::RadiationSource::flux_mag, jeod::RadiationSource::flux_struc, illum_factor, num_third_bodies, source, and third_bodies.

Referenced by update().

8.8.3.11 update()

```
void jeod::RadiationPressure::update (
    RefFrame & veh_struct_frame,
    double center_grav[3],
    double scale_factor,
    double real_time )
```

Updates the model at each time step.

Parameters

in	<i>veh_struct_frame</i>	The vehicle structural reference frame.
in	<i>center_grav</i>	position of center of mass Units: M
in	<i>scale_factor</i>	the scale between the simulator time and the dynamic time.
in	<i>real_time</i>	The current time, e.g. TAI or UT1. Units: s

Definition at line 114 of file radiation_pressure.cc.

References active, jeod::RadiationSource::calculate_flux(), source, surface_ptr, third_bodies_active, third_body_↔adjustments(), update_default_surface(), and update_facet_surface().

8.8.3.12 update_default_surface()

```
void jeod::RadiationPressure::update_default_surface (
    void ) [protected]
```

Used to update the model when the surface is a default surface.

Definition at line 96 of file radiation_pressure__default_surface.cc.

References active, calculate_forces, default_surface_ptr, jeod::RadiationBaseFacet::F_absorption, jeod::↔RadiationBaseFacet::F_diffuse, jeod::RadiationBaseFacet::F_specular, jeod::RadiationSource::flux_mag, jeod::↔RadiationSource::flux_struct_hat, force, jeod::RadiationDefaultSurface::incident_radiation(), jeod::Radiation↔BaseFacet::initialize_runtime_values(), jeod::RadiationBaseFacet::interact_with_third_body(), num_third_bodies, source, jeod::RadiationDefaultSurface::thermal_update(), third_bodies, and torque.

Referenced by update().

8.8.3.13 update_facet_surface()

```
void jeod::RadiationPressure::update_facet_surface (
    void ) [protected]
```

Used to update the model when the surface comprises facets.

Definition at line 111 of file radiation_pressure__surface_model.cc.

References active, calculate_forces, jeod::RadiationSurface::equalize_absorption_emission(), jeod::Radiation↔Source::flux_mag, jeod::RadiationSource::flux_struct_hat, force, jeod::RadiationSurface::force, jeod::Radiation↔Surface::incident_radiation(), jeod::RadiationSurface::initialize_runtime_values(), jeod::RadiationSurface::interact↔_with_third_body(), num_third_bodies, jeod::RadiationSurface::radiation_pressure(), source, surface_ptr, thermal, third_bodies, torque, and jeod::RadiationSurface::torque.

Referenced by update().

8.8.4 Friends And Related Function Documentation

8.8.4.1 init_attrjeod__RadiationPressure

```
void init_attrjeod__RadiationPressure ( ) [friend]
```

8.8.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 95 of file radiation_pressure.hh.

8.8.5 Field Documentation

8.8.5.1 active

```
bool jeod::RadiationPressure::active
```

Is radiation pressure desired?

trick_units(—)

Definition at line 103 of file radiation_pressure.hh.

Referenced by RadiationPressure(), set_third_body_active(), set_third_body_inactive(), third_body_adjustments(), update(), update_default_surface(), and update_facet_surface().

8.8.5.2 calculate_forces

```
bool jeod::RadiationPressure::calculate_forces [protected]
```

Flag to indicate whether forces and torques should be calculated.

trick_units(—)

Definition at line 140 of file radiation_pressure.hh.

Referenced by RadiationPressure(), set_calculate_forces(), update_default_surface(), and update_facet_surface().

8.8.5.3 default_surface_ptr

```
RadiationDefaultSurface* jeod::RadiationPressure::default_surface_ptr [protected]
```

If no surface is defined, use a DefaultSurface; this is the pointer to that default surface,.

trick_units(-)

Definition at line 170 of file radiation_pressure.hh.

Referenced by initialize(), RadiationPressure(), and update_default_surface().

8.8.5.4 dyn_manager_ptr

```
DynManager* jeod::RadiationPressure::dyn_manager_ptr [protected]
```

Pointer to the Dynamics Manager.

trick_units(-)

Definition at line 175 of file radiation_pressure.hh.

Referenced by add_third_body(), initialize(), RadiationPressure(), set_third_body_active(), and set_third_body_inactive().

8.8.5.5 force

```
double jeod::RadiationPressure::force[3]
```

Net force due to radiation.

trick_units(N)

Definition at line 108 of file radiation_pressure.hh.

Referenced by RadiationPressure(), set_calculate_forces(), update_default_surface(), and update_facet_surface().

8.8.5.6 illum_factor

```
double jeod::RadiationPressure::illum_factor
```

fraction of primary flux that is not eclipsed

trick_units(-)

Definition at line 118 of file radiation_pressure.hh.

Referenced by RadiationPressure(), and third_body_adjustments().

8.8.5.7 initialized

```
bool jeod::RadiationPressure::initialized [protected]
```

Has model been initialized?

trick_units(-)

Definition at line 135 of file radiation_pressure.hh.

Referenced by add_third_body(), initialize_environment(), and RadiationPressure().

8.8.5.8 num_third_bodies

```
unsigned int jeod::RadiationPressure::num_third_bodies [protected]
```

Number of ThirdBodies available.

trick_units(count)

Definition at line 151 of file radiation_pressure.hh.

Referenced by add_third_body(), find_third_body(), initialize_environment(), RadiationPressure(), set_third_body↵_inactive(), third_body_adjustments(), update_default_surface(), and update_facet_surface().

8.8.5.9 source

```
RadiationSource jeod::RadiationPressure::source
```

Collection of data for radiation source.

trick_units(-)

Definition at line 123 of file radiation_pressure.hh.

Referenced by initialize(), initialize_environment(), third_body_adjustments(), update(), update_default_surface(), and update_facet_surface().

8.8.5.10 surface_ptr

```
RadiationSurface* jeod::RadiationPressure::surface_ptr [protected]
```

The surface over which the radiation pressure will be collected.

If this is NULL, use the default radiation surface (which is a whole separate entity from a RadiationSurface.trick_↵units(-)

Definition at line 164 of file radiation_pressure.hh.

Referenced by initialize(), RadiationPressure(), update(), and update_facet_surface().

8.8.5.11 thermal

```
ThermalModelRider jeod::RadiationPressure::thermal
```

Rider to allow dynamic thermal variation on facets in this model.

trick_units(-)

Definition at line 128 of file radiation_pressure.hh.

Referenced by initialize(), and update_facet_surface().

8.8.5.12 third_bodies

```
JeodPointerVector<RadiationThirdBody>::type jeod::RadiationPressure::third_bodies [protected]
```

Planetary bodies that provide shadowing or indirect, reflected, illumination.

trick_io(**)

Definition at line 157 of file radiation_pressure.hh.

Referenced by add_third_body(), find_third_body(), initialize(), initialize_environment(), RadiationPressure(), set↵_third_body_active(), set_third_body_inactive(), third_body_adjustments(), update_default_surface(), update↵_facet_surface(), and ~RadiationPressure().

8.8.5.13 third_bodies_active

```
bool jeod::RadiationPressure::third_bodies_active [protected]
```

Flag indicates whether there are any of the third bodies currently active.

trick_units(-)

Definition at line 146 of file radiation_pressure.hh.

Referenced by add_third_body(), RadiationPressure(), set_third_body_active(), set_third_body_inactive(), and update().

8.8.5.14 torque

```
double jeod::RadiationPressure::torque[3]
```

Net torque due to radiation.

trick_units(N*m)

Definition at line 113 of file radiation_pressure.hh.

Referenced by RadiationPressure(), set_calculate_forces(), update_default_surface(), and update_facet_surface().

The documentation for this class was generated from the following files:

- [radiation_pressure.hh](#)
- [radiation_pressure.cc](#)
- [radiation_pressure__default_surface.cc](#)
- [radiation_pressure__surface_model.cc](#)

8.9 jeod::RadiationSource Class Reference

Provides information on the source of the incident radiation.

```
#include <radiation_source.hh>
```

Public Types

- enum [OldShadowGeometry](#) { [Cylindrical](#) = 0, [Cyl](#) = 1, [Conical](#) = 2, [Con](#) = 3 }
distinguishes between conical and cylindrical shadowing.

Public Member Functions

- [RadiationSource](#) ()
Constructor for [RadiationSource](#).
- virtual [~RadiationSource](#) ()
destructor for [RadiationSource](#)
- virtual void [initialize](#) (DynManager *dyn_manager_ptr)
Initializes the source object for use in the Radiation Pressure model.
- virtual void [calculate_flux](#) (RefFrame &veh_struc_frame, const double center_grav[3])
calculates the flux vector from the vehicle's position.
- void [set_name](#) (std::string name_in)
Setter for the name.

Data Fields

- const double [solar_luminosity](#)
Solar Luminosity.
- const double [solar_radius](#)
Mean solar radius.
- std::string [name](#)
The name of the source of the illumination (usually Sun)
- double [flux_hat](#) [3]
(inertial) unit vector associated with primary radiative flux.
- double [flux_mag](#)
magnitude of principle radiative flux vector
- double [d_source_to_cg](#)
distance from source to vehicle cg.
- double [luminosity](#)
Luminosity of primary source.
- double [radius](#)
Radius of primary source.
- double [flux_inertial](#) [3]
(N/M/s) Power per unit area in the inertial reference frame
- double [flux_struc](#) [3]
*(N/M*s) Power per unit area in the vehicle structural reference frame*
- double [flux_struc_hat](#) [3]
Unit vector representing flux vector in the vehicle structural reference frame.
- double [inertial_cg](#) [3]
vehicle cg position w.r.t vehicle strucural origin, expressed in inertial RF.
- double [source_to_cg](#) [3]
vehicle cg position relative to the source
- double [source_to_struc_origin](#) [3]
vehicle struc frame origin position relative to source.
- bool [multiple_shadow_bodies](#)
flags that more than one body are casting shadows on the vehicle.
- RefFrame * [inertial_frame_ptr](#)
the inertial reference frame associated with this source
- bool [bodies_active](#)
can there be 3rd-body interference, either shadowing or reflection.
- unsigned int [num_bodies](#)
number of ThirdBodies available.
- [RadiationThirdBody](#) ** [third_body](#)
Planetary bodies that provide shadowing or indirect, reflected, illumination.
- [OldShadowGeometry](#) [shadow_geometry](#)
Flag indicating cylindrical / conical shadow geometry.

Private Member Functions

- [RadiationSource](#) (const [RadiationSource](#) &)
- [RadiationSource](#) & operator= (const [RadiationSource](#) &)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__RadiationSource](#) ()

8.9.1 Detailed Description

Provides information on the source of the incident radiation.

Definition at line 92 of file radiation_source.hh.

8.9.2 Member Enumeration Documentation

8.9.2.1 OldShadowGeometry

```
enum jeod::RadiationSource::OldShadowGeometry
```

distinguishes between conical and cylindrical shadowing.

NOTE this is provided for backward-compatibility and should not be used.

Enumerator

Cylindrical	planet casts a cylindrical shadow
Cyl	planet casts a cylindrical shadow
Conical	planet casts a conical shadow
Con	planet casts a conical shadow

Definition at line 209 of file radiation_source.hh.

8.9.3 Constructor & Destructor Documentation

8.9.3.1 RadiationSource() [1/2]

```
jeod::RadiationSource::RadiationSource (
    void )
```

Constructor for [RadiationSource](#).

Definition at line 64 of file radiation_source.cc.

References [d_source_to_cg](#), [flux_hat](#), [flux_inertial](#), [flux_mag](#), [flux_struc](#), [flux_struc_hat](#), [inertial_cg](#), [inertial_](#)↔[frame_ptr](#), [luminosity](#), [multiple_shadow_bodies](#), [name](#), [radius](#), [solar_luminosity](#), [solar_radius](#), [source_to_cg](#), and [source_to_struc_origin](#).

8.9.3.2 ~RadiationSource()

```
jeod::RadiationSource::~~RadiationSource (
    void ) [virtual]
```

destructor for [RadiationSource](#)

Definition at line 189 of file radiation_source.cc.

8.9.3.3 RadiationSource() [2/2]

```
jeod::RadiationSource::RadiationSource (
    const RadiationSource & ) [private]
```

8.9.4 Member Function Documentation

8.9.4.1 calculate_flux()

```
void jeod::RadiationSource::calculate_flux (
    RefFrame & veh_struct_frame,
    const double center_gravity[3] ) [virtual]
```

calculates the flux vector from the vehicle's position.

Parameters

in	<i>veh_struct_frame</i>	the vehicle structural reference frame
in	<i>center_gravity</i>	position of the center of mass Units: M

Definition at line 102 of file radiation_source.cc.

References [d_source_to_cg](#), [flux_hat](#), [flux_inertial](#), [flux_mag](#), [flux_struct](#), [flux_struct_hat](#), [inertial_cg](#), [inertial_↔frame_ptr](#), [luminosity](#), [source_to_cg](#), and [source_to_struct_origin](#).

Referenced by [jeod::RadiationPressure::update\(\)](#).

8.9.4.2 initialize()

```
void jeod::RadiationSource::initialize (
    DynManager * dyn_mgr_ptr ) [virtual]
```

Initializes the source object for use in the Radiation Pressure model.

Parameters

in	<i>dyn_mgr_ptr</i>	pointer to the dynamics manager
----	--------------------	---------------------------------

Definition at line 166 of file radiation_source.cc.

References jeod::RadiationMessages::incomplete_setup_error, inertial_frame_ptr, and name.

Referenced by jeod::RadiationPressure::initialize_environment().

8.9.4.3 operator=()

```
RadiationSource& jeod::RadiationSource::operator= (
    const RadiationSource & ) [private]
```

8.9.4.4 set_name()

```
void jeod::RadiationSource::set_name (
    std::string name_in ) [inline]
```

Setter for the name.

Definition at line 235 of file radiation_source.hh.

References name.

8.9.5 Friends And Related Function Documentation**8.9.5.1 init_attrjeod__RadiationSource**

```
void init_attrjeod__RadiationSource ( ) [friend]
```

8.9.5.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 93 of file radiation_source.hh.

8.9.6 Field Documentation

8.9.6.1 bodies_active

`bool jeod::RadiationSource::bodies_active`

can there be 3rd-body interference, either shadowing or reflection.

`trick_units(-)`

Definition at line 191 of file `radiation_source.hh`.

8.9.6.2 d_source_to_cg

`double jeod::RadiationSource::d_source_to_cg`

distance from source to vehicle cg.

`trick_units(m)`

Definition at line 127 of file `radiation_source.hh`.

Referenced by `calculate_flux()`, `jeod::RadiationThirdBody::calculate_shadow()`, and `RadiationSource()`.

8.9.6.3 flux_hat

`double jeod::RadiationSource::flux_hat[3]`

(inertial) unit vector associated with primary radiative flux.

`trick_units(-)`

Definition at line 116 of file `radiation_source.hh`.

Referenced by `calculate_flux()`, and `RadiationSource()`.

8.9.6.4 flux_inertial

`double jeod::RadiationSource::flux_inertial[3]`

(N/M/s) Power per unit area in the inertial reference frame

`trick_units(-)`

Definition at line 142 of file `radiation_source.hh`.

Referenced by `calculate_flux()`, `RadiationSource()`, and `jeod::RadiationPressure::third_body_adjustments()`.

8.9.6.5 flux_mag

```
double jeod::RadiationSource::flux_mag
```

magnitude of principle radiative flux vector

trick_units(N/m2)

Definition at line 121 of file radiation_source.hh.

Referenced by `calculate_flux()`, `RadiationSource()`, `jeod::RadiationPressure::third_body_adjustments()`, `jeod::RadiationPressure::update_default_surface()`, and `jeod::RadiationPressure::update_facet_surface()`.

8.9.6.6 flux_struc

```
double jeod::RadiationSource::flux_struc[3]
```

(N/M*s) Power per unit area in the vehicle structural reference frame

trick_units(-)

Definition at line 147 of file radiation_source.hh.

Referenced by `calculate_flux()`, `RadiationSource()`, and `jeod::RadiationPressure::third_body_adjustments()`.

8.9.6.7 flux_struc_hat

```
double jeod::RadiationSource::flux_struc_hat[3]
```

Unit vector representing flux vector in the vehicle structural reference frame.

trick_units(-)

Definition at line 153 of file radiation_source.hh.

Referenced by `calculate_flux()`, `RadiationSource()`, `jeod::RadiationPressure::update_default_surface()`, and `jeod::RadiationPressure::update_facet_surface()`.

8.9.6.8 inertial_cg

```
double jeod::RadiationSource::inertial_cg[3]
```

vehicle cg position w.r.t vehicle structural origin, expressed in inertial RF.

trick_units(m)

Definition at line 159 of file radiation_source.hh.

Referenced by `calculate_flux()`, and `RadiationSource()`.

8.9.6.9 inertial_frame_ptr

```
RefFrame* jeod::RadiationSource::inertial_frame_ptr
```

the inertial reference frame associated with this source

trick_units(-)

Definition at line 179 of file radiation_source.hh.

Referenced by calculate_flux(), initialize(), jeod::RadiationThirdBody::initialize(), RadiationSource(), and jeod::RadiationThirdBody::update_third_body_state().

8.9.6.10 luminosity

```
double jeod::RadiationSource::luminosity
```

Luminosity of primary source.

trick_units(-)

Definition at line 132 of file radiation_source.hh.

Referenced by calculate_flux(), and RadiationSource().

8.9.6.11 multiple_shadow_bodies

```
bool jeod::RadiationSource::multiple_shadow_bodies
```

flags that more than one body are casting shadows on the vehicle.

trick_units(-)

Definition at line 174 of file radiation_source.hh.

Referenced by RadiationSource().

8.9.6.12 name

```
std::string jeod::RadiationSource::name
```

The name of the source of the illumination (usually Sun)

trick_units(-)

Definition at line 111 of file radiation_source.hh.

Referenced by initialize(), RadiationSource(), and set_name().

8.9.6.13 num_bodies

```
unsigned int jeod::RadiationSource::num_bodies
```

number of ThirdBodies available.

trick_units(count)

Definition at line 196 of file radiation_source.hh.

Referenced by jeod::RadiationPressure::initialize().

8.9.6.14 radius

```
double jeod::RadiationSource::radius
```

Radius of primary source.

trick_units(m)

Definition at line 137 of file radiation_source.hh.

Referenced by jeod::RadiationThirdBody::calculate_shadow(), jeod::RadiationThirdBody::initialize(), and RadiationSource().

8.9.6.15 shadow_geometry

```
OldShadowGeometry jeod::RadiationSource::shadow_geometry
```

Flag indicating cylindrical / conical shadow geometry.

trick_units(-)

Definition at line 219 of file radiation_source.hh.

Referenced by jeod::RadiationPressure::initialize().

8.9.6.16 solar_luminosity

```
const double jeod::RadiationSource::solar_luminosity
```

Solar Luminosity.

trick_units(-)

Definition at line 101 of file radiation_source.hh.

Referenced by RadiationSource().

8.9.6.17 solar_radius

```
const double jeod::RadiationSource::solar_radius
```

Mean solar radius.

trick_units(m)

Definition at line 106 of file radiation_source.hh.

Referenced by RadiationSource().

8.9.6.18 source_to_cg

```
double jeod::RadiationSource::source_to_cg[3]
```

vehicle cg position relative to the source

trick_units(m)

Definition at line 164 of file radiation_source.hh.

Referenced by calculate_flux(), jeod::RadiationThirdBody::calculate_shadow(), and RadiationSource().

8.9.6.19 source_to_struc_origin

```
double jeod::RadiationSource::source_to_struc_origin[3]
```

vehicle struc frame origin position relative to source.

trick_units(m)

Definition at line 169 of file radiation_source.hh.

Referenced by calculate_flux(), and RadiationSource().

8.9.6.20 third_body

```
RadiationThirdBody** jeod::RadiationSource::third_body
```

Planetary bodies that provide shadowing or indirect, reflected, illumination.

trick_units(-)

Definition at line 202 of file radiation_source.hh.

Referenced by jeod::RadiationPressure::initialize().

The documentation for this class was generated from the following files:


- [radiation_source.hh](#)
- [radiation_source.cc](#)

8.10 jeod::RadiationSurface Class Reference

The surface of the vehicle that interacts with the incident flux.

```
#include <radiation_surface.hh>
```

Inheritance diagram for jeod::RadiationSurface:



Public Member Functions

- [RadiationSurface](#) ()
Constructor for [RadiationSurface](#).
- virtual [~RadiationSurface](#) ()
Destructor for [RadiationSurface](#).
- void [initialize](#) (double center_grav[3])
Initializes the radiation surface.
- void [allocate_array](#) (unsigned int size)
Allocates memory for an array of radiation facets.
- void [allocate_interaction_facet](#) (Facet *facet, InteractionFacetFactory *factory, FacetParams *params, unsigned int index)
Turns facet memory into radiation facet memory.
- void [initialize_runtime_values](#) (void)
To initialize the values during each update run.
- void [incident_radiation](#) (double flux_mag, const double flux_struct_hat[3], bool calculate_forces)
systematically calls the method to calculate the interaction on each facet.
- void [interact_with_third_body](#) ([RadiationThirdBody](#) *third_body_ptr, const bool calculate_forces)
systematically calls the method to calculate the interaction of each facet with ThirdBody flux.
- void [accumulate_thermal_sources](#) (void)
systematically calls the method to accumulate thermal sources on each facet.
- void [thermal_integrator](#) (void)
systematically calls the method to integrate the temperature variation for each facet.
- void [equalize_absorption_emission](#) (void)
systematically calls the method to ensure that the same for each facet.
- void [radiation_pressure](#) (void)
systematically calls the method to wrap up the radiation pressure calculation on each facet and accumulate forces and torques over all facets.
- void [add_thermal_integrators_to](#) (DynBody *dyn_body)
To attach thermal integrators from each facet to the integration group of a DynBody.

Data Fields

- [RadiationFacet](#) ** [facets](#)
Array of pointers to the Radiation Facets.
- unsigned int [num_facets](#)
number of facets in this surface.
- bool [include_conduction](#)
Flag to instruct model to include conduction between plates in the thermal calculation.
- double ** [thermal_conduction](#)
Conductivity values (Watts per Kelvin) between facets.
- double [force](#) [3]
Force resulting from all radiative interactions.
- double [torque](#) [3]
Torque resulting from all radiative interactions.
- unsigned int [ii_facet](#)
Simple counter, used repeatedly.

Private Member Functions

- [RadiationSurface](#) & [operator=](#) (const [RadiationSurface](#) &rhs)
- [RadiationSurface](#) (const [RadiationSurface](#) &rhs)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__RadiationSurface](#) ()

8.10.1 Detailed Description

The surface of the vehicle that interacts with the incident flux.

Definition at line 89 of file [radiation_surface.hh](#).

8.10.2 Constructor & Destructor Documentation

8.10.2.1 [RadiationSurface](#)() [1/2]

```
jeod::RadiationSurface::RadiationSurface (
    void )
```

Constructor for [RadiationSurface](#).

Definition at line 65 of file [radiation_surface.cc](#).

8.10.2.2 ~RadiationSurface()

```
jeod::RadiationSurface::~~RadiationSurface (
    void ) [virtual]
```

Destructor for [RadiationSurface](#).

Definition at line 374 of file radiation_surface.cc.

References facets, ii_facet, and num_facets.

8.10.2.3 RadiationSurface() [2/2]

```
jeod::RadiationSurface::RadiationSurface (
    const RadiationSurface & rhs ) [private]
```

8.10.3 Member Function Documentation

8.10.3.1 accumulate_thermal_sources()

```
void jeod::RadiationSurface::accumulate_thermal_sources (
    void )
```

systematically calls the method to accumulate thermal sources on each facet.

Definition at line 276 of file radiation_surface.cc.

References facets, ii_facet, num_facets, and jeod::RadiationBaseFacet::thermal.

8.10.3.2 add_thermal_integrators_to()

```
void jeod::RadiationSurface::add_thermal_integrators_to (
    DynBody * dyn_body )
```

To attach thermal integrators from each facet to the integration group of a DynBody.

Parameters

in, out	<i>dyn_body</i>	Body to which integrators are to be added.
---------	-----------------	--

Definition at line 363 of file radiation_surface.cc.

8.10.3.3 allocate_array()

```
void jeod::RadiationSurface::allocate_array (
    unsigned int size )
```

Allocates memory for an array of radiation facets.

Parameters

in	<i>size</i>	Size of array
----	-------------	---------------

Definition at line 140 of file radiation_surface.cc.

References facets, ii_facet, num_facets, and jeod::RadiationMessages::operational_setup_error.

8.10.3.4 allocate_interaction_facet()

```
void jeod::RadiationSurface::allocate_interaction_facet (
    Facet * facet,
    InteractionFacetFactory * factory,
    FacetParams * params,
    unsigned int index )
```

Turns facet memory into radiaiton facet memory.

Parameters

in	<i>facet</i>	pointer to the facet
in	<i>factory</i>	pointer to the facet factory
in	<i>params</i>	pointer to the generic facet parameter.
in	<i>index</i>	index value in the facet list.

Definition at line 174 of file radiation_surface.cc.

References facets, jeod::RadiationMessages::invalid_setup_error, num_facets, and jeod::RadiationMessages↔
::operational_setup_error.

8.10.3.5 equalize_absorption_emission()

```
void jeod::RadiationSurface::equalize_absorption_emission (
    void )
```

systematically calls the method to ensure that the same for each facet.

Definition at line 311 of file radiation_surface.cc.

References facets, ii_facet, num_facets, and jeod::RadiationBaseFacet::thermal.

Referenced by jeod::RadiationPressure::update_facet_surface().

8.10.3.6 incident_radiation()

```
void jeod::RadiationSurface::incident_radiation (
    double flux_mag,
    const double flux_struc_hat[3],
    bool calculate_forces )
```

systematically calls the method to calculate the interaction on each facet.

Parameters

in	<i>flux_mag</i>	Magnitude of incident flux
in	<i>flux_struc_hat</i>	unit vector of incident flux
in	<i>calculate_forces</i>	boolean indicating whether to calculate forces.

Definition at line 239 of file radiation_surface.cc.

References facets, ii_facet, jeod::RadiationBaseFacet::incident_radiation(), and num_facets.

Referenced by jeod::RadiationPressure::update_facet_surface().

8.10.3.7 initialize()

```
void jeod::RadiationSurface::initialize (
    double center_grav[3] )
```

Initializes the radiation surface.

Parameters

in	<i>center_grav</i>	position of center of mass Units: M
----	--------------------	--

Definition at line 85 of file radiation_surface.cc.

References facets, ii_facet, jeod::RadiationFacet::initialize_geom(), jeod::RadiationMessages::invalid_setup_error, num_facets, jeod::RadiationMessages::operational_setup_error, and jeod::RadiationBaseFacet::thermal.

Referenced by jeod::RadiationPressure::initialize().

8.10.3.8 initialize_runtime_values()

```
void jeod::RadiationSurface::initialize_runtime_values (
    void )
```

To initialize the values during each update run.

Definition at line 347 of file radiation_surface.cc.

References facets, ii_facet, jeod::RadiationBaseFacet::initialize_runtime_values(), and num_facets.

Referenced by jeod::RadiationPressure::update_facet_surface().

8.10.3.9 interact_with_third_body()

```
void jeod::RadiationSurface::interact_with_third_body (
    RadiationThirdBody * third_body_ptr,
    const bool calculate_forces )
```

systematically calls the method to calculate the interaction of each facet with ThirdBody flux.

Parameters

in, out	<i>third_body_ptr</i>	Third body that emits radiation.
in	<i>calculate_forces</i>	Calculate forces on the surface if true.

Definition at line 261 of file radiation_surface.cc.

References facets, ii_facet, jeod::RadiationBaseFacet::interact_with_third_body(), and num_facets.

Referenced by jeod::RadiationPressure::update_facet_surface().

8.10.3.10 operator=()

```
RadiationSurface& jeod::RadiationSurface::operator= (
    const RadiationSurface & rhs ) [private]
```

8.10.3.11 radiation_pressure()

```
void jeod::RadiationSurface::radiation_pressure (
    void )
```

systematically calls the method to wrap up the radiation pressure calculation on each facet and accumulate forces and torques over all facets.

Definition at line 326 of file radiation_surface.cc.

References facets, force, ii_facet, num_facets, jeod::RadiationFacet::radiation_pressure(), and torque.

Referenced by jeod::RadiationPressure::update_facet_surface().

8.10.3.12 thermal_integrator()

```
void jeod::RadiationSurface::thermal_integrator (
    void )
```

systematically calls the method to integrate the temperature variation for each facet.

Definition at line 291 of file radiation_surface.cc.

References facets, ii_facet, num_facets, and jeod::RadiationBaseFacet::thermal.

8.10.4 Friends And Related Function Documentation

8.10.4.1 init_attrjeod__RadiationSurface

```
void init_attrjeod__RadiationSurface ( ) [friend]
```

8.10.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 91 of file radiation_surface.hh.

8.10.5 Field Documentation

8.10.5.1 facets

```
RadiationFacet** jeod::RadiationSurface::facets
```

Array of pointers to the Radiation Facets.

trick_units(-)

Definition at line 98 of file radiation_surface.hh.

Referenced by accumulate_thermal_sources(), allocate_array(), allocate_interaction_facet(), equalize_↔ absorption_emission(), incident_radiation(), initialize(), initialize_runtime_values(), interact_with_third_body(), radiation_pressure(), thermal_integrator(), and ~RadiationSurface().

8.10.5.2 force

```
double jeod::RadiationSurface::force[3]
```

Force resulting from all radiative interactions.

trick_units(-)

Definition at line 122 of file radiation_surface.hh.

Referenced by radiation_pressure(), and jeod::RadiationPressure::update_facet_surface().

8.10.5.3 ii_facet

```
unsigned int jeod::RadiationSurface::ii_facet
```

Simple counter, used repeatedly.

trick_units(–)

Definition at line 132 of file radiation_surface.hh.

Referenced by accumulate_thermal_sources(), allocate_array(), equalize_absorption_emission(), incident_radiation(), initialize(), initialize_runtime_values(), interact_with_third_body(), radiation_pressure(), thermal_integrator(), and ~RadiationSurface().

8.10.5.4 include_conduction

```
bool jeod::RadiationSurface::include_conduction
```

Flag to instruct model to include conduction between plates in the thermal calculation.

Requires a thermal_conduction matrix.trick_units(–)

Definition at line 109 of file radiation_surface.hh.

8.10.5.5 num_facets

```
unsigned int jeod::RadiationSurface::num_facets
```

number of facets in this surface.

trick_units(–)

Definition at line 103 of file radiation_surface.hh.

Referenced by accumulate_thermal_sources(), allocate_array(), allocate_interaction_facet(), equalize_absorption_emission(), incident_radiation(), initialize(), initialize_runtime_values(), interact_with_third_body(), radiation_pressure(), thermal_integrator(), and ~RadiationSurface().

8.10.5.6 thermal_conduction

```
double** jeod::RadiationSurface::thermal_conduction
```

Conductivity values (Watts per Kelvin) between facets.

Assumed symmetric, only the values [small][large] will be considered (e.g. thermal_conduction[2][3] gives the conduction between facets 2 and 3, whereas thermal_conduction[3][2] will never be seen.trick_units(–)

Definition at line 117 of file radiation_surface.hh.

8.10.5.7 torque

```
double jeod::RadiationSurface::torque[3]
```

Torque resulting from all radiative interactions.

trick_units(-)

Definition at line 127 of file radiation_surface.hh.

Referenced by radiation_pressure(), and jeod::RadiationPressure::update_facet_surface().

The documentation for this class was generated from the following files:


- [radiation_surface.hh](#)
- [radiation_surface.cc](#)

8.11 jeod::RadiationSurfaceFactory Class Reference

The factory for creating Radiation Surfaces.

```
#include <radiation_surface_factory.hh>
```

Inheritance diagram for jeod::RadiationSurfaceFactory:



Public Member Functions

- [RadiationSurfaceFactory](#) ()
Constructor.
- virtual [~RadiationSurfaceFactory](#) ()
Destructor.
- virtual void [add_facet_params](#) (FacetParams *to_add)
Add a set of radiation parameters to those available to Radiation Surface.

Protected Attributes

- [FlatPlateRadiationFactory](#) flat_plate_radiation_factory
The factory to build flat plate thermal facets.

Private Member Functions

- [RadiationSurfaceFactory](#) & operator= (const [RadiationSurfaceFactory](#) &rhs)
- [RadiationSurfaceFactory](#) (const [RadiationSurfaceFactory](#) &rhs)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__RadiationSurfaceFactory](#) ()

8.11.1 Detailed Description

The factory for creating Radiation Surfaces.

Definition at line 85 of file radiation_surface_factory.hh.

8.11.2 Constructor & Destructor Documentation

8.11.2.1 RadiationSurfaceFactory() [1/2]

```
jeod::RadiationSurfaceFactory::RadiationSurfaceFactory (  
    void )
```

Constructor.

Definition at line 55 of file radiation_surface_factory.cc.

References [flat_plate_radiation_factory](#).

8.11.2.2 ~RadiationSurfaceFactory()

```
jeod::RadiationSurfaceFactory::~~RadiationSurfaceFactory (  
    void ) [virtual]
```

Destructor.

Definition at line 99 of file radiation_surface_factory.cc.

8.11.2.3 RadiationSurfaceFactory() [2/2]

```
jeod::RadiationSurfaceFactory::RadiationSurfaceFactory (  
    const RadiationSurfaceFactory & rhs ) [private]
```

8.11.3 Member Function Documentation

8.11.3.1 add_facet_params()

```
void jeod::RadiationSurfaceFactory::add_facet_params (  
    FacetParams * to_add ) [virtual]
```

Add a set of radiation parameters to those available to Radiation Surface.

Parameters

in	to_add	pointer to the parameter list to add.
----	--------	---------------------------------------

Definition at line 69 of file radiation_surface_factory.cc.

References jeod::RadiationMessages::invalid_setup_error.

8.11.3.2 operator=()

```
RadiationSurfaceFactory& jeod::RadiationSurfaceFactory::operator= (
    const RadiationSurfaceFactory & rhs ) [private]
```

8.11.4 Friends And Related Function Documentation**8.11.4.1 init_attrjeod__RadiationSurfaceFactory**

```
void init_attrjeod__RadiationSurfaceFactory ( ) [friend]
```

8.11.4.2 InputProcessor

```
friend class InputProcessor [friend]
```

Definition at line 87 of file radiation_surface_factory.hh.

8.11.5 Field Documentation**8.11.5.1 flat_plate_radiation_factory**

```
FlatPlateRadiationFactory jeod::RadiationSurfaceFactory::flat_plate_radiation_factory [protected]
```

The factory to build flat plate thermal facets.

trick_units(-)

Definition at line 111 of file radiation_surface_factory.hh.

Referenced by RadiationSurfaceFactory().

The documentation for this class was generated from the following files:

- [radiation_surface_factory.hh](#)
- [radiation_surface_factory.cc](#)

8.12 jeod::RadiationThirdBody Class Reference

Provide information on bodies that may cause shadowing or reflected illumination.

```
#include <radiation_third_body.hh>
```

Public Types

- enum [ShadowGeometry](#) { [Cylindrical](#) = 0, [Cyl](#) = 1, [Conical](#) = 2, [Con](#) = 3 }
distinguishes between conical and cylindrical shadowing

Public Member Functions

- [RadiationThirdBody](#) ()
Constructor.
- virtual [~RadiationThirdBody](#) ()
- virtual void [initialize](#) (DynManager *dyn_mgr_ptr)
initializes the third body
- void [calculate_shadow](#) (void)
Calculates the effect of shadowing by a third body.
- void [convert_shadow_from_int](#) (int geometry)
convert from the old style framework in which the shadow geometry was owned by the [RadiationSource](#) (same for all third bodies) to the new style framework where the geometry is owned by each ThirdBody
- virtual double [process_third_body](#) (double real_time, RefFrame &veh_struc_frame)
Primary executable for handling the Third Body effects.
- void [set_name](#) (std::string name_in)
Setter for the name.
- virtual void [accumulate_refl_flux](#) ([RadiationBaseFacet](#) *veh_surf_elem, bool calculate_forces)
To provide base class null implementation.
- virtual void [accumulate_rad_flux](#) ([RadiationBaseFacet](#) *veh_surf_elem, bool calculate_forces)
To provide base class null implementation.
- virtual bool [is_interactive](#) ()
Identifies this class as one that does not produce a radiation field.
- bool [get_added_to_model](#) ()
Returns information on whether the body has already been used in one [RadiationPressure](#) model.
- void [set_added_to_model](#) (bool value)
Sets the added_to_model value.

Data Fields

- [RadiationSource](#) * [primary_source_ptr](#)
Pointer to the primary illumination source.
- [ShadowGeometry](#) [shadow_geometry](#)
Flag indicating cylindrical / conical shadow geometry.
- bool [force_state_update](#)
Flag to indicate whether to enforce an update to the third-body body-state.
- std::string [name](#)
Name of planet.
- bool [active](#)

- *Model on/off flag.*
- double [update_interval](#)
Time interval between third body state updates.
- double [radius](#)
Radius of [RadiationThirdBody](#).
- double [output_flux](#) [3]
Calculated value.
- RefFrame * [local_frame_ptr](#)
Pointer to the local reference frame, for determining position of this object.

Protected Member Functions

- double [generate_alpha](#) (double rho_adj, double delta)
generate_alpha(rho_adj, delta: generates an approximate alpha-value given a relative disk size and fraction of maximum possible eclipse
- bool [test_for_state_update](#) (double time)
Tests for necessity of updating third body state, and calls appropriate update method (polymorphic) if needed.
- virtual bool [update_third_body_state](#) (void)
Updates the state of the Third Body.

Protected Attributes

- bool [added_to_model](#)
Flag to indicate whether body has already been added to a model.
- bool [initialized](#)
Flag to indicate that initialization has been complete.
- double [illum_factor](#)
Value between 0 and 1 representing the fraction of possible flux that is actually incident after shadowing effects.
- double [last_update_time](#)
Time at which the third body state was last updated.
- Planet * [planet_link](#)
Pointer to the associated Planet object.
- double [r_plus](#)
The value (radius + R_source)
- double [r_minus](#)
The value (radius - R_source)
- double [r_ratio](#)
The ratio (radius / R_source)
- double [r_par](#)
Component of vector from [RadiationThirdBody](#) to vehicle that is parallel to vector from primary source to [RadiationThirdBody](#).
- double [r_perp](#)
Component of vector from [RadiationThirdBody](#) to vehicle that is perpendicular to vector from primary source to [RadiationThirdBody](#).
- double [third_to_cg_inrtl](#) [3]
Vector from [RadiationThirdBody](#) to vehicle center of gravity, in inertial RF.
- double [source_to_third_inrtl](#) [3]
Vector from the primary source to the [RadiationThirdBody](#) in inertial RF.
- double [d_source_to_third](#)
Magnitude of source_to_third.
- double [source_to_third_hat_inrtl](#) [3]
Unit vector of source_to_third.

Private Member Functions

- [RadiationThirdBody](#) (const [RadiationThirdBody](#) &)
- [RadiationThirdBody](#) & operator= (const [RadiationThirdBody](#) &)

Friends

- class [InputProcessor](#)
- void [init_attrjeod__RadiationThirdBody](#) ()

8.12.1 Detailed Description

Provide information on bodies that may cause shadowing or reflected illumination.

Definition at line 84 of file `radiation_third_body.hh`.

8.12.2 Member Enumeration Documentation

8.12.2.1 ShadowGeometry

```
enum jeod::RadiationThirdBody::ShadowGeometry
```

distinguishes between conical and cylindrical shadowing

Enumerator

Cylindrical	planet casts a cylindrical shadow
Cyl	planet casts a cylindrical shadow
Conical	planet casts a conical shadow
Con	planet casts a conical shadow

Definition at line 92 of file `radiation_third_body.hh`.

8.12.3 Constructor & Destructor Documentation

8.12.3.1 RadiationThirdBody() [1/2]

```
jeod::RadiationThirdBody::RadiationThirdBody ( )
```

Constructor.

Definition at line 57 of file `radiation_third_body.cc`.

References `output_flux`, `source_to_third_hat_inrtl`, `source_to_third_inrtl`, and `third_to_cg_inrtl`.

8.12.3.2 ~RadiationThirdBody()

```
virtual jeod::RadiationThirdBody::~~RadiationThirdBody ( ) [inline], [virtual]
```

Definition at line 238 of file radiation_third_body.hh.

8.12.3.3 RadiationThirdBody() [2/2]

```
jeod::RadiationThirdBody::RadiationThirdBody (
    const RadiationThirdBody & ) [private]
```

8.12.4 Member Function Documentation

8.12.4.1 accumulate_rad_flux()

```
virtual void jeod::RadiationThirdBody::accumulate_rad_flux (
    RadiationBaseFacet * veh_surf_elem,
    bool calculate_forces ) [inline], [virtual]
```

To provide base class null implementation.

Parameters

<i>veh_surf_elem</i>	The facet of the vehicle.
<i>calculate_forces</i>	pass-through flag.

Definition at line 272 of file radiation_third_body.hh.

Referenced by jeod::RadiationBaseFacet::interact_with_third_body().

8.12.4.2 accumulate_refl_flux()

```
virtual void jeod::RadiationThirdBody::accumulate_refl_flux (
    RadiationBaseFacet * veh_surf_elem,
    bool calculate_forces ) [inline], [virtual]
```

To provide base class null implementation.

Parameters

<i>veh_surf_elem</i>	The facet of the vehicle.
<i>calculate_forces</i>	pass-through flag.

Definition at line 264 of file radiation_third_body.hh.

Referenced by jeod::RadiationBaseFacet::interact_with_third_body().

8.12.4.3 calculate_shadow()

```
void jeod::RadiationThirdBody::calculate_shadow (
    void )
```

Calculates the effect of shadowing by a third body.

NOTE - This method is intended to be an internal call so should be protected However, doing so would be a change to the API. Delay for JEOD4.0.

Definition at line 205 of file radiation_third_body.cc.

References active, Con, Conical, Cyl, Cylindrical, jeod::RadiationSource::d_source_to_cg, d_source_to_third, generate_alpha(), illum_factor, initialized, jeod::RadiationMessages::invalid_setup_error, name, primary_source_ptr, r_minus, r_par, r_perp, r_plus, r_ratio, radius, jeod::RadiationSource::radius, shadow_geometry, jeod::RadiationSource::source_to_cg, source_to_third_hat_inrtl, source_to_third_inrtl, and third_to_cg_inrtl.

Referenced by process_third_body().

8.12.4.4 convert_shadow_from_int()

```
void jeod::RadiationThirdBody::convert_shadow_from_int (
    int old_shadow_geometry )
```

convert from the old style framework in which the shadow geometry was owned by the [RadiationSource](#) (same for all third bodies) to the new style framework where the geometry is owned by each ThirdBody

Parameters

in	<i>old_shadow_geometry</i>	integer representation of the shadow geometry enumeration.
----	----------------------------	--

Definition at line 408 of file radiation_third_body.cc.

References jeod::RadiationMessages::invalid_setup_error, and shadow_geometry.

8.12.4.5 generate_alpha()

```
double jeod::RadiationThirdBody::generate_alpha (
    double rho_adj,
    double delta ) [protected]
```

generate_alpha(rho_adj, delta: generates an approximate alpha-value given a relative disk size and fraction of maximum possible eclipse

Parameters

in	<i>rho_adj</i>	relative disk size
in	<i>delta</i>	fraction of eclipse achieved.

Definition at line 375 of file radiation_third_body.cc.

Referenced by calculate_shadow().

8.12.4.6 get_added_to_model()

```
bool jeod::RadiationThirdBody::get_added_to_model ( ) [inline]
```

Returns information on whether the body has already been used in one [RadiationPressure](#) model.

Protects against multiple use of one ThirdBody instance.

Returns

added_to_model

Definition at line 287 of file radiation_third_body.hh.

References added_to_model.

Referenced by jeod::RadiationPressure::add_third_body().

8.12.4.7 initialize()

```
void jeod::RadiationThirdBody::initialize (
    DynManager * dyn_mgr_ptr ) [virtual]
```

initializes the third body

Parameters

in	<i>dyn_mgr_ptr</i>	pointer to the dynamics manager
----	--------------------	---------------------------------

Definition at line 92 of file radiation_third_body.cc.

References active, jeod::RadiationSource::inertial_frame_ptr, initialized, jeod::RadiationMessages::invalid_setup↵_error, local_frame_ptr, name, planet_link, primary_source_ptr, r_minus, r_plus, r_ratio, radius, and jeod::↵RadiationSource::radius.

Referenced by jeod::RadiationPressure::add_third_body().

8.12.4.8 is_interactive()

```
virtual bool jeod::RadiationThirdBody::is_interactive ( ) [inline], [virtual]
```

Identifies this class as one that does not produce a radiation field.

Returns

false

Definition at line 279 of file radiation_third_body.hh.

8.12.4.9 operator=()

```
RadiationThirdBody& jeod::RadiationThirdBody::operator= (
    const RadiationThirdBody & ) [private]
```

8.12.4.10 process_third_body()

```
double jeod::RadiationThirdBody::process_third_body (
    double real_time,
    RefFrame & veh_struc_frame ) [virtual]
```

Primary executable for handling the Third Body effects.

Returns

shading fraction

Parameters

in	<i>real_time</i>	Current time. Units: s
in	<i>veh_struc_frame</i>	Unused.

Definition at line 430 of file radiation_third_body.cc.

References [active](#), [calculate_shadow\(\)](#), [illum_factor](#), [initialized](#), [jeod::RadiationMessages::invalid_setup_error](#), [name](#), [jeod::RadiationMessages::operational_setup_error](#), and [test_for_state_update\(\)](#).

8.12.4.11 set_added_to_model()

```
void jeod::RadiationThirdBody::set_added_to_model (
    bool value ) [inline]
```

Sets the added_to_model value.

Parameters

<i>value</i>	New value
--------------	-----------

Definition at line 293 of file radiation_third_body.hh.

References `added_to_model`.

Referenced by `jeod::RadiationPressure::add_third_body()`.

8.12.4.12 `set_name()`

```
void jeod::RadiationThirdBody::set_name (
    std::string name_in ) [inline]
```

Setter for the name.

Definition at line 254 of file radiation_third_body.hh.

References `name`.

8.12.4.13 `test_for_state_update()`

```
bool jeod::RadiationThirdBody::test_for_state_update (
    double real_time ) [protected]
```

Tests for necessity of updating third body state, and calls appropriate update method (polymorphic) if needed.

Parameters

<i>in</i>	<i>real_time</i>	Current time Units: s
-----------	------------------	--------------------------

Definition at line 473 of file radiation_third_body.cc.

References `force_state_update`, `last_update_time`, `update_interval`, and `update_third_body_state()`.

Referenced by `process_third_body()`.

8.12.4.14 `update_third_body_state()`

```
bool jeod::RadiationThirdBody::update_third_body_state (
    void ) [protected], [virtual]
```

Updates the state of the Third Body.

Because the ThirdBody may be associated with multiple vehicles, and because its state typically changes much more slowly than the vehicle anyway, it is not always necessary to update the ThirdBodyState.

Definition at line 497 of file radiation_third_body.cc.

References `active`, `d_source_to_third`, `jeod::RadiationSource::inertial_frame_ptr`, `jeod::RadiationMessages::invalid_setup_error`, `local_frame_ptr`, `name`, `primary_source_ptr`, `source_to_third_hat_inrtl`, and `source_to_third_inrtl`.

Referenced by `test_for_state_update()`.

8.12.5 Friends And Related Function Documentation

8.12.5.1 `init_attrjeod__RadiationThirdBody`

```
void init_attrjeod__RadiationThirdBody ( ) [friend]
```

8.12.5.2 `InputProcessor`

```
friend class InputProcessor [friend]
```

Definition at line 86 of file radiation_third_body.hh.

8.12.6 Field Documentation

8.12.6.1 `active`

```
bool jeod::RadiationThirdBody::active
```

Model on/off flag.

`trick_units(-)`

Definition at line 124 of file radiation_third_body.hh.

Referenced by `jeod::RadiationPressure::add_third_body()`, `calculate_shadow()`, `initialize()`, `process_third_body()`, and `update_third_body_state()`.

8.12.6.2 added_to_model

```
bool jeod::RadiationThirdBody::added_to_model [protected]
```

Flag to indicate whether body has already been added to a model.

trick_units(–)

Definition at line 156 of file radiation_third_body.hh.

Referenced by get_added_to_model(), and set_added_to_model().

8.12.6.3 d_source_to_third

```
double jeod::RadiationThirdBody::d_source_to_third [protected]
```

Magnitude of source_to_third.

trick_units(m)

Definition at line 226 of file radiation_third_body.hh.

Referenced by calculate_shadow(), and update_third_body_state().

8.12.6.4 force_state_update

```
bool jeod::RadiationThirdBody::force_state_update
```

Flag to indicate whether to enforce an update to the third-body body-state.

Default: true Self-resets to false after each use.trick_units(–)

Definition at line 114 of file radiation_third_body.hh.

Referenced by test_for_state_update().

8.12.6.5 illum_factor

```
double jeod::RadiationThirdBody::illum_factor [protected]
```

Value between 0 and 1 representing the fraction of possible flux that is actually incident after shadowing effects.

trick_units(–)

Definition at line 167 of file radiation_third_body.hh.

Referenced by calculate_shadow(), and process_third_body().

8.12.6.6 initialized

```
bool jeod::RadiationThirdBody::initialized [protected]
```

Flag to indicate that initialization has been complete.

trick_units(-)

Definition at line 161 of file radiation_third_body.hh.

Referenced by calculate_shadow(), initialize(), and process_third_body().

8.12.6.7 last_update_time

```
double jeod::RadiationThirdBody::last_update_time [protected]
```

Time at which the third body state was last updated.

trick_units(s)

Definition at line 172 of file radiation_third_body.hh.

Referenced by test_for_state_update().

8.12.6.8 local_frame_ptr

```
RefFrame* jeod::RadiationThirdBody::local_frame_ptr
```

Pointer to the local reference frame, for determining position of this object.

trick_units(-)

Definition at line 147 of file radiation_third_body.hh.

Referenced by initialize(), and update_third_body_state().

8.12.6.9 name

```
std::string jeod::RadiationThirdBody::name
```

Name of planet.

trick_units(-)

Definition at line 119 of file radiation_third_body.hh.

Referenced by jeod::RadiationPressure::add_third_body(), calculate_shadow(), initialize(), process_third_body(), set_name(), and update_third_body_state().

8.12.6.10 output_flux

```
double jeod::RadiationThirdBody::output_flux[3]
```

Calculated value.

Set only in derived class RadiationReflectingThirdBody.trick_units(-)

Definition at line 141 of file radiation_third_body.hh.

Referenced by RadiationThirdBody().

8.12.6.11 planet_link

```
Planet* jeod::RadiationThirdBody::planet_link [protected]
```

Pointer to the associated Planet object.

trick_units(-)

Definition at line 178 of file radiation_third_body.hh.

Referenced by initialize().

8.12.6.12 primary_source_ptr

```
RadiationSource* jeod::RadiationThirdBody::primary_source_ptr
```

Pointer to the primary illumination source.

trick_units(-)

Definition at line 102 of file radiation_third_body.hh.

Referenced by calculate_shadow(), initialize(), and update_third_body_state().

8.12.6.13 r_minus

```
double jeod::RadiationThirdBody::r_minus [protected]
```

The value (radius - R_source)

trick_units(-)

Definition at line 188 of file radiation_third_body.hh.

Referenced by calculate_shadow(), and initialize().

8.12.6.14 r_par

```
double jeod::RadiationThirdBody::r_par [protected]
```

Component of vector from [RadiationThirdBody](#) to vehicle that is parallel to vector from primary source to [RadiationThirdBody](#).

trick_units(m)

Definition at line 201 of file radiation_third_body.hh.

Referenced by calculate_shadow().

8.12.6.15 r_perp

```
double jeod::RadiationThirdBody::r_perp [protected]
```

Component of vector from [RadiationThirdBody](#) to vehicle that is perpendicular to vector from primary source to [RadiationThirdBody](#).

trick_units(-)

Definition at line 207 of file radiation_third_body.hh.

Referenced by calculate_shadow().

8.12.6.16 r_plus

```
double jeod::RadiationThirdBody::r_plus [protected]
```

The value (radius + R_source)

trick_units(-)

Definition at line 183 of file radiation_third_body.hh.

Referenced by calculate_shadow(), and initialize().

8.12.6.17 r_ratio

```
double jeod::RadiationThirdBody::r_ratio [protected]
```

The ratio (radius / R_source)

trick_units(-)

Definition at line 193 of file radiation_third_body.hh.

Referenced by calculate_shadow(), and initialize().

8.12.6.18 radius

```
double jeod::RadiationThirdBody::radius
```

Radius of [RadiationThirdBody](#).

Note - this is set automatically if RTB is a planet, but must be set manually if RTB is a DynBody.trick_units(m)

Definition at line 135 of file radiation_third_body.hh.

Referenced by calculate_shadow(), and initialize().

8.12.6.19 shadow_geometry

```
ShadowGeometry jeod::RadiationThirdBody::shadow_geometry
```

Flag indicating cylindrical / conical shadow geometry.

trick_units(-)

Definition at line 107 of file radiation_third_body.hh.

Referenced by calculate_shadow(), and convert_shadow_from_int().

8.12.6.20 source_to_third_hat_inrtl

```
double jeod::RadiationThirdBody::source_to_third_hat_inrtl[3] [protected]
```

Unit vector of source_to_third.

trick_units(-)

Definition at line 231 of file radiation_third_body.hh.

Referenced by calculate_shadow(), RadiationThirdBody(), and update_third_body_state().

8.12.6.21 source_to_third_inrtl

```
double jeod::RadiationThirdBody::source_to_third_inrtl[3] [protected]
```

Vector from the primary source to the [RadiationThirdBody](#) in inertial RF.

trick_units(m)

Definition at line 221 of file radiation_third_body.hh.

Referenced by calculate_shadow(), RadiationThirdBody(), and update_third_body_state().

8.12.6.22 `third_to_cg_inrtl`

```
double jeod::RadiationThirdBody::third_to_cg_inrtl[3] [protected]
```

Vector from [RadiationThirdBody](#) to vehicle center of gravity, in inertial RF.

trick_units(m)

Definition at line 213 of file `radiation_third_body.hh`.

Referenced by `calculate_shadow()`, and `RadiationThirdBody()`.

8.12.6.23 `update_interval`

```
double jeod::RadiationThirdBody::update_interval
```

Time interval between third body state updates.

trick_units(s)

Definition at line 129 of file `radiation_third_body.hh`.

Referenced by `test_for_state_update()`.

The documentation for this class was generated from the following files:

- [radiation_third_body.hh](#)
- [radiation_third_body.cc](#)

Chapter 9

File Documentation

9.1 flat_plate_radiation_facet.cc File Reference

Define member functions for class FlatPlateRadiationFacet.

```
#include "utils/math/include/vector3.hh"
#include "utils/message/include/message_handler.hh"
#include "utils/surface_model/include/flat_plate.hh"
#include "../include/flat_plate_radiation_facet.hh"
#include "../include/radiation_messages.hh"
#include "../include/radiation_third_body.hh"
```

Namespaces

- [jeod](#)
Namespace jeod.

9.1.1 Detailed Description

Define member functions for class FlatPlateRadiationFacet.

9.2 flat_plate_radiation_facet.hh File Reference

Individual facets for use with rad environment interaction models.

```
#include "utils/sim_interface/include/jeod_class.hh"
#include "radiation_facet.hh"
```

Data Structures

- class [jeod::FlatPlateRadiationFacet](#)
A flat plate facet to be used for radiation interaction.

Namespaces

- [jeod](#)

Namespace jeod.

9.2.1 Detailed Description

Individual facets for use with rad environment interaction models.

9.3 flat_plate_radiation_factory.cc File Reference

Factory that creates a FlatPlateRadiationFacet, from a facet model.

```
#include <cstdint>
#include <typeinfo>
#include "utils/surface_model/include/flat_plate_thermal.hh"
#include "utils/memory/include/jeod_alloc.hh"
#include "utils/message/include/message_handler.hh"
#include "../include/flat_plate_radiation_factory.hh"
#include "../include/radiation_params.hh"
#include "../include/flat_plate_radiation_facet.hh"
#include "../include/radiation_messages.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.3.1 Detailed Description

Factory that creates a FlatPlateRadiationFacet, from a facet model.

9.4 flat_plate_radiation_factory.hh File Reference

Factory that creates an interaction facet, for a specific environment interaction model, from a facet model.

```
#include "utils/sim_interface/include/jeod_class.hh"
#include "utils/surface_model/include/interaction_facet_factory.hh"
#include "flat_plate_radiation_facet.hh"
```

Data Structures

- class [jeod::FlatPlateRadiationFactory](#)

The factory for building flat plate radiation facets.

Namespaces

- [jeod](#)

Namespace jeod.

9.4.1 Detailed Description

Factory that creates an interaction facet, for a specific environment interaction model, from a facet model.

9.5 radiation_base_facet.cc File Reference

Define member functions for class RadiationBaseFacet.

```
#include "utils/math/include/vector3.hh"
#include "utils/message/include/message_handler.hh"
#include "../include/radiation_base_facet.hh"
#include "../include/radiation_messages.hh"
#include "../include/radiation_third_body.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.5.1 Detailed Description

Define member functions for class RadiationBaseFacet.

9.6 radiation_base_facet.hh File Reference

Individual facets for use with radiation environment interaction models.

```
#include "utils/sim_interface/include/jeod_class.hh"
#include "utils/surface_model/include/interaction_facet.hh"
#include "interactions/thermal_rider/include/thermal_facet_rider.hh"
```

Data Structures

- class [jeod::RadiationBaseFacet](#)

Generic type of facet for radiation pressure.

Namespaces

- [jeod](#)

Namespace jeod.

9.6.1 Detailed Description

Individual facets for use with radiation environment interaction models.

9.7 radiation_default_surface.cc File Reference

Default surface for use with Radiation Pressure interaction model.

```
#include "dynamics/dyn_body/include/dyn_body.hh"
#include "interactions/thermal_rider/include/thermal_facet_rider.hh"
#include "utils/math/include/vector3.hh"
#include "utils/message/include/message_handler.hh"
#include "../include/radiation_default_surface.hh"
#include "../include/radiation_messages.hh"
#include "../include/radiation_third_body.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.7.1 Detailed Description

Default surface for use with Radiation Pressure interaction model.

9.8 radiation_default_surface.hh File Reference

Individual facets for use with radiation environment interaction models.

```
#include <string>
#include <utility>
#include "utils/sim_interface/include/jeod_class.hh"
#include "interactions/thermal_rider/include/thermal_facet_rider.hh"
#include "radiation_base_facet.hh"
```

Data Structures

- class [jeod::RadiationDefaultSurface](#)

The default spherical surface for radiation pressure.

Namespaces

- [jeod](#)

Namespace jeod.

9.8.1 Detailed Description

Individual facets for use with radiation environment interaction models.

9.9 radiation_facet.cc File Reference

Individual facets for use with Radiation Pressure interaction models.

```
#include "utils/math/include/vector3.hh"
#include "utils/surface_model/include/facet.hh"
#include "interactions/thermal_rider/include/thermal_facet_rider.hh"
#include "utils/message/include/message_handler.hh"
#include "../include/radiation_facet.hh"
#include "../include/radiation_params.hh"
#include "../include/radiation_messages.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.9.1 Detailed Description

Individual facets for use with Radiation Pressure interaction models.

9.10 radiation_facet.hh File Reference

Individual facets for use with radiation environment interaction models.

```
#include "utils/sim_interface/include/jeod_class.hh"
#include "utils/surface_model/include/interaction_facet.hh"
#include "interactions/thermal_rider/include/thermal_facet_rider.hh"
#include "radiation_base_facet.hh"
#include "utils/surface_model/include/facet.hh"
```

Data Structures

- class [jeod::RadiationFacet](#)

Generic type of facet for radiation pressure.

Namespaces

- [jeod](#)

Namespace jeod.

9.10.1 Detailed Description

Individual facets for use with radiation environment interaction models.

9.11 radiation_messages.cc File Reference

Implement the class RadiationMessages.

```
#include "../include/radiation_messages.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

Macros

- `#define` [PATH](#) "interactions/radiation_pressure/"

9.11.1 Detailed Description

Implement the class RadiationMessages.

9.12 radiation_messages.hh File Reference

Define the class RadiationMessages, the class that specifies the message IDs used in the Radiation model.

```
#include "utils/sim_interface/include/jeod_class.hh"
```

Data Structures

- class [jeod::RadiationMessages](#)

Provides error messages.

Namespaces

- [jeod](#)

Namespace jeod.

9.12.1 Detailed Description

Define the class RadiationMessages, the class that specifies the message IDs used in the Radiation model.

9.13 radiation_params.cc File Reference

A virtual base class for radiation facet parameters, used to create interaction facets for radiation in the Interaction↔SurfaceFactorys.

```
#include "../include/radiation_params.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.13.1 Detailed Description

A virtual base class for radiation facet parameters, used to create interaction facets for radiation in the Interaction↔SurfaceFactorys.

9.14 radiation_params.hh File Reference

A virtual base class for radiation facet parameters, used to create interaction facets for radiation in the Interaction↔SurfaceFactorys.

```
#include "utils/sim_interface/include/jeod_class.hh"  
#include "interactions/thermal_rider/include/thermal_params.hh"  
#include "utils/surface_model/include/facet_params.hh"
```

Data Structures

- class [jeod::RadiationParams](#)

Provides a parameter list to each facet, based on the facet material properties.

Namespaces

- [jeod](#)

Namespace jeod.

9.14.1 Detailed Description

A virtual base class for radiation facet parameters, used to create interaction facets for radiation in the Interaction↔SurfaceFactorys.

9.15 radiation_pressure.cc File Reference

Calculation of force and torque due to radiation pressure.

```
#include <cstdlib>
#include "dynamics/dyn_manager/include/dyn_manager.hh"
#include "utils/math/include/vector3.hh"
#include "utils/message/include/message_handler.hh"
#include "utils/memory/include/jeod_alloc.hh"
#include "interactions/thermal_rider/include/thermal_facet_rider.hh"
#include "../include/radiation_pressure.hh"
#include "../include/radiation_third_body.hh"
#include "../include/radiation_source.hh"
#include "../include/radiation_messages.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.15.1 Detailed Description

Calculation of force and torque due to radiation pressure.

9.16 radiation_pressure.hh File Reference

Radiation pressure top-level definition.

```
#include "utils/container/include/pointer_vector.hh"
#include "utils/sim_interface/include/jeod_class.hh"
#include "interactions/thermal_rider/include/thermal_model_rider.hh"
#include "radiation_source.hh"
#include "radiation_surface.hh"
#include "radiation_default_surface.hh"
```

Data Structures

- class [jeod::RadiationPressure](#)
Radiation pressure top-level definition.

Namespaces

- [jeod](#)
Namespace jeod.

9.16.1 Detailed Description

Radiation pressure top-level definition.

9.17 radiation_pressure__default_surface.cc File Reference

Calculation of force and torque due to radiation pressure.

```
#include "dynamics/dyn_manager/include/dyn_manager.hh"
#include "utils/math/include/vector3.hh"
#include "interactions/thermal_rider/include/thermal_model_rider.hh"
#include "../include/radiation_pressure.hh"
#include "../include/radiation_default_surface.hh"
#include "../include/radiation_third_body.hh"
#include "../include/radiation_source.hh"
```

Namespaces

- [jeod](#)
Namespace jeod.

9.17.1 Detailed Description

Calculation of force and torque due to radiation pressure.

9.18 radiation_pressure__surface_model.cc File Reference

Calculation of force and torque due to radiation pressure.

```
#include "dynamics/dyn_manager/include/dyn_manager.hh"
#include "utils/math/include/vector3.hh"
#include "interactions/thermal_rider/include/thermal_model_rider.hh"
#include "../include/radiation_pressure.hh"
#include "../include/radiation_surface.hh"
#include "../include/radiation_third_body.hh"
#include "../include/radiation_source.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.18.1 Detailed Description

Calculation of force and torque due to radiation pressure.

9.19 radiation_source.cc File Reference

Definition of methods associated with Primary Sources.

```
#include <cstdint>
#include "dynamics/dyn_manager/include/dyn_manager.hh"
#include "utils/math/include/vector3.hh"
#include "utils/memory/include/jeod_alloc.hh"
#include "utils/message/include/message_handler.hh"
#include "environment/planet/include/planet.hh"
#include "utils/ref_frames/include/ref_frame.hh"
#include "../include/radiation_source.hh"
#include "../include/radiation_messages.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.19.1 Detailed Description

Definition of methods associated with Primary Sources.

9.20 radiation_source.hh File Reference

Radiation pressure parameter and variable definitions.

```
#include <string>
#include <utility>
#include "utils/sim_interface/include/jeod_class.hh"
```

Data Structures

- class [jeod::RadiationSource](#)

Provides information on the source of the incident radiation.

Namespaces

- [jeod](#)

Namespace jeod.

9.20.1 Detailed Description

Radiation pressure parameter and variable definitions.

9.21 radiation_surface.cc File Reference

Vehicle surface model for Radiation Pressure model.

```
#include <cstdint>
#include "dynamics/dyn_body/include/dyn_body.hh"
#include "utils/math/include/vector3.hh"
#include "utils/memory/include/jeod_alloc.hh"
#include "utils/message/include/message_handler.hh"
#include "utils/surface_model/include/interaction_facet_factory.hh"
#include "utils/surface_model/include/interaction_facet.hh"
#include "utils/surface_model/include/facet.hh"
#include "../include/radiation_facet.hh"
#include "../include/radiation_surface.hh"
#include "../include/radiation_messages.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.21.1 Detailed Description

Vehicle surface model for Radiation Pressure model.

9.22 radiation_surface.hh File Reference

Vehicle surface model for general environment interaction models.

```
#include "utils/sim_interface/include/jeod_class.hh"
#include "utils/surface_model/include/interaction_surface.hh"
#include "radiation_facet.hh"
```

Data Structures

- class [jeod::RadiationSurface](#)

The surface of the vehicle that interacts with the incident flux.

Namespaces

- [jeod](#)

Namespace jeod.

9.22.1 Detailed Description

Vehicle surface model for general environment interaction models.

9.23 radiation_surface_factory.cc File Reference

Factory that creates an interaction surface, for a specific environment interaction model, from a surface model.

```
#include <cstdlib>
#include "utils/message/include/message_handler.hh"
#include "../include/radiation_surface_factory.hh"
#include "../include/radiation_params.hh"
#include "../include/radiation_messages.hh"
```

Namespaces

- [jeod](#)

Namespace jeod.

9.23.1 Detailed Description

Factory that creates an interaction surface, for a specific environment interaction model, from a surface model.

9.24 radiation_surface_factory.hh File Reference

Factory that creates an interaction surface, for a specific environment interaction model, from a surface model.

```
#include "utils/sim_interface/include/jeod_class.hh"
#include "utils/surface_model/include/interaction_surface_factory.hh"
#include "flat_plate_radiation_factory.hh"
```


Data Structures

- class [jeod::RadiationSurfaceFactory](#)
The factory for creating Radiation Surfaces.

Namespaces

- [jeod](#)
Namespace jeod.

9.24.1 Detailed Description

Factory that creates an interaction surface, for a specific environment interaction model, from a surface model.

9.25 radiation_third_body.cc File Reference

Provides the functionality associated with RadiationThirdBodys.

```
#include <cstdint>
#include "dynamics/dyn_manager/include/dyn_manager.hh"
#include "environment/planet/include/planet.hh"
#include "utils/math/include/vector3.hh"
#include "utils/message/include/message_handler.hh"
#include "../include/radiation_third_body.hh"
#include "../include/radiation_source.hh"
#include "../include/radiation_messages.hh"
```

Namespaces

- [jeod](#)
Namespace jeod.

9.25.1 Detailed Description

Provides the functionality associated with RadiationThirdBodys.

9.26 radiation_third_body.hh File Reference

Define the class RadiationThirdBody.

```
#include <string>
#include <utility>
#include "utils/sim_interface/include/jeod_class.hh"
```

Data Structures

- class [jeod::RadiationThirdBody](#)

Provide information on bodies that may cause shadowing or reflected illumination.

Namespaces

- [jeod](#)

Namespace jeod.

9.26.1 Detailed Description

Define the class RadiationThirdBody.

Index

- ~FlatPlateRadiationFacet
 - jeod::FlatPlateRadiationFacet, [18](#)
- ~FlatPlateRadiationFactory
 - jeod::FlatPlateRadiationFactory, [23](#)
- ~RadiationBaseFacet
 - jeod::RadiationBaseFacet, [27](#)
- ~RadiationDefaultSurface
 - jeod::RadiationDefaultSurface, [36](#)
- ~RadiationFacet
 - jeod::RadiationFacet, [42](#)
- ~RadiationParams
 - jeod::RadiationParams, [50](#)
- ~RadiationPressure
 - jeod::RadiationPressure, [54](#)
- ~RadiationSource
 - jeod::RadiationSource, [66](#)
- ~RadiationSurface
 - jeod::RadiationSurface, [75](#)
- ~RadiationSurfaceFactory
 - jeod::RadiationSurfaceFactory, [83](#)
- ~RadiationThirdBody
 - jeod::RadiationThirdBody, [87](#)
- accumulate_rad_flux
 - jeod::RadiationThirdBody, [88](#)
- accumulate_refl_flux
 - jeod::RadiationThirdBody, [88](#)
- accumulate_thermal_sources
 - jeod::RadiationSurface, [76](#)
- active
 - jeod::RadiationPressure, [60](#)
 - jeod::RadiationThirdBody, [94](#)
- add_facet_params
 - jeod::RadiationSurfaceFactory, [83](#)
- add_thermal_integrator_to
 - jeod::RadiationDefaultSurface, [36](#)
- add_thermal_integrators_to
 - jeod::RadiationSurface, [76](#)
- add_third_body
 - jeod::RadiationPressure, [55](#)
- added_to_model
 - jeod::RadiationThirdBody, [94](#)
- albedo
 - jeod::RadiationBaseFacet, [30](#)
 - jeod::RadiationParams, [51](#)
- albedo_IR
 - jeod::RadiationBaseFacet, [31](#)
- albedo_vis
 - jeod::RadiationBaseFacet, [31](#)
- allocate_array
 - jeod::RadiationSurface, [76](#)
- allocate_interaction_facet
 - jeod::RadiationSurface, [77](#)
- areaxflux
 - jeod::RadiationBaseFacet, [31](#)
- areaxflux_e
 - jeod::RadiationBaseFacet, [31](#)
- bodies_active
 - jeod::RadiationSource, [69](#)
- calculate_flux
 - jeod::RadiationSource, [67](#)
- calculate_forces
 - jeod::RadiationPressure, [60](#)
- calculate_shadow
 - jeod::RadiationThirdBody, [89](#)
- center_pressure
 - jeod::RadiationFacet, [44](#)
- convert_shadow_from_int
 - jeod::RadiationThirdBody, [89](#)
- create_facet
 - jeod::FlatPlateRadiationFactory, [24](#)
- crot_to_cp
 - jeod::RadiationFacet, [45](#)
- cx_area
 - jeod::RadiationBaseFacet, [32](#)
- d_source_to_cg
 - jeod::RadiationSource, [69](#)
- d_source_to_third
 - jeod::RadiationThirdBody, [95](#)
- default_surface_ptr
 - jeod::RadiationPressure, [60](#)
- define_facet
 - jeod::FlatPlateRadiationFacet, [19](#)
- define_facet_core
 - jeod::RadiationFacet, [42](#)
- diffuse
 - jeod::RadiationBaseFacet, [32](#)
 - jeod::RadiationParams, [51](#)
- dyn_manager_ptr
 - jeod::RadiationPressure, [61](#)
- equalize_absorption_emission
 - jeod::RadiationSurface, [77](#)
- F_absorption
 - jeod::RadiationBaseFacet, [32](#)
- F_diffuse
 - jeod::RadiationBaseFacet, [33](#)

- F_emission
 - jeod::RadiationBaseFacet, 33
- F_specular
 - jeod::RadiationBaseFacet, 33
- facets
 - jeod::RadiationSurface, 80
- find_third_body
 - jeod::RadiationPressure, 55
- flat_plate_radiation_facet.cc, 101
- flat_plate_radiation_facet.hh, 101
- flat_plate_radiation_factory
 - jeod::RadiationSurfaceFactory, 84
- flat_plate_radiation_factory.cc, 102
- flat_plate_radiation_factory.hh, 102
- FlatPlateRadiationFacet
 - jeod::FlatPlateRadiationFacet, 18, 19
- FlatPlateRadiationFactory
 - jeod::FlatPlateRadiationFactory, 23, 24
- flux_hat
 - jeod::RadiationSource, 69
- flux_inertial
 - jeod::RadiationSource, 69
- flux_mag
 - jeod::RadiationSource, 69
- flux_struc
 - jeod::RadiationSource, 70
- flux_struc_hat
 - jeod::RadiationSource, 70
- force
 - jeod::RadiationPressure, 61
 - jeod::RadiationSurface, 80
- force_state_update
 - jeod::RadiationThirdBody, 95
- generate_alpha
 - jeod::RadiationThirdBody, 89
- get_added_to_model
 - jeod::RadiationThirdBody, 90
- get_thermal_integrator
 - jeod::RadiationFacet, 43
- ii_facet
 - jeod::RadiationSurface, 80
- illum_factor
 - jeod::RadiationPressure, 61
 - jeod::RadiationThirdBody, 95
- incident_flux_hat
 - jeod::FlatPlateRadiationFacet, 21
- incident_radiation
 - jeod::FlatPlateRadiationFacet, 19
 - jeod::RadiationBaseFacet, 28
 - jeod::RadiationDefaultSurface, 37
 - jeod::RadiationSurface, 77
- include_conduction
 - jeod::RadiationSurface, 81
- incomplete_setup_error
 - jeod::RadiationMessages, 47
- inertial_cg
 - jeod::RadiationSource, 70
- inertial_frame_ptr
 - jeod::RadiationSource, 70
- init_attrjeod__FlatPlateRadiationFacet
 - jeod::FlatPlateRadiationFacet, 21
- init_attrjeod__FlatPlateRadiationFactory
 - jeod::FlatPlateRadiationFactory, 25
- init_attrjeod__RadiationBaseFacet
 - jeod::RadiationBaseFacet, 30
- init_attrjeod__RadiationDefaultSurface
 - jeod::RadiationDefaultSurface, 38
- init_attrjeod__RadiationFacet
 - jeod::RadiationFacet, 44
- init_attrjeod__RadiationMessages
 - jeod::RadiationMessages, 47
- init_attrjeod__RadiationParams
 - jeod::RadiationParams, 51
- init_attrjeod__RadiationPressure
 - jeod::RadiationPressure, 60
- init_attrjeod__RadiationSource
 - jeod::RadiationSource, 68
- init_attrjeod__RadiationSurface
 - jeod::RadiationSurface, 80
- init_attrjeod__RadiationSurfaceFactory
 - jeod::RadiationSurfaceFactory, 84
- init_attrjeod__RadiationThirdBody
 - jeod::RadiationThirdBody, 94
- initialize
 - jeod::RadiationBaseFacet, 29
 - jeod::RadiationDefaultSurface, 37
 - jeod::RadiationFacet, 43
 - jeod::RadiationPressure, 56
 - jeod::RadiationSource, 67
 - jeod::RadiationSurface, 78
 - jeod::RadiationThirdBody, 90
- initialize_environment
 - jeod::RadiationPressure, 57
- initialize_geom
 - jeod::FlatPlateRadiationFacet, 20
 - jeod::RadiationFacet, 43
- initialize_runtime_values
 - jeod::RadiationBaseFacet, 29
 - jeod::RadiationSurface, 78
- initialized
 - jeod::RadiationPressure, 61
 - jeod::RadiationThirdBody, 95
- InputProcessor
 - jeod::FlatPlateRadiationFacet, 21
 - jeod::FlatPlateRadiationFactory, 25
 - jeod::RadiationBaseFacet, 30
 - jeod::RadiationDefaultSurface, 39
 - jeod::RadiationFacet, 44
 - jeod::RadiationMessages, 47
 - jeod::RadiationParams, 51
 - jeod::RadiationPressure, 60
 - jeod::RadiationSource, 68
 - jeod::RadiationSurface, 80
 - jeod::RadiationSurfaceFactory, 84
 - jeod::RadiationThirdBody, 94

- interact_with_third_body
 - jeod::RadiationBaseFacet, 29
 - jeod::RadiationSurface, 78
- Interactions, 12
- invalid_function_call
 - jeod::RadiationMessages, 47
- invalid_setup_error
 - jeod::RadiationMessages, 48
- is_correct_factory
 - jeod::FlatPlateRadiationFactory, 24
- is_interactive
 - jeod::RadiationThirdBody, 90
- jeod, 15
- jeod::FlatPlateRadiationFacet, 17
 - ~FlatPlateRadiationFacet, 18
 - define_facet, 19
 - FlatPlateRadiationFacet, 18, 19
 - incident_flux_hat, 21
 - incident_radiation, 19
 - init_attrjeod__FlatPlateRadiationFacet, 21
 - initialize_geom, 20
 - InputProcessor, 21
 - normal, 21
 - operator=, 20
 - radiation_pressure, 20
 - sin_theta, 22
- jeod::FlatPlateRadiationFactory, 22
 - ~FlatPlateRadiationFactory, 23
 - create_facet, 24
 - FlatPlateRadiationFactory, 23, 24
 - init_attrjeod__FlatPlateRadiationFactory, 25
 - InputProcessor, 25
 - is_correct_factory, 24
 - operator=, 25
- jeod::RadiationBaseFacet, 25
 - ~RadiationBaseFacet, 27
 - albedo, 30
 - albedo_IR, 31
 - albedo_vis, 31
 - areaxflux, 31
 - areaxflux_e, 31
 - cx_area, 32
 - diffuse, 32
 - F_absorption, 32
 - F_diffuse, 33
 - F_emission, 33
 - F_specular, 33
 - incident_radiation, 28
 - init_attrjeod__RadiationBaseFacet, 30
 - initialize, 29
 - initialize_runtime_values, 29
 - InputProcessor, 30
 - interact_with_third_body, 29
 - operator=, 30
 - RadiationBaseFacet, 27
 - speed_of_light, 34
 - thermal, 34
- jeod::RadiationDefaultSurface, 35
 - ~RadiationDefaultSurface, 36
 - add_thermal_integrator_to, 36
 - incident_radiation, 37
 - init_attrjeod__RadiationDefaultSurface, 38
 - initialize, 37
 - InputProcessor, 39
 - name, 39
 - operator=, 38
 - rad_coeff, 39
 - RadiationDefaultSurface, 36
 - set_name, 38
 - surface_area, 39
 - temperature, 40
 - thermal_update, 38
- jeod::RadiationFacet, 40
 - ~RadiationFacet, 42
 - center_pressure, 44
 - crot_to_cp, 45
 - define_facet_core, 42
 - get_thermal_integrator, 43
 - init_attrjeod__RadiationFacet, 44
 - initialize, 43
 - initialize_geom, 43
 - InputProcessor, 44
 - operator=, 44
 - radiation_pressure, 44
 - RadiationFacet, 42
 - two_thirds, 45
- jeod::RadiationMessages, 46
 - incomplete_setup_error, 47
 - init_attrjeod__RadiationMessages, 47
 - InputProcessor, 47
 - invalid_function_call, 47
 - invalid_setup_error, 48
 - operational_setup_error, 48
 - operator=, 47
 - RadiationMessages, 46
 - unknown_numerical_error, 48
- jeod::RadiationParams, 49
 - ~RadiationParams, 50
 - albedo, 51
 - diffuse, 51
 - init_attrjeod__RadiationParams, 51
 - InputProcessor, 51
 - operator=, 51
 - RadiationParams, 50
 - thermal, 52
- jeod::RadiationPressure, 52
 - ~RadiationPressure, 54
 - active, 60
 - add_third_body, 55
 - calculate_forces, 60
 - default_surface_ptr, 60
 - dyn_manager_ptr, 61
 - find_third_body, 55
 - force, 61
 - illum_factor, 61
 - init_attrjeod__RadiationPressure, 60

- initialize, 56
- initialize_environment, 57
- initialized, 61
- InputProcessor, 60
- num_third_bodies, 62
- operator=, 57
- RadiationPressure, 54
- set_calculate_forces, 57
- set_third_body_active, 57
- set_third_body_inactive, 58
- source, 62
- surface_ptr, 62
- thermal, 62
- third_bodies, 63
- third_bodies_active, 63
- third_body_adjustments, 58
- torque, 63
- update, 58
- update_default_surface, 59
- update_facet_surface, 59
- jeod::RadiationSource, 64
 - ~RadiationSource, 66
 - bodies_active, 69
 - calculate_flux, 67
 - d_source_to_cg, 69
 - flux_hat, 69
 - flux_inertial, 69
 - flux_mag, 69
 - flux_struc, 70
 - flux_struc_hat, 70
 - inertial_cg, 70
 - inertial_frame_ptr, 70
 - init_attrjeod__RadiationSource, 68
 - initialize, 67
 - InputProcessor, 68
 - luminosity, 71
 - multiple_shadow_bodies, 71
 - name, 71
 - num_bodies, 71
 - OldShadowGeometry, 66
 - operator=, 68
 - RadiationSource, 66, 67
 - radius, 72
 - set_name, 68
 - shadow_geometry, 72
 - solar_luminosity, 72
 - solar_radius, 72
 - source_to_cg, 73
 - source_to_struc_origin, 73
 - third_body, 73
- jeod::RadiationSurface, 74
 - ~RadiationSurface, 75
 - accumulate_thermal_sources, 76
 - add_thermal_integrators_to, 76
 - allocate_array, 76
 - allocate_interaction_facet, 77
 - equalize_absorption_emission, 77
 - facets, 80
 - force, 80
 - ii_facet, 80
 - incident_radiation, 77
 - include_conduction, 81
 - init_attrjeod__RadiationSurface, 80
 - initialize, 78
 - initialize_runtime_values, 78
 - InputProcessor, 80
 - interact_with_third_body, 78
 - num_facets, 81
 - operator=, 79
 - radiation_pressure, 79
 - RadiationSurface, 75, 76
 - thermal_conduction, 81
 - thermal_integrator, 79
 - torque, 81
- jeod::RadiationSurfaceFactory, 82
 - ~RadiationSurfaceFactory, 83
 - add_facet_params, 83
 - flat_plate_radiation_factory, 84
 - init_attrjeod__RadiationSurfaceFactory, 84
 - InputProcessor, 84
 - operator=, 84
 - RadiationSurfaceFactory, 83
- jeod::RadiationThirdBody, 85
 - ~RadiationThirdBody, 87
 - accumulate_rad_flux, 88
 - accumulate_refl_flux, 88
 - active, 94
 - added_to_model, 94
 - calculate_shadow, 89
 - convert_shadow_from_int, 89
 - d_source_to_third, 95
 - force_state_update, 95
 - generate_alpha, 89
 - get_added_to_model, 90
 - illum_factor, 95
 - init_attrjeod__RadiationThirdBody, 94
 - initialize, 90
 - initialized, 95
 - InputProcessor, 94
 - is_interactive, 90
 - last_update_time, 96
 - local_frame_ptr, 96
 - name, 96
 - operator=, 91
 - output_flux, 96
 - planet_link, 97
 - primary_source_ptr, 97
 - process_third_body, 91
 - r_minus, 97
 - r_par, 97
 - r_perp, 98
 - r_plus, 98
 - r_ratio, 98
 - RadiationThirdBody, 87, 88
 - radius, 98
 - set_added_to_model, 91

- set_name, [93](#)
 - shadow_geometry, [99](#)
 - ShadowGeometry, [87](#)
 - source_to_third_hat_inrtl, [99](#)
 - source_to_third_inrtl, [99](#)
 - test_for_state_update, [93](#)
 - third_to_cg_inrtl, [99](#)
 - update_interval, [100](#)
 - update_third_body_state, [93](#)
- last_update_time
 - jeod::RadiationThirdBody, [96](#)
- local_frame_ptr
 - jeod::RadiationThirdBody, [96](#)
- luminosity
 - jeod::RadiationSource, [71](#)
- Models, [11](#)
- multiple_shadow_bodies
 - jeod::RadiationSource, [71](#)
- name
 - jeod::RadiationDefaultSurface, [39](#)
 - jeod::RadiationSource, [71](#)
 - jeod::RadiationThirdBody, [96](#)
- normal
 - jeod::FlatPlateRadiationFacet, [21](#)
- num_bodies
 - jeod::RadiationSource, [71](#)
- num_facets
 - jeod::RadiationSurface, [81](#)
- num_third_bodies
 - jeod::RadiationPressure, [62](#)
- OldShadowGeometry
 - jeod::RadiationSource, [66](#)
- operational_setup_error
 - jeod::RadiationMessages, [48](#)
- operator=
 - jeod::FlatPlateRadiationFacet, [20](#)
 - jeod::FlatPlateRadiationFactory, [25](#)
 - jeod::RadiationBaseFacet, [30](#)
 - jeod::RadiationDefaultSurface, [38](#)
 - jeod::RadiationFacet, [44](#)
 - jeod::RadiationMessages, [47](#)
 - jeod::RadiationParams, [51](#)
 - jeod::RadiationPressure, [57](#)
 - jeod::RadiationSource, [68](#)
 - jeod::RadiationSurface, [79](#)
 - jeod::RadiationSurfaceFactory, [84](#)
 - jeod::RadiationThirdBody, [91](#)
- output_flux
 - jeod::RadiationThirdBody, [96](#)
- PATH
 - RadiationPressure, [14](#)
- planet_link
 - jeod::RadiationThirdBody, [97](#)
- primary_source_ptr
 - jeod::RadiationThirdBody, [97](#)
- process_third_body
 - jeod::RadiationThirdBody, [91](#)
- r_minus
 - jeod::RadiationThirdBody, [97](#)
- r_par
 - jeod::RadiationThirdBody, [97](#)
- r_perp
 - jeod::RadiationThirdBody, [98](#)
- r_plus
 - jeod::RadiationThirdBody, [98](#)
- r_ratio
 - jeod::RadiationThirdBody, [98](#)
- rad_coeff
 - jeod::RadiationDefaultSurface, [39](#)
- radiation_base_facet.cc, [103](#)
- radiation_base_facet.hh, [103](#)
- radiation_default_surface.cc, [104](#)
- radiation_default_surface.hh, [104](#)
- radiation_facet.cc, [105](#)
- radiation_facet.hh, [105](#)
- radiation_messages.cc, [106](#)
- radiation_messages.hh, [106](#)
- radiation_params.cc, [107](#)
- radiation_params.hh, [107](#)
- radiation_pressure
 - jeod::FlatPlateRadiationFacet, [20](#)
 - jeod::RadiationFacet, [44](#)
 - jeod::RadiationSurface, [79](#)
- radiation_pressure.cc, [108](#)
- radiation_pressure.hh, [108](#)
- radiation_pressure__default_surface.cc, [109](#)
- radiation_pressure__surface_model.cc, [109](#)
- radiation_source.cc, [110](#)
- radiation_source.hh, [110](#)
- radiation_surface.cc, [111](#)
- radiation_surface.hh, [111](#)
- radiation_surface_factory.cc, [112](#)
- radiation_surface_factory.hh, [112](#)
- radiation_third_body.cc, [113](#)
- radiation_third_body.hh, [113](#)
- RadiationBaseFacet
 - jeod::RadiationBaseFacet, [27](#)
- RadiationDefaultSurface
 - jeod::RadiationDefaultSurface, [36](#)
- RadiationFacet
 - jeod::RadiationFacet, [42](#)
- RadiationMessages
 - jeod::RadiationMessages, [46](#)
- RadiationParams
 - jeod::RadiationParams, [50](#)
- RadiationPressure, [13](#)
 - jeod::RadiationPressure, [54](#)
 - PATH, [14](#)
- RadiationSource
 - jeod::RadiationSource, [66](#), [67](#)
- RadiationSurface
 - jeod::RadiationSurface, [75](#), [76](#)

- RadiationSurfaceFactory
 - jeod::RadiationSurfaceFactory, [83](#)
- RadiationThirdBody
 - jeod::RadiationThirdBody, [87](#), [88](#)
- radius
 - jeod::RadiationSource, [72](#)
 - jeod::RadiationThirdBody, [98](#)
- set_added_to_model
 - jeod::RadiationThirdBody, [91](#)
- set_calculate_forces
 - jeod::RadiationPressure, [57](#)
- set_name
 - jeod::RadiationDefaultSurface, [38](#)
 - jeod::RadiationSource, [68](#)
 - jeod::RadiationThirdBody, [93](#)
- set_third_body_active
 - jeod::RadiationPressure, [57](#)
- set_third_body_inactive
 - jeod::RadiationPressure, [58](#)
- shadow_geometry
 - jeod::RadiationSource, [72](#)
 - jeod::RadiationThirdBody, [99](#)
- ShadowGeometry
 - jeod::RadiationThirdBody, [87](#)
- sin_theta
 - jeod::FlatPlateRadiationFacet, [22](#)
- solar_luminosity
 - jeod::RadiationSource, [72](#)
- solar_radius
 - jeod::RadiationSource, [72](#)
- source
 - jeod::RadiationPressure, [62](#)
- source_to_cg
 - jeod::RadiationSource, [73](#)
- source_to_struc_origin
 - jeod::RadiationSource, [73](#)
- source_to_third_hat_inrtl
 - jeod::RadiationThirdBody, [99](#)
- source_to_third_inrtl
 - jeod::RadiationThirdBody, [99](#)
- speed_of_light
 - jeod::RadiationBaseFacet, [34](#)
- surface_area
 - jeod::RadiationDefaultSurface, [39](#)
- surface_ptr
 - jeod::RadiationPressure, [62](#)
- temperature
 - jeod::RadiationDefaultSurface, [40](#)
- test_for_state_update
 - jeod::RadiationThirdBody, [93](#)
- thermal
 - jeod::RadiationBaseFacet, [34](#)
 - jeod::RadiationParams, [52](#)
 - jeod::RadiationPressure, [62](#)
- thermal_conduction
 - jeod::RadiationSurface, [81](#)
- thermal_integrator
 - jeod::RadiationSurface, [79](#)
- thermal_update
 - jeod::RadiationDefaultSurface, [38](#)
- third_bodies
 - jeod::RadiationPressure, [63](#)
- third_bodies_active
 - jeod::RadiationPressure, [63](#)
- third_body
 - jeod::RadiationSource, [73](#)
- third_body_adjustments
 - jeod::RadiationPressure, [58](#)
- third_to_cg_inrtl
 - jeod::RadiationThirdBody, [99](#)
- torque
 - jeod::RadiationPressure, [63](#)
 - jeod::RadiationSurface, [81](#)
- two_thirds
 - jeod::RadiationFacet, [45](#)
- unknown_numerical_error
 - jeod::RadiationMessages, [48](#)
- update
 - jeod::RadiationPressure, [58](#)
- update_default_surface
 - jeod::RadiationPressure, [59](#)
- update_facet_surface
 - jeod::RadiationPressure, [59](#)
- update_interval
 - jeod::RadiationThirdBody, [100](#)
- update_third_body_state
 - jeod::RadiationThirdBody, [93](#)