Clean NORMAL evaluation beats rejected (%) — target 10 %

published / default threshold

	CirCor	ZCHSound	BMD-HS	PASCAL B
B1 Springer SQI	35	10	19	10
B2 Das RF	74	5	11	32
B3 CardioPHON	75	2	3	34
B4 CNN	83	9	3	30
B5 CRNN	85	9	3	32
B6 PCGKolect	5	20	7	6
B7 SNR rule	12	1	6	0
B8 PCGKolect-v3	6	30	86	8
E6 balanced CNN	74	3	0	21
H-AND Das∧B4	5	2	3	10
H-AND Das∧B5	3	2	2	10
H-CASCADE Das→B4	16	14	20	30
H-CASCADE Das→B5	16	14	19	29
H-FUSE Das+B4	74	6	2	21
H-FUSE Das+B5	80	4	1	24
HD1 avg Das,B4	91	10	7	55
HD2 min Das,B4	84	6	4	42
HD3 LR Das+B4 emb.	71	45	49	55
HD4 λ0.1 (chosen)	78	4	3	29
HD4 λ0.3	81	3	0	29
HD4 λ1.0	77	3	5	26

matched threshold (main)

	CirCor	ZCHSound	BMD-HS	PASCAL B
B1 Springer SQI	10	8	8	17
B2 Das RF	9	10	11	22
B3 CardioPHON	8	13	7	20
B4 CNN	11	9	18	19
B5 CRNN	10	8	14	17
B6 PCGKolect	8	11	22	13
B7 SNR rule	11	8	12	14
B8 PCGKolect-v3	9	8	11	8
E6 balanced CNN	11	7	16	19
H-AND Das∧B4	10	11	10	21
H-AND Das∧B5	9	11	14	20
H-CASCADE Das→B4	10	9	14	18
H-CASCADE Das→B5	10	9	12	14
H-FUSE Das+B4	10	9	19	20
H-FUSE Das+B5	23	8	13	18
HD1 avg Das,B4	9	9	17	22
HD2 min Das,B4	9	9	17	22
HD3 LR Das+B4 emb.	10	8	15	22
HD4 λ0.1 (chosen)	11	9	13	19
HD4 λ0.3	10	9	13	18
HD4 λ1.0	11	8	9	22

pooled threshold

	CirCor	ZCHSound	BMD-HS	PASCAL B
B1 Springer SQI	15	2	5	3
B2 Das RF	17	0	0	2
B3 CardioPHON	19	0	0	2
B4 CNN	20	0	0	1
B5 CRNN	19	0	0	2
B6 PCGKolect	0	11	3	1
B7 SNR rule	17	2	11	1
B8 PCGKolect-v3	1	16	74	1
E6 balanced CNN	21	0	0	1
H-AND Das∧B4	11	7	8	19
H-AND Das∧B5	9	7	7	18
H-CASCADE Das→B4	8	9	14	14
H-CASCADE Das→B5	8	8	11	12
H-FUSE Das+B4	20	0	0	2
H-FUSE Das+B5	24	0	0	3
HD1 avg Das,B4	18	0	0	1
HD2 min Das,B4	18	0	0	2
HD3 LR Das+B4 emb.	14	4	10	2
HD4 λ0.1 (chosen)	20	0	0	1
HD4 λ0.3	20	0	0	1
HD4 λ1.0	19	0	0	1

Published thresholds do not transfer (CirCor: 73-82 % of clean normal beats rejected by B2-B5). Matched thresholds hit 10 % on calibration patients; evaluation rates deviate where calibration sets are small (BMD-HS 4, PASCAL 18 normal patients). Pooled thresholds are dominated by the domain-shifted sets. B1 SVM omitted (excluded on CirCor). Seeded models: mean of 3 seeds. H-AND/H-CASCADE default = 0.9 (percentile).