E2 Equal-noise gap at 10 dB added Bank-2 noise (matched threshold, mean of 3 seeds)

	CirCor		ZCHSound				BMD-HS†					PASCAL†		Synthetic rhythm	
	Systolic murmur	Diastolic murmur*	ASD	VSD	PFO	PDA	AS	AR	MR	MS	Multi-valve	Murmur	Extrasystole	Premature (synth.)	AF-like (synth.)
B1 Springer SQI	**-8** CI≠0	+0	-1	**+6** CI≠0	+10	+6	-6	**-24** CI≠0	+13	-5	+6	-0	-2	**+10** CI≠0	**+11** CI≠0
B2 Das RF	+0	-3	-0	-1	-3	+3	-6	-11	-2	-2	+1	+8	-4	+1	+1
B3 CardioPHON	**-5** CI≠0	-3	**+6** CI≠0	+3	**+11** CI≠0	+7	+4	-6	-3	+3	+3	+0	-2	+4	**+4** CI≠0
B4 CNN	-2	+6	**+12** CI≠0	**+7** CI≠0	**+17** CI≠0	**+12** CI≠0	-3	**-14** CI≠0	+1	+1	-2	+3	+0	-4	-4
B5 CRNN	**+7** CI≠0	-2	**+9** CI≠0	**+7** CI≠0	**+14** CI≠0	**+8** CI≠0	+0	**-11** CI≠0	+2	-1	-1	+6	-5	**-7** CI≠0	-5
B6 PCGKolect	**+6** CI≠0	+27	+3	+1	**+12** CI≠0	**+11** CI≠0	+2	**-7** CI≠0	**+9** CI≠0	-0	+4	-9	**-13** CI≠0	**+54** CI≠0	**+26** CI≠0
B7 SNR rule	-3	+18	+2	**+12** CI≠0	**+14** CI≠0	**+18** CI≠0	+8	-4	+8	+2	**+14** CI≠0	+1	+2	**-13** CI≠0	**-14** CI≠0
B8 PCGKolect-v3	**+9** CI≠0	+12	+0	+0	-1	-0	-0	-1	-1	-0	-0	-3	-2	-1	**-4** CI≠0
H-AND Das∧B4	+0	-6	**+5** CI≠0	+3	**+7** CI≠0	+6	-2	-10	-3	-1	+2	+7	+4	-0	-0
H-AND Das∧B5	+3	-8	**+5** CI≠0	+3	**+7** CI≠0	**+8** CI≠0	-2	-10	-4	-1	+3	+8	+1	-1	-1
H-CASCADE Das→B4	-1	+1	**+7** CI≠0	+4	**+10** CI≠0	**+10** CI≠0	+1	**-11** CI≠0	-5	+3	+2	+10	+4	-1	-2
H-CASCADE Das→B5	**+5** CI≠0	-1	**+5** CI≠0	+4	**+9** CI≠0	**+9** CI≠0	+1	**-10** CI≠0	-4	+3	+3	+11	+1	**-4** CI≠0	-3
H-FUSE Das+B4	-2	-4	**+9** CI≠0	**+5** CI≠0	**+16** CI≠0	+8	-0	**-13** CI≠0	+2	+1	-0	+6	+0	-2	-3
H-FUSE Das+B5	+1	+4	**+9** CI≠0	**+6** CI≠0	**+16** CI≠0	**+12** CI≠0	+2	**-13** CI≠0	+7	+0	+2	+8	-3	**-5** CI≠0	-4
HD1 avg Das,B4	+0	-4	**+7** CI≠0	**+5** CI≠0	**+10** CI≠0	**+9** CI≠0	-0	-11	+0	+1	+0	+7	+4	+0	+0
HD2 min Das,B4	+0	-5	**+7** CI≠0	**+5** CI≠0	**+9** CI≠0	+8	+1	-9	+1	+2	+1	+6	+2	+1	+0
HD3 LR Das+B4 emb.	+2	+10	+4	+5	**+13** CI≠0	+3	-7	**-19** CI≠0	+1	-3	-2	+7	-2	**+6** CI≠0	**+7** CI≠0
HD4 λ0.1 (chosen)	**-4** CI≠0	**-8** CI≠0	**+8** CI≠0	+5	**+14** CI≠0	**+10** CI≠0	+1	**-10** CI≠0	-1	+0	+0	+5	-0	+0	+0
HD4 λ0.3	-2	-8	**+6** CI≠0	**+5** CI≠0	**+10** CI≠0	**+6** CI≠0	-3	**-11** CI≠0	-0	-1	-2	+6	+0	+2	+4
HD4 λ1.0	-3	-4	**+8** CI≠0	**+7** CI≠0	**+14** CI≠0	+7	-2	**-8** CI≠0	-1	-0	-0	+8	+1	+1	+4



Identical noise clip per beat; SNR relative to the clean window power.