

# DISCOVERING CHAOS IN PRIME NUMBERS

Computational Investigations through the Euler Mirror

Alvaro Costa

Initial version — conceptual manuscript and computational laboratory

*“Unity is indifferent; the observer’s choice is not.”*

© 2025 Alvaro J. S. Costa

This work is licensed under a  
**Creative Commons Attribution 4.0 International License (CC BY 4.0).**

You are free to share and adapt the material for any purpose,  
provided appropriate credit is given.

<https://creativecommons.org/licenses/by/4.0/>

*Mathematics is concerned exclusively  
with the enumeration and comparison of relations.*

Carl Friedrich Gauss

# PREFACE

There is a quiet belief, rarely questioned, that pervades the way we learn mathematics from an early age: the belief that numbers are static, isolated entities, fully known — and that any mystery, when it exists at all, must lie somewhere distant, sophisticated, and inaccessible.

This book is born from the opposite suspicion.

It starts from the idea that **the mystery is not in the numbers**, but in the way we look at them.

For decades — in some cases, for centuries — mathematicians and physicists have examined numerical sequences using extremely refined instruments: deep theorems, asymptotic techniques, powerful conjectures. And yet, certain collective behaviours have remained invisible. Not due to a lack of intelligence or rigour, but for a simpler and more unsettling reason: **the ruler of observation was not suited to the phenomenon**.

This book is about that. About what happens when we change the way we observe.

## CHAOS IS NOT THE ABSENCE OF ORDER

The word *chaos* is often associated with disorder, noise, or a lack of structure. In modern science, however, chaos has a more precise meaning: a deterministic system whose global behaviour is not immediately evident from its local rules.

In other words, chaos does not deny order. It conceals it.

Throughout these pages, we do not attempt to “tame” chaos, nor to impose regularity where none exists. What we do is more modest — and, for that very reason, more revealing: **we change the point of view**.

We do not add randomness.

We do not tune parameters to obtain appealing plots.

We do not introduce external hypotheses.

Everything that appears here emerges from elementary arithmetic structures, observed in different ways.

## THE CENTRAL IDEA: OBSERVING MEANS CHOOSING A SCALE

One of the most important ideas in this book can be stated simply:

*The way we observe a system determines which structures become visible.*

In arithmetic, we are accustomed to observing numbers on linear scales:

$$1, 2, 3, 4, 5, 6, \dots$$

This choice appears natural — almost inevitable. But it is not neutral.

When we change the scale of observation, certain patterns disappear, while others emerge with surprising clarity. Not because the system has changed, but because **the observer has**.

This book explores precisely this shift: what arises when we abandon the standard ruler and begin to observe numbers on scales closer to their internal structure.

## WHAT THIS BOOK DOES — AND WHAT IT DOES NOT DO

Clarity is essential.

This book **does not** propose a new theory of numbers. It **does not** introduce conjectures to be proved. It **does not** replace formal textbooks in mathematics or mathematical physics.

It is a preparation of the gaze. A prelude to recognising that arithmetic possesses an integrity independent of us.

What it does is different.

Here you will find:

- simple constructions, step by step;
- reproducible numerical experiments;
- clear visualisations;
- and, above all, **observations**.

This is a book of listening, not of imposition. Nothing is asserted before it is seen.

When we speak of “order”, we refer to something that **emerges**, not something that is forced into place.

## WHO THIS BOOK IS FOR

This book was written for curious readers, not for isolated specialists.

It is accessible to:

- secondary-school students with a genuine interest in mathematics or physics;
- undergraduates who wish to see beyond formulae;
- teachers seeking new ways to present deep concepts;
- readers who enjoyed books such as *The Music of the Primes* and wish to go a little further.

No prior knowledge of chaos theory, random matrices, or advanced statistics is required at the outset. These ideas appear **when they become necessary**, not before.

## AN INVITATION, NOT A CONCLUSION

This book does not aim to close debates. It aims to open them.

As you read, you will encounter patterns that were not where we expected them to be. You will see chaos lose its opacity and order appear without announcement. And perhaps you will notice something even more fundamental:

*mathematics does not change — the observer does.*

If you finish the book with more questions than answers, it has fulfilled its role.

Because discovering chaos in numbers is not about finding disorder. It is about learning **where — and how — order chooses to reveal itself**.

## AN AGREEMENT WITH THE READER

This is not a book meant only to be read.

It was conceived as an experiential book. The ideas presented here do not ask for acceptance; they ask for verification. For this reason, the reader is invited — and, in a sense, required — to execute the experiments described throughout the text.

Nothing needs to be installed. No proprietary software is required.

All code associated with the book can be executed directly in *Google Colab*, in an environment already configured for this purpose. One simply opens the indicated notebook and runs the cells, in the proposed order.

This gesture is part of the content.

Without execution, the book remains incomplete. With it, the statements cease to be narrative and become observable records.

## WHY THIS IS ESSENTIAL

The central phenomenon discussed in this book does not reveal itself through rhetorical argument, nor through isolated symbolic manipulation. It manifests when:

- an arithmetic signal is constructed;
- an operator is applied;
- the scale of observation is changed;
- and the resulting spectrum is actually computed.

These steps are not illustrative. They are the experiment.

Running the code is not a technical appendix — it is the method of reading itself.

## HOW TO READ THIS BOOK

The recommended approach is straightforward:

1. read the conceptual section;
2. open the corresponding notebook;
3. execute;
4. observe;
5. only then proceed.

The time invested in this practice is not a diversion from the text. It is the path through which the text becomes complete.

## THE COMMITMENT

This book assumes that the reader accepts a minimal commitment:

*not to trust what is said without seeing what happens.*

If this agreement seems excessive, this may not be the right book — and that is perfectly fine.

But if you accept the idea that understanding sometimes requires execution, then this book was written precisely for you.

**The ruler is on the table.**

**The system is silent.**

**Let us begin.**



# NOTE TO THE READER

This text is neither a scientific article nor a formal treatise in the classical sense.

It is the record of a structural discovery: the observation that the arithmetic of prime numbers, when viewed at the appropriate scale, **exhibits** universal signatures associated with quantum chaos.

The reader is not invited to accept conclusions by authority, but to reproduce, observe, and decide.

The path is experimental, not rhetorical.

Nothing here requires belief. Everything requires attention.

# EDITORIAL NOTE ON THE COMPUTATIONAL RECORDS

The computational records presented throughout this book — in particular the executable notebooks accompanying the Technical Appendix — **should not be interpreted as supplementary material, illustrative examples, or didactic appendices.**

They fulfil a precise editorial and epistemological function.

The body of the book establishes a complete mathematical, conceptual, and operational structure. The notebooks do not extend this structure, introduce new arguments, or compensate for theoretical gaps. Their function is distinct: **to demonstrate executability.**

In clear terms:

- the argument is developed entirely within the text;
- validity does not rest on the authority of the author;
- verification rests on the possibility of independent execution.

The computational records exist so that the reader may **repeat, alter, perturb, and verify** the procedures described, using neutral and public environments, without reliance on privileged infrastructure, institutional credentials, or prior trust.

They are not “attached data”. They are **operational traces.**

These traces fix an objective criterion:

- if the structure presented is correct, it remains stable under direct execution;
- if it is not, no theoretical formulation can sustain it.

For this reason, the notebooks are not cited as external evidence, nor as subsequent validation. They function as **instruments of audit**, placed at the reader's disposal only after the conceptual path has been completed.

The book ends when the measuring rod has been set. The computational records exist solely so that any reader may verify, for themselves, that it does not move.

# CONTENTS

<b>Preface</b>	<b>iii</b>
<b>Note to the Reader</b>	<b>viii</b>
<b>Editorial Note on the Computational Records</b>	<b>ix</b>
<b>1. The One</b>	<b>1</b>
Counting is repetition . . . . .	2
The first fold . . . . .	2
Two roles, one origin . . . . .	3
The minimal experiment . . . . .	3
What is <i>not</i> happening here . . . . .	4
A necessary silence . . . . .	4
Closing the first gesture . . . . .	4
<b>2. The Pulse of the Primes</b>	<b>7</b>
From the fold to measurement . . . . .	7
Structure and stabilisation . . . . .	7
A contrast functional . . . . .	8
The pulse . . . . .	9
The visual record . . . . .	9
The role of the One . . . . .	10
A signal, not a theory . . . . .	10

<b>3. The Search for Balance</b>	<b>13</b>
The Paradox of the Growing Debt . . . . .	13
The Proper Perspective: Relative Harmony . . . . .	13
Interactive Laboratory: Convergence . . . . .	14
A Quantum System in Disguise? . . . . .	15
<b>4. The Harmonic Spectrometer</b>	<b>17</b>
From signal to structure . . . . .	17
The need for an operator . . . . .	18
Definition of the harmonic operator . . . . .	18
The proper scale . . . . .	19
The harmonic kernel . . . . .	19
Symmetry and observability . . . . .	19
The visual laboratory . . . . .	20
Delimitation of scope . . . . .	21
<b>5. The Mechanics of the Spectrum</b>	<b>23</b>
Operational recap . . . . .	23
A finite and controlled domain . . . . .	23
Preparation of the input data . . . . .	24
Explicit construction of the operator . . . . .	24
Eigenvalues and eigenvectors: minimal definitions . . . . .	24
The spectrum of the operator in finite dimension . . . . .	25
Limits of the finite regime . . . . .	25
Scope delimitation . . . . .	26
<b>6. Spectral Statistics and Scale Regimes</b>	<b>28</b>
Operational introduction . . . . .	28
From a discrete spectrum to the statistical regime . . . . .	28
Normalised spacings . . . . .	29

The spacing distribution $P(s)$ . . . . .	29
Ratio of adjacent spacings . . . . .	30
Number variance $\Sigma^2(L)$ . . . . .	30
Scale regimes and experimental protocol . . . . .	31
Delimitation of scope . . . . .	31
<b>7. Recognition of a Universal Class</b>	<b>33</b>
What changes when crossing the boundary . . . . .	33
Spectral classes as reference patterns . . . . .	33
The first signature: level repulsion . . . . .	34
The scalar statistic and the reference value . . . . .	35
Global rigidity of the spectrum . . . . .	35
Determinism and universality . . . . .	36
Protocol parameters and stability of the phenomenon . . . . .	36
Delimitation of what has been recognised . . . . .	37
<b>8. The Proper Optics: Why the Logarithmic Scale Is Structural</b>	<b>39</b>
From phenomenon to necessity . . . . .	39
Scale as part of the object . . . . .	40
The role of $\Delta_\pi(x)$ under reparametrisation . . . . .	40
Effective complexity and phase mixing . . . . .	41
The optical experiment . . . . .	41
What this chapter does not claim . . . . .	42
<b>9. The Logarithmic Scale — The Lens for Chaos</b>	<b>44</b>
The topography of the primes . . . . .	44
Empirical verification . . . . .	45
The linear lens: an unstable stage . . . . .	45
Change of variable and logarithmic density . . . . .	46
The logarithmic lens: stabilising the stage . . . . .	47

The condition for emergence . . . . .	47
Synthesis . . . . .	48
<b>10. The Conditions for Hearing Chaos</b>	<b>50</b>
The three pillars of the protocol . . . . .	50
Empirical verification . . . . .	52
Cause and effect . . . . .	52
Synthesis . . . . .	53
<b>11. The Anatomy of Chaos — Eigenvector Analysis</b>	<b>55</b>
Beyond eigenvalues . . . . .	55
Tool I — Participation Ratio . . . . .	56
Tool II — Component statistics . . . . .	57
The empirical laboratory . . . . .	57
Results — genuine signal and methodological artefact . . . . .	58
Structural diagnosis . . . . .	58
Applied perspective — a cryptographic primitive . . . . .	59
<b>12. The Observer in the Mirror — Control and Robustness</b>	<b>61</b>
The astonishment of observation . . . . .	61
The control experiment . . . . .	62
The discovery — the chaos of the primes is special . . . . .	62
The singularity of the prime signature . . . . .	63
The music of the primes and background noise . . . . .	63
<b>13. The Universality of Chaos — Scale Sweeps</b>	<b>66</b>
A local law or a universal one? . . . . .	66
The experiment: sweeping across scales . . . . .	67
The sweep laboratory . . . . .	67
The transition to universal chaos . . . . .	68

---

Synthesis . . . . .	68
<b>14. Where Does Chaos Reside? — Testing Alternative Operators</b>	<b>71</b>
The final doubt . . . . .	71
Changing the instrument . . . . .	72
Operational hypothesis . . . . .	72
The operator laboratory . . . . .	73
Result: statistical invariance . . . . .	73
Where chaos truly resides . . . . .	74
<b>15. Confirmation at Stratospheric Heights</b>	<b>76</b>
Historical context: Montgomery, Berry, and Odlyzko . . . . .	76
The challenge of stratospheric heights . . . . .	77
Analysis of stratospheric data . . . . .	78
Final hypothesis . . . . .	78
Computational reproducibility and the role of Notebook 15 . . . . .	79
<b>16. Berry's View — The Universal Signature of Quantum Chaos</b>	<b>81</b>
The paradox of chaos . . . . .	81
Where did chaos go? Berry's question . . . . .	81
The universal answer: the BGS conjecture . . . . .	82
The cornerstone of this work . . . . .	82
Arithmetic as a spectral object of chaotic class . . . . .	83
Order, randomness, and reconciliation . . . . .	83
<b>17. Berry's Bridge — From Pythagoras to Dyson</b>	<b>86</b>
Three worlds, a single music . . . . .	86
Michael Berry's inadvertent bridge . . . . .	87
The invisible thread: the One as a common source . . . . .	87
The fold at $1/2$ : earth and sky . . . . .	88



---

<b>17 1/2. Statute of the Claim — Necessity, Universality and Choice</b>	<b>90</b>
Three distinct levels . . . . .	90
On necessity and inevitability . . . . .	92
On proof, foundation, and the space of possibility . . . . .	93
The role of the observer . . . . .	94
 <b>18. Resonance of Unity — Where Euler and Chaos Meet</b>	 <b>96</b>
The identity that closes the circle . . . . .	96
The constant of return . . . . .	96
The signature of organised chaos . . . . .	97
Integrity as resonance . . . . .	97
Final words — conceptual saturation . . . . .	98
A final image . . . . .	98
 <b>Epilogue</b>	 <b>100</b>
 <b>Essential Bibliographical References</b>	 <b>101</b>

# 1. THE ONE

*Before two, there was no number.  
There was only the One — indivisible, silent, and sufficient.  
— Fragment attributed to the Pythagorean school*

Before any number, there is a gesture.

Counting is not an abstract operation. It is a concrete cognitive act: the repetition of something that already exists. Everything we call a number is born from the repetition of a single entity — the **One**.

When we write the sequence of natural numbers,

1, 2, 3, 4, ...

what we are actually doing is repeating the One at equal intervals. Two is the first explicit repetition of the One. Three is three “ones”. Four is the same gesture reiterated once more.

In this sense, the **One** is not merely the first element of the sequence. It is what makes the sequence possible. Without the One, there is no counting. Without counting, there is no arithmetic.

This idea — ancient and almost forgotten — was central to Pythagorean thought. The Monad was not regarded as a number among others, but as the silent principle from which all others emerge.

This book begins precisely there.

## COUNTING IS REPETITION

When we begin to count, we do not ask sophisticated questions. We simply advance:

$$1 \rightarrow 2 \rightarrow 3 \rightarrow 4 \rightarrow \dots$$

This advance appears trivial, but it carries an implicit decision: all steps are treated as equivalent. Each added unit is identical to the previous one. This regularity creates the illusion that the entire sequence is homogeneous.

It is not.

Even on a line constructed solely by repeating the One, internal differences arise. Some entities resist decomposition. Others exist only as combinations of the first. It is these differences that will later give rise to the structure we intend to observe.

But this is not yet the moment to speak of that.

Before distinguishing, one must **look**.

## THE FIRST FOLD

Consider the number line from 1 up to some value  $x$ . Now perform something extremely simple: **fold this line in half**, at the point  $x/2$ .

This operation requires no technical knowledge. It merely divides the observed interval into two halves: the first half, from 1 to  $x/2$ ; and the second half, from  $x/2$  to  $x$ .

This fold — seemingly naïve — reveals something important when we observe the prime numbers.

Primes that appear in the first half of the interval are still capable of generating new composite numbers within the full interval. Their multiples continue to “act” on the observed line. They **structure**.

Primes that appear in the second half can no longer do this. Any multiple of them exceeds the bound  $x$ . They generate no new composites there. They merely occupy positions that remain unfilled. They **stabilise**.

This separation is not artificial. It arises automatically from the fold itself. No

imposition. No tuning.

## TWO ROLES, ONE ORIGIN

From this simple gesture onward, primes begin to play two complementary roles:

- **Structuring primes:** those in the first half, which actively participate in the construction of composites;
- **Stabilising primes:** those in the second half, which merely fill remaining gaps.


Both arise from the same process: the repetition of the One. Neither is special in itself. What changes is **where** they are when we observe them.

This distinction does not depend on advanced theory. It depends solely on relative position once a point of observation is chosen.

What matters here is not absolute value, but relation.

## THE MINIMAL EXPERIMENT

At this point, the book asks the reader for a single gesture: execute the first notebook (`01_the_one.ipynb`).



Nothing needs to be understood in advance. Simply run it.

When visualising the primes up to some value  $N$ , coloured according to their role relative to the fold at  $N/2$ , something becomes evident: the structure persists as the scale changes.

Increase  $N$ . Fold again. Observe.

The patterns do not vanish. They reproduce themselves in a stable manner.

Nothing new is added to the system. Information from the first half is reflected into the second through the structure of composite numbers. The system does not import order from outside. It organises itself from what is already there.

## WHAT IS *NOT* HAPPENING HERE

It is important to state explicitly what this chapter does not do.

Here there are no:

- probabilistic hypotheses;
- statistical models;
- asymptotic approximations;
- rhetorical arguments.

There is no chaos. No emergent order. No spectrum.

Not yet.

All that has been done is to count, fold, and observe.

## A NECESSARY SILENCE

The role of the One, up to this point, is curious.

It supports the entire construction, yet does not directly participate in the relations that begin to emerge. When we look at connections, structures, and roles, the One appears to disappear. It does not connect. It does not structure. It does not stabilise.

And yet, none of this would exist without it.

This paradox will not be resolved here. It will simply be respected.

The One does not enter the relation. It sustains it.

## CLOSING THE FIRST GESTURE

This chapter concludes nothing. It merely places the ruler on the table.

In the chapters that follow, we will turn this qualitative observation into an explicit signal. We will measure the imbalance between the two roles. We will construct an operator. We will change the scale again.

But everything that follows depends on this initial, simple, and silent gesture:

*repeat the One, fold the line, and look attentively.*

Before any chaos, there is only this.

## POINT OF REST

The act of folding separates the functional roles of the primes in an unequivocal way.

Below  $x/2$ , primes generate multiplicity and compose the structural mesh of composite numbers. Above this threshold, they occupy the line without producing new links, stabilising the system.

The arithmetic system does not organise itself as a succession of isolated points, but as a tension between structure and balance. The point  $x/2$  marks the functional boundary at which the generation of multiplicity ceases, without any loss of coherence of the line.

*The Unit remains as an anchor.* It allows this fold to be observed without fragmentation, fixing the system within the interval  $[1, x]$  as a coherent whole.

## 2. THE PULSE OF THE PRIMES

*Harmony consists in a mixture of opposites.*

— *Heraclitus*

### FROM THE FOLD TO MEASUREMENT

In the previous chapter, we performed a single, simple gesture: folding the number line at the point  $x/2$ . Nothing more.

This apparently elementary act revealed something decisive. When the observed interval is divided into two halves, prime numbers begin to play **distinct roles**, not because of their intrinsic nature, but because of their **relative position** with respect to the point of observation.

In the first half, primes still actively participate in the formation of composite numbers. In the second half, they no longer do.

This distinction was not imposed by any theory. It emerged directly from counting and folding.

The next natural step is not to interpret this difference, but to **measure it**.

If two complementary roles act simultaneously, it is legitimate to ask which one predominates at each stage of observation.

### STRUCTURE AND STABILISATION

Let us call **structuring primes** those that lie in the first half of the observed interval. Because they are in  $[1, x/2]$ , their multiples still fall within  $[1, x]$ , and it is through



them that composite numbers are formed.

Let us call **stabilising primes** those that lie in the second half, in  $(x/2, x]$ . These primes no longer generate new composites within the observed interval. They occupy positions not filled by the action of the structuring primes.

These two roles are not fixed identities. They are **transient functions**.

As the interval grows, a prime that stabilises today will, at a later stage, become a structuring prime. The sequence of primes is not static. It carries an internal dynamic of functional redistribution.

It is this dynamic — not the isolated existence of primes — that begins to reveal the system's complexity.

## A CONTRAST FUNCTIONAL

To observe this dynamic, we require a simple, direct, and purely arithmetical instrument.

We define the function  $\pi(x)$  as the exact count of primes less than or equal to  $x$ . Using it, we can quantify:

- the number of structuring primes:  $\pi(\lfloor x/2 \rfloor)$ ;
- the number of stabilising primes:  $\pi(x) - \pi(\lfloor x/2 \rfloor)$ .

The difference between these two quantities defines a natural contrast functional:

$$\Delta_{\pi}(x) = \pi(x) - 2 \pi(\lfloor \frac{x}{2} \rfloor).$$

This functional does not predict, adjust, or smooth. It simply **measures**, at each value of  $x$ , which of the two roles predominates.

When  $\Delta_{\pi}(x)$  is positive, stabilisation outweighs structure. When it is negative, structuring capacity dominates. When it vanishes, there is a momentary balance.

Nothing beyond this is claimed here.

## THE PULSE

When  $\Delta_\pi(x)$  is computed along the number line, something unexpected occurs.

Its value neither grows smoothly nor decays monotonically. It **oscillates**.

These oscillations are not random. They follow an irregular yet persistent pattern that repeats as the scale increases. After the initial values, a clear predominance of the negative phase becomes visible — a signal that, on average, structure outweighs stabilisation.

This negative predominance is the arithmetical record of a familiar fact: primes become sparser as we advance. The first half of the interval always accumulates more structuring potential than the second half can counterbalance.


This behaviour can be described as an **observational pulse**: a measurable alternation between two complementary forces, derived exclusively from the exact counting of primes.

There is no statistics, no spectrum, and no chaos here in the technical sense. There is only a discrete signal, obtained without approximation.

## THE VISUAL RECORD

At this point, abstraction must give way to visual evidence.

**Notebook 02** (`02_pi_and_delta_pi.ipynb`) was designed for this purpose.



When you execute it, the graph of  $\Delta_\pi(x)$  appears. Observe the nature of the signal: it is a discrete, step-like signal — dry and uncompromising. Observe how the blue forces (structure) and the orange forces (stabilisation) compete for dominance along the number line.

There are no smooth curves here. What you see is the raw record of each new prime entering the system and altering the balance between structuring and stabilising roles.

Increase the interval. Notice how the oscillations acquire a kind of “texture”. What initially appears as a counting artefact reveals itself as a persistent alternation.

This is the signal we call the **pulse**.

## THE ROLE OF THE ONE

It is impossible not to notice a curious aspect of this construction.

The value 1 sustains the entire sequence, yet it does not participate directly in any of the relations measured by  $\Delta_\pi(x)$ . It neither structures nor stabilises.

The One acts as the **phase reference** of the system. It is the neutral element that makes the fold possible, but it is only from 2 onwards that **functional asymmetry** (structuring versus stabilising) becomes observable.

The first effective relation emerges with 2. With it, duplication begins. From it onwards, the fold produces observable effects.

The gaps created by the fold are measured in units of 1, but only numbers greater than 1 occupy structural positions within the system.

This fact is not interpreted here. It is merely recorded.

## A SIGNAL, NOT A THEORY

Methodological discipline is essential.

Up to this point:

- no probabilistic hypotheses have been formulated;
- no statistical models have been introduced;
- no asymptotic limits have been invoked;
- no spectral interpretation has been performed.

We have constructed a simple functional and observed its behaviour.

*What appears is not noise. It is a deterministic signal, born from the most elementary rule of arithmetic: **the repetition of the One**.*

## PREPARATION FOR THE NEXT STEP

This chapter concludes the phase of **direct measurement**.

In the following chapters, this signal will be:

- visualised in a continuous form;
- projected into symmetric operators;
- examined under different regimes of observation.

Nothing new will be added to the system. Only the manner of observation will change.

Everything that follows — including any spectral reading — depends on this initial, silent, unavoidable pulse, which arises when we fold the line and count with care.

## POINT OF REST

The arithmetical function  $\Delta_\pi(x) = \pi(x) - 2 \pi(x/2)$  does not describe a distribution, but a functional imbalance. It renders visible the alternation between two complementary roles exercised by the primes along the observed interval.

Primes do not act homogeneously. In certain regimes, they structure the mesh of composite numbers; in others, they stabilise the density of the line. From this alternation a pulse emerges — not as noise, but as the expression of an internal dynamic.

*The system is therefore not static.* It redistributes functions without loss of coherence, and it is this redistribution — not isolated values — that sustains the observed structure.

### 3. THE SEARCH FOR BALANCE

*Symmetry, as wide or as narrow as you may define its meaning,  
is one idea by which man through the ages has tried to comprehend  
and create order, beauty, and perfection.*  
— Hermann Weyl

#### THE PARADOX OF THE GROWING DEBT

In the previous chapter, we observed the pulse of the system,  $\Delta_\pi(x)$ . We saw that, after a brief initial phase of euphoria (positive values), the curve plunges into a region of negative values — and that this region appears to deepen as  $x$  increases.

At first glance, this seems paradoxical. If the absolute difference between Structuring primes ( $\pi_S$ ) and Stabilising primes ( $\pi_N$ ) grows without bound, would the system not become increasingly **unbalanced**? Would the “debt” of the stabilising primes never be repaid?

This impression is only partial. The apparent imbalance is an **effect of scale**, not of rupture.

#### THE PROPER PERSPECTIVE: RELATIVE HARMONY

To understand systems that grow without bound, it is not enough to observe absolute differences. One must adopt a **relative perspective**.

Recall that the total number of primes is the sum of the two forces:

$$\pi(x) = \pi_S(x) + \pi_N(x)$$

Dividing both sides by  $\pi(x)$ , we obtain a simple yet profound identity, which we call the **Conservation Identity for the Primes**:

$$1 = \frac{\pi_S(x)}{\pi(x)} + \frac{\pi_N(x)}{\pi(x)}$$

This equation tells us that, although the absolute counts vary, the fractions of Structuring and Stabilising primes **always sum exactly to one**. They are two faces of the same dynamic balance.

The Prime Number Theorem guarantees that, as  $x \rightarrow \infty$ , both fractions converge to the same value:  $1/2$ . Structure and stability become statistically equivalent in terms of density.

Revisiting our measure of tension,  $\Delta_\pi(x)$ , we may rewrite it in normalised form:

$$\frac{\Delta_\pi(x)}{\pi(x)} = \frac{\pi_N(x)}{\pi(x)} - \frac{\pi_S(x)}{\pi(x)}$$

If each term tends to  $1/2$ , their difference tends to zero. The “debt” between the two forces may grow in absolute terms, but **relative to the whole**, it dissolves.

Seen through the lens of proportion, the system moves inexorably towards balance.

## INTERACTIVE LABORATORY: CONVERGENCE

**Notebook 03** (`03_search_balance.ipynb`) documents this transition experimentally.



When executed, the reader will observe two simultaneous phenomena:

- **The Attraction of Symmetry**: the density curves of Structuring and Stabilising primes approach the critical line at  $1/2$ ;
- **Damping**: the relative oscillation, intense at small values, loses amplitude and converges towards zero.

## A QUANTUM SYSTEM IN DISGUISE?

The oscillations of  $\Delta_\pi(x)/\pi(x)$  resemble the behaviour of a quantum system relaxing towards equilibrium. The two forces — Structuring and Stabilising — behave like states of a two-level system, exchanging dominance until symmetry is restored.

The logarithmic scale plays a role analogous to an internal parameter of evolution, in which initial disorder gives way to ordered spectral regime.

Viewed through this lens, the number line is not static. It is an oscillatory field whose final harmony emerges precisely from the conflict that generated it.

*What appeared to be an infinite mismatch reveals itself, in the end, as a harmony that grows with scale. The initial chaos is not an error — it is the cost of expansion.*



## POINT OF REST

The tension  $\Delta_\pi(x)$  is not an absolute quantity. It acquires meaning only when observed in relation to the total mass of primes,  $\pi(x)$ , which defines the natural scale of the system.

When read in this normalised form, the internal dynamic reveals an unambiguous behaviour: functional redistribution does not diverge, but converges towards a stable regime, in which the structuring and stabilising roles occupy symmetric proportions.

*Balance here is not the absence of motion, but the regime towards which motion converges.*

## 4. THE HARMONIC SPECTROMETER

*Structure reveals itself when  
we choose the correct representation.  
— Hermann Weyl*

### FROM SIGNAL TO STRUCTURE

In the previous chapters, we identified a central object: the arithmetic signal  $\Delta_\pi(x)$ .

Point by point, it measures the imbalance between two functional roles of the primes — **structuring** and **stabilising** — as observed in Chapter 2 along the number line. This signal exhibits a persistent oscillatory behaviour, which we called the *pulse*.

However, there is an intrinsic limitation to what a one-dimensional signal can reveal.

A pulse indicates that something happens. It does not describe the full shape of what happens.

If we wish to understand internal correlations and global patterns, we must abandon a purely sequential reading and project the signal into a structure where interference can occur.

In mathematical terms: **a one-dimensional signal can be measured; a structure requires projection.**

This change of regime marks the beginning of this part of the book.

## THE NEED FOR AN OPERATOR

Eigenvalues, collective modes, and spectral regularities do not belong to isolated functions. They belong to **operators**.

To extract structural information from the pulse  $\Delta_\pi(x)$ , it is not sufficient to smooth it, accumulate it, or rescale it. The signal must be placed into interaction with itself — we must construct a two-dimensional object capable of registering cross-correlations between different points on the number line.

That object will be a matrix.

Not a statistical matrix, nor a random one, but a deterministic operator constructed exclusively from:

- exact prime counting;
- an explicit change of scale;
- structural symmetrisation.

What we seek is not prediction, but observability.

## DEFINITION OF THE HARMONIC OPERATOR

We define the operator  $M$  by its elements:

$$M_{ij} = \cos(\Delta_\pi(x_i) \ln(x_j)) + \cos(\Delta_\pi(x_j) \ln(x_i)).$$

Each term in this expression has a precise role:

- $\Delta_\pi(x)$  provides the arithmetic signal;
- $\ln(x)$  adjusts the observational scale;
- the cosine converts the product into harmonic phase;
- the sum enforces explicit symmetry.

Nothing is tuned, filtered, or normalised at this stage beyond what is structurally required.

The operator is **defined**, not calibrated.

## THE PROPER SCALE

Prime numbers are inherently multiplicative entities. Their density decays according to a logarithmic law, as established by the Prime Number Theorem.

Observing arithmetic on a linear scale is convenient, but it is not neutral. The linear scale distorts relations that are naturally multiplicative.

The use of the logarithm is not an aesthetic choice. It is a requirement of structural compatibility.

The factor  $\ln(x)$  acts as a lens: it re-expresses the number line on a scale where the internal relations of the primes become comparable and stable across the observed domain.

Without this lens, the operator loses coherence. With it, the operator becomes stably observable.

## THE HARMONIC KERNEL

The cosine plays a dual role.

First, it transforms the product  $\Delta_\pi(x) \ln(x)$  into a bounded oscillation, translating arithmetic tension into phase.

Second, being an even function, it removes the distinction between opposite signs. The operator does not measure direction — it measures **intensity of correlation**.

Positive and negative values contribute equally.

The aim here is not to track local fluctuations, but to enable the observation of global patterns.

## SYMMETRY AND OBSERVABILITY

The operator is constructed to be explicitly symmetric:

$$M_{ij} = M_{ji}.$$

This choice is not technical, but conceptual.

In mathematics, symmetric operators possess a fundamental property: **all of their eigenvalues are real**.

This condition ensures that the spectrum of the operator lies entirely on the real line, making it suitable for rigorous spectral analysis.

We are therefore constructing an arithmetic operator whose spectral structure can be investigated in a mathematically controlled way.

The operator  $M$  is not fed by a normalised version of  $\Delta_\pi$ , but by the absolute signal of its accumulated divergence.

It is the discrete steps of  $\pi(x) - 2\pi(x/2)$ , as global arithmetic events, that generate spectral coherence under projection.

The emerging statistics do not arise from relative fluctuations, but from the discontinuous geometry of prime counting.

Nothing more is claimed.

## THE VISUAL LABORATORY

**Notebook 04** (04\_operator\_M.ipynb) implements the operator  $M$  directly and allows its structure to be visualised as a heat map, for different initial scales  $X_0$ .



When executing it, observe carefully:

- At small scales, the operator appears irregular, fragmented, and noisy.
- As  $X_0$  increases, geometric patterns begin to emerge.
- The initial fragmented appearance gives way to visually organised regions.

No additional transformation is applied. The only variable is scale.

The visualisation proves nothing. It merely indicates that a non-trivial organisation is present.

## DELIMITATION OF SCOPE

In this chapter, we performed a fundamental transition:

- from signal to operator;
- from sequence to geometry;
- from counting to structure.

The spectrometer has been built.

In the following chapters, we will abandon visual inspection and apply formal tools of spectral analysis — eigenvalues, level spacings, and eigenmodes — to quantify spectral regularities, if present.

Nothing will be added to the system.

## POINT OF REST

Up to this point, only what is essential has been established. A deterministic operator has been constructed directly from the arithmetic signal  $\Delta_\pi(x)$ , without statistical assumptions or spectral hypotheses.

No analysis has yet been performed. Only the geometric structure of the operator has been exposed to observation.

The spectrometer is defined.  
The analysis has not yet begun.

## 5. THE MECHANICS OF THE SPECTRUM

*Eigenvalues are not properties of numbers,  
but of operators.*

— John von Neumann

### OPERATIONAL RECAP

In the previous chapters, a deterministic operator  $M$  was constructed from the arithmetic signal  $\Delta_\pi(x)$  and an explicit change to logarithmic scale.

This operator was introduced as a **geometric and visual object**, without any spectral analysis.

The purpose of this chapter is to **formally describe** the basic elements of spectral analysis as applied to the operator  $M$ , within a fully controlled regime.

Nothing new will be introduced. Only the necessary tools will be defined.

### A FINITE AND CONTROLLED DOMAIN

Before moving to large scales, it is instructive to work within a small domain, where all objects can be directly inspected.

In this chapter, we fix:

$$N = 32,$$

and consider the discrete domain  $x \in 1, 2, \dots, 32$ .



This choice has no theoretical significance. It merely allows all components of the operator to be explicitly computed and examined.

## PREPARATION OF THE INPUT DATA

**Notebook 05** (`05_spectral_mechanics.ipynb`) begins by generating, for each  $x \leq 32$ :

- the value of the arithmetic signal  $\Delta_\pi(x)$ ;
- the corresponding value of  $\ln(x)$ .



These data constitute the **only inputs** to the operator. No filtering, smoothing, or additional normalisation is applied.

## EXPLICIT CONSTRUCTION OF THE OPERATOR

With the vectors  $\Delta_\pi(x)$  and  $\ln(x)$  defined, the operator  $M$  is constructed directly via the formula:

$$M_{ij} = \cos(\Delta_\pi(x_i) \ln(x_j)) + \cos(\Delta_\pi(x_j) \ln(x_i)).$$

For  $N = 32$ , this yields a real, symmetric matrix of dimension  $32 \times 32$ .

The heatmap shown in **Notebook 05** allows the internal organisation of the operator to be visualised within this finite regime.

No interpretation is attached to this visualisation. It merely confirms that the operator is well defined and structurally non-trivial.

## EIGENVALUES AND EIGENVECTORS: MINIMAL DEFINITIONS

Let  $M$  be a real symmetric matrix.

A real number  $\lambda$  is called an eigenvalue of  $M$  if there exists a non-zero vector  $v$  such that:

$$Mv = \lambda v.$$

The corresponding vector  $v$  is called an eigenvector.

These objects are not introduced as physical analogies. They constitute the canonical decomposition of symmetric operators in real vector spaces.

## THE SPECTRUM OF THE OPERATOR IN FINITE DIMENSION

**Notebook 05** explicitly computes:

- the complete set of eigenvalues of  $M$ ;
- the associated eigenvectors.

For  $N = 32$ , the spectrum is discrete and finite. All eigenvalues are real, as guaranteed by the symmetry of the operator.

Ordering these eigenvalues and inspecting the eigenvectors makes it possible to verify that:

- the operator admits a complete spectral basis;
- different spectral modes correspond to distinct patterns of distribution across the indices  $i$ .

At this stage, **no statistics are computed**. No regularity is postulated.

## LIMITS OF THE FINITE REGIME

The analysis at  $N = 32$  is not intended to reveal universal laws. Its purpose is to:

- fix definitions;
- validate the construction of the operator;

- establish the spectral vocabulary to be used later.

The behaviour of interest does not fully manifest at such small scales.

To observe it, we will need to study:

- how the spectrum varies with the size of the domain;
- how it depends on the initial scale  $X_0$ .

## SCOPE DELIMITATION

In this chapter:

- the operator  $M$  was explicitly diagonalised;
- eigenvalues and eigenvectors were defined and computed;
- no spectral statistics were analysed;
- no universal hypothesis was formulated.

The operator remains unchanged. Only the regime of observation will change.

## POINT OF REST

Up to this point, spectral analysis has been introduced in its formal sense. The operator has been examined in finite dimension. All necessary tools are now defined.

In the next chapter, these tools will be applied systematically to growing domains, allowing us to observe how the operator's spectrum responds to changes of scale.

*Nothing will be assumed. Everything will be measured.*

## 6. SPECTRAL STATISTICS AND SCALE REGIMES

*The relevant information is not in the levels,  
but in the intervals between them.*

*— Freeman Dyson*

### OPERATIONAL INTRODUCTION

In the previous chapters, a deterministic operator  $M$  was constructed and its spectral decomposition was introduced in finite regimes.

In this chapter, the focus shifts from the individual values of the eigenvalues to the **statistical relations between them**.

The goal is to define and apply measures that allow one to characterise the collective behaviour of the spectrum of the operator  $M$  as the domain is enlarged and as the initial scale  $X_0$  — which enters explicitly into the definition of the operator — is shifted along the number line.

No hypothesis of universality is assumed. The tools are introduced prior to any interpretation.

### FROM A DISCRETE SPECTRUM TO THE STATISTICAL REGIME

In finite dimension, the spectrum of  $M$  consists of a discrete and ordered set of real eigenvalues:

$$\lambda_1 \leq \lambda_2 \leq \dots \leq \lambda_n.$$

As  $N$  increases, it becomes natural to investigate not only the absolute values of these eigenvalues, but also the **statistical structure of the spacings between them**.

These relations are sensitive to internal correlations of the operator and constitute the central object of the analysis that follows.

## NORMALISED SPACINGS

We define the consecutive spacings:

$$s_i = \lambda_{i+1} - \lambda_i.$$

To allow comparison across different scales and matrix sizes, the spacings are normalised by the local mean spacing:

$$\hat{s}_i = \frac{s_i}{\langle s \rangle}.$$

The empirical distribution of these values provides a first statistical characterisation of the spectrum.

At this stage, no theoretical form is postulated.

## THE SPACING DISTRIBUTION $P(s)$

The function  $P(s)$  is defined as the histogram of the normalised spacings  $\hat{s}_i$ .

It describes the relative frequency of different separations between consecutive eigenvalues and allows one to distinguish between regimes with or without significant spectral correlations.

**Notebook 06** (`06_scale_regimes_and_spectral_statistics.ipynb`) computes  $P(s)$  for different values of  $N$  and  $X_0$ , while keeping the operator fixed.



The observed distribution will be analysed only in a comparative manner in the subsequent chapters.

## RATIO OF ADJACENT SPACINGS

To reduce dependence on explicit rescaling, we introduce the ratio of adjacent spacings:

$$r_i = \frac{\min(s_i, s_{i+1})}{\max(s_i, s_{i+1})}.$$

This quantity is bounded in the interval  $[0, 1]$  and allows one to define a simple scalar statistic given by:

$$\langle r \rangle = \frac{1}{N-2} \sum_{i=1}^{N-2} r_i,$$

where the sum is taken over indices  $i$  in the spectral *bulk*.

The mean value  $\langle r \rangle$  provides a compact indicator of the degree of correlation between consecutive eigenvalues.

In this chapter, this statistic is introduced **solely as a conceptual tool**.

## NUMBER VARIANCE $\Sigma^2(L)$

A third statistical measure considers fluctuations in the number of eigenvalues contained within intervals of length  $L$ .

We define  $\Sigma^2(L)$  as the variance of the number of eigenvalues contained in spectral windows of length  $L$ , after appropriate normalisation.

This measure provides complementary information about the global rigidity of the spectrum.

**Notebook 06** implements only the calculation of  $*P(s)^*$  for a structural scale and a contrast observation. The statistics  $\langle r \rangle$  and  $\Sigma^2(L)$  are introduced here as conceptual tools. Their operational implementation will be carried out in later notebooks.

## SCALE REGIMES AND EXPERIMENTAL PROTOCOL

All the statistics introduced depend on two fundamental parameters:

- the size of the operator,  $N$ ;
- the initial observation scale,  $X_0$ .

In this chapter, the statistical tools are applied systematically to investigate how the spectrum of  $M$  responds to variations in these parameters.

No interpretation is attached to the results at this point. The focus remains on defining the protocol and ensuring the consistency of the measurements.

It is emphasised that any statistical regularities that may be observed are not attributed to intrinsic properties of the arithmetic sequence itself, but to the operator constructed from it.

## DELIMITATION OF SCOPE

In this chapter:

- fundamental spectral statistics were introduced;
- the measures were applied to the operator  $M$ ;
- the dependence on  $N$  and  $X_0$  was made explicit;
- no universal class was named;
- no physical explanation was proposed.

The observations remain strictly descriptive. What has been constructed so far is not an interpretation of the spectrum, but a vocabulary with which to describe it.



## POINT OF REST

Up to this point, the operator has been constructed and its spectral decomposition has been formally defined. The relevant statistical measures have been introduced, but the experimental protocol is not yet complete.

The minimal set of tools required to confront the observed behaviour with known spectral classes is now in place.

The reading and interpretation of these results will be addressed separately, only after the systematic execution of the measurements.

## 7. RECOGNITION OF A UNIVERSAL CLASS

*Mathematics possesses an inexplicable effectiveness  
in describing the structures of nature.  
— Eugene P. Wigner*

### WHAT CHANGES WHEN CROSSING THE BOUNDARY

Up to this point, the procedure has been strictly constructive.

An arithmetic signal was defined, a change of scale was fixed, and a deterministic operator  $M$  was constructed by explicit symmetrisation. The spectrum of this operator was then measured, and a complete statistical protocol was established.

The decisive point is that none of this required probabilistic hypotheses, stochastic sampling, or random models. The operator remained the same. What varied was solely the observation regime.

At the beginning of this part of the book, a change of status occurs: the measured statistics cease to be merely descriptive records and are instead confronted with known spectral classes.

This comparison introduces no new objects. It introduces only a vocabulary of recognition.

### SPECTRAL CLASSES AS REFERENCE PATTERNS

In spectral analysis, certain families of operators exhibit robust, stable, and recurrent statistical behaviours. When a spectrum displays statistical signatures that remain

stable under changes in size and scale, it is said to be compatible with a universal class.

Two reference classes will be used in this chapter:

- the **uncorrelated class**, associated with spectra whose spacings behave as approximately independent variables (often modelled by an exponential law);
- the **locally repulsive correlated class**, associated with spectra that suppress very small spacings and exhibit global statistical rigidity (whose canonical prototype is the *Gaussian Orthogonal Ensemble*, GOE).

The introduction of these classes is not a hypothesis about  $M$ . It is an instrument for interpreting measurements that have already been performed.

## THE FIRST SIGNATURE: LEVEL REPULSION

Let us consider the empirical distribution  $P(s)$  of the normalised spacings, as defined in the previous chapter.

**Notebook 07** (`07_eigenvalues_recognition_of_goe.ipynb`) shows that, for sufficiently large values of  $N$  and for large initial scales  $X_0$ , the empirical density begins to exhibit a decisive feature: the probability of very small spacings becomes strongly suppressed.



In descriptive terms,  $P(s)$  approaches a shape that:

- is approximately zero at  $s = 0$ ;
- increases from zero to a maximum at  $s > 0$ ;
- decays for larger spacings.

This pattern is not compatible with uncorrelated spectra. It is the minimal signature of local level repulsion.

## THE SCALAR STATISTIC AND THE REFERENCE VALUE

The ratio between adjacent spacings,

$$r_i = \frac{\min(s_i, s_{i+1})}{\max(s_i, s_{i+1})},$$

yields a mean value  $\langle r \rangle$  that summarises the degree of local spectral correlation.

The crucial point is that, for universal classes,  $\langle r \rangle$  assumes characteristic values.

In particular, for the GOE, the literature establishes an approximately constant reference value:

$$\langle r \rangle_{\text{GOE}} \approx 0.536$$

whereas for uncorrelated spectra the typical value is substantially smaller:

$$\langle r \rangle_{\text{nc}} \approx 0.386$$

When the protocol of **Notebook 07** is applied to the operator  $M$ , it is observed that, in appropriate regimes of  $N$  and  $X_0$ , the measured value of  $\langle r \rangle$  systematically approaches the GOE reference value.

This convergence is robust under moderate variations of the protocol parameters (*bulk* selection, logarithmic window, and minimal numerical perturbations), indicating that it is not a local coincidence.

## GLOBAL RIGIDITY OF THE SPECTRUM

Local level repulsion is only part of the universal signature.

A second, independent characteristic is statistical rigidity: the fluctuation in the number of eigenvalues within spectral intervals grows much more slowly than in uncorrelated spectra.

The number variance  $\Sigma^2(L)$ , defined in the previous chapter, measures precisely this fluctuation.

**Notebook 07** demonstrates that, in regimes where  $P(s)$  exhibits suppression at

$s = 0$  and  $\langle r \rangle$  approaches the GOE reference value, the empirical curve of  $\Sigma^2(L)$  departs from linear growth ( $\Sigma^2(L) \sim L$ ) — characteristic of Poisson-type systems — and instead assumes a **logarithmic growth** ( $\Sigma^2(L) \sim \ln(L)$ ).

This transition constitutes robust evidence of spectral rigidity in the operator  $M$ . It indicates that the levels not only repel locally, but also preserve long-range correlations that stabilise the structure of the system.

Two independent statistics — local ( $P(s)$ ) and global ( $\Sigma^2$ ) — thus converge towards the recognition of the same universal class.

## DETERMINISM AND UNIVERSALITY

There is one aspect that deserves to be made explicit.

The GOE is traditionally introduced as a random ensemble of real symmetric matrices. The universality observed in that context refers to the fact that many families of operators, under broad conditions, exhibit the same statistics in the spectral bulk.

In the present work, the operator  $M$  is not random. It is constructed deterministically from an elementary arithmetic function and a fixed change of scale.

The observation made here is therefore more restricted and more concrete:

a deterministic operator, constructed exclusively from prime counting and symmetrisation, can exhibit spectral statistics compatible with the universal GOE class.

Nothing beyond this is claimed.

What this observation establishes is an experimental fact: a universal class can emerge without any external randomness being injected into the procedure.

## PROTOCOL PARAMETERS AND STABILITY OF THE PHENOMENON

To avoid the recognition of the universal class depending on arbitrary choices, it is necessary to make explicit which protocol parameters affect the result and in what way.

In **Notebook 07** (`07_eigenvalues_recognition_of_goe.ipynb`), three parameters play a dominant role:

- `span`, which controls the extent of the logarithmic window and therefore the internal variability of the sampled signal;
- `jitter`, which introduces a minimal numerical perturbation, reducing artificial alignment effects;
- `alpha`, which defines the analysed *bulk*, minimising edge effects.



The relevant phenomenon is not the attainment of an exact value in a single configuration, but the qualitative stability of the signatures (local repulsion,  $\langle r \rangle$  value, and rigidity) under moderate variations of these parameters.

When such stability is observed, class recognition ceases to be a coincidence and becomes a diagnosis.

## DELIMITATION OF WHAT HAS BEEN RECOGNISED

It is essential to maintain the distinction between three levels:

1. **Constructive** —  $M$  was defined by an explicit and deterministic expression.
2. **Observational** — spectral statistics were measured in large- $N$  regimes and at high initial scales  $X_0$ .
3. **Classificatory** — the measured signatures were compared with known universal patterns.

The third level does not alter the first two. It merely names an observed behaviour.

In this chapter, the behaviour recognised is the statistical membership of the spectrum of the operator  $M$ , in appropriate regimes, in the universal GOE class.

## POINT OF REST

Up to this point, the statistical protocol has been applied to the spectrum of the operator  $M$  in progressively extended regimes.

Multiple independent statistics have converged consistently towards the same spectral class.

The observed behaviour has been identified as compatible with the GOE class. No new objects have been introduced. No additional hypotheses have been assumed.

In the next chapter, we will investigate how this diagnosis behaves under systematic scale sweeps and under controlled modifications of the operator, delineating the minimal conditions for the emergence of the observed universality.

## 8. THE PROPER OPTICS: WHY THE LOGARITHMIC SCALE IS STRUCTURAL

*Geometry is not true;  
it is convenient.  
— Henri Poincaré*

### FROM PHENOMENON TO NECESSITY

In the previous chapter, an experimental fact was established with clarity:

the same deterministic operator  $M$ , constructed over the same arithmetic region, exhibits radically different spectral statistics when observed under different scales.

Linear sampling revealed a statistical regime compatible with local decorrelation, whereas logarithmic sampling led systematically to the emergence of universal correlations.

This contrast was not presented as a paradox, but as an **optical effect**: two lenses, two possible readings of the same object.

In this chapter, the metaphor is set aside and the inevitable question is addressed:

why is the logarithmic lens not merely effective, but structurally necessary?



## SCALE AS PART OF THE OBJECT

Up to this point, scale was treated as an external parameter — a choice made by the observer. That perspective is now insufficient.

In the context of prime arithmetic, scale is **not neutral**. It is embedded in the very structure of the object under observation.

Since Gauss, it has been known that the average density of primes around  $x$  decreases as

$$\frac{1}{\ln(x)}.$$

This means that the number line is **not homogeneous** from the standpoint of prime structure. Regions farther from unity are not merely “larger”: they are structurally more sparse.

Consequently, a linear ruler does not measure this space adequately. It compresses dense regions and dilutes sparse ones, distorting any attempt at a global reading.

The logarithmic scale, by contrast, acts as a **natural change of coordinates**: it reparametrises the axis in such a way that the average variation in prime density becomes approximately uniform.

## THE ROLE OF $\Delta_\pi(x)$ UNDER REPARAMETRISATION

The operator  $M$  does not depend directly on  $\pi(x)$ , but on its oscillatory combination:

$$\Delta_\pi(x) = \pi(x) - 2\pi(x/2).$$

This function captures precisely the local deviation from the expected average behaviour.

The crucial point is that:

- under a restricted linear parametrisation,  $\Delta_\pi(x)$  varies slowly;
- under a broad logarithmic parametrisation,  $\Delta_\pi(x)$  traverses regimes with fluctuations across multiple scales.

Thus, the difference observed in the spectrum of  $M$  **does not originate in the operator**, but in the way the operator's argument explores the arithmetic structure.

The linear lens “freezes” the signal. The logarithmic lens sets it into vibration.

## EFFECTIVE COMPLEXITY AND PHASE MIXING

The matrix

$$M_{ij} = \cos(\Delta_\pi(x_i) \ln(x_j)) + \cos(\Delta_\pi(x_j) \ln(x_i))$$

is, by construction, symmetric and deterministic.

However, its degree of effective complexity depends on the diversity of phases present in the terms  $\Delta_\pi(x_i) \ln(x_j)$ .

- In narrow linear windows, these phases are highly correlated.
- In broad logarithmic windows, a **mixing of phases** occurs, comparable to that observed in deterministic chaotic systems.

What the spectrum “recognises” is not randomness, but **richness of interference**.

Universality does not emerge because the system is random, but because it is sufficiently complex when observed at the appropriate scale.

## THE OPTICAL EXPERIMENT

**Notebook 08** (`08_the_discovery_lens.ipynb`) introduces neither new operators nor new statistics.



It performs only one conceptual operation:

the operator is held fixed, while the manner in which the number line is traversed is varied systematically.

In doing so, it demonstrates that:

- Poisson statistics are not a defect of the operator;
- GOE statistics are not an artefact of normalisation;
- both are legitimate readings, corresponding to **distinct geometric regimes**.

Scale acts as a regime selector.

## WHAT THIS CHAPTER DOES NOT CLAIM

It is important to state explicitly the limits of what has been established:

- it is not claimed that the logarithmic scale “creates” universality;
- it is not claimed that every arithmetic function would produce the same effect;
- it is not claimed that GOE statistics are the only possible outcome.

What is claimed is more restricted and more robust:

when arithmetic structure is observed at its natural scale, the complexity required for the emergence of universality is present.

## POINT OF REST

By the end of this chapter, scale ceases to be a technical parameter and becomes part of the structure of the problem.

The logarithmic lens is identified as geometrically natural for the observation of the arithmetic signal.

The contrast between Poisson and GOE statistics is no longer interpreted as a change of object, but recognised as a change of regime.

In all cases, the operator  $M$  remains deterministic and unaltered.

In the next chapter, this understanding will be taken further. We will investigate which features of the operator are essential to the observed universality and which can be modified without destroying it, separating structure from contingency.

## 9. THE LOGARITHMIC SCALE — THE LENS FOR CHAOS

*Measure what is measurable,  
and make measurable what is not.  
— Galileu Galilei*

One of the central results of this work is the observation that the emergence of GOE-type statistics in the spectrum of the operator  $M$  is **not invariant under changes of scale**.

On the contrary, it manifests robustly only when the system is observed through a specific lens: the **logarithmic scale**.

This chapter investigates the reason for this selectivity. The question is no longer *whether* the statistics change with scale — that has already been established — but *why* only the logarithmic scale creates the conditions required for the emergence of a correlated regime.

The answer lies in the very geometry of the distribution of prime numbers.

### THE TOPOGRAPHY OF THE PRIMES

The prime counting function  $\pi(x)$  describes the number of primes less than or equal to  $x$ . The Prime Number Theorem establishes that, asymptotically,

$$\pi(x) \sim \frac{x}{\ln(x)},$$

which implies that the local density of primes along the linear number line satisfies

$$\frac{d\pi}{dx} \approx \frac{1}{\ln(x)}.$$

This expression contains a fundamental piece of information: **the density of primes decays continuously as  $x$  increases**.

Therefore, any observation carried out directly on the linear scale takes place on a terrain whose dominant structural feature is a progressive structural degeneracy of density.

## EMPIRICAL VERIFICATION

The geometric structure described above is not merely asymptotic or conceptual. It is verified directly in **Notebook 09** (`09_logarithmic_scale.ipynb`), where the empirical density of primes is measured and compared in both linear and logarithmic scales.



The plots produced in this experiment show explicitly:

- the continuous decay of  $d\pi/dx$  on the linear scale;
- the transformation of this collapse into a smooth growth law when passing to  $d\pi/d(\ln x)$ .

These visualisations provide the geometric background necessary to interpret the spectral regimes observed in the previous chapters.

## THE LINEAR LENS: AN UNSTABLE STAGE

When the system is observed under a linear parametrisation, the density of states associated with the primes decreases continuously. There is no stable local scale: each successive interval contains less structure than the previous one.

In this regime, the more subtle statistical fluctuations — those responsible for long-range spectral correlations — are submerged beneath a dominant trend of rarefaction.

The observational outcome is straightforward:

on a stage whose geometry collapses continuously, only uncorrelated statistics survive.

This is why, even after local normalisation of spacings, the spectrum of the operator  $M$ , when observed linearly, exhibits Poisson-type statistics.

This is not due to a lack of structure in the operator, but to the absence of geometric conditions allowing that structure to manifest.

## CHANGE OF VARIABLE AND LOGARITHMIC DENSITY

Let us now consider the change of variable

$$y = \ln(x).$$

The density of primes with respect to the new variable is obtained by the chain rule:

$$\frac{d\pi}{dy} = \frac{d\pi}{dx} \cdot \frac{dx}{dy}.$$

Since  $dx/dy = x$ , it follows that

$$\frac{d\pi}{d(\ln x)} = x \cdot \frac{d\pi}{dx}.$$

Substituting the asymptotic approximation for the linear density,

$$\frac{d\pi}{dx} \approx \frac{1}{\ln(x)},$$

we obtain

$$\frac{d\pi}{d(\ln x)} \approx \frac{x}{\ln(x)}.$$

This expression is fundamental: the function  $x/\ln(x)$  is **strictly increasing**.

What was previously a continuous degeneracy of the linear geometry is now transformed into a smooth and predictable growth law.

## THE LOGARITHMIC LENS: STABILISING THE STAGE

The logarithmic scale does not render the density of primes constant. It does something subtler and more important: it transforms a structural degeneracy into a regular geometry.

Instead of a density that tends to zero, we obtain a density that grows in a controlled manner, without violent oscillations. This creates a stable background against which fluctuations can be analysed meaningfully.

It is in this regime that:

- the function  $\Delta_\pi(x)$  exhibits structural fluctuations across multiple scales;
- the operator  $M$  becomes highly variable;
- the spectrum begins to display local correlations and global rigidity.

GOE-type statistics are not created by the logarithmic scale. They are **revealed** by it.

## THE CONDITION FOR EMERGENCE

Numerical experiments show that the transition from an uncorrelated regime to the GOE regime occurs systematically from initial scales of order

$$X_0 \approx 10^4 - 10^5.$$

This observation now admits a clear geometric interpretation.

Below this region, the distribution of primes is still dominated by discrete irregularities and finite-size effects. Above it, the asymptotic law  $x / \ln(x)$  governs the density robustly.

At this point, the “stage” stabilises. From then on, fluctuations — rather than the mean trend — dominate the spectral statistics.



## SYNTHESIS

The role of the logarithmic scale can now be summarised precisely:

- it does not introduce randomness;
- it does not impose universality;
- it corrects the geometry of the observation space.

By aligning observation with the natural scale of the primes, the logarithmic lens creates the minimal conditions under which deep spectral correlations become visible.

The music of chaos does not arise by chance. It can only be heard when the stage is properly constructed.

## POINT OF REST

Up to this point, the distinction between linear and logarithmic observation has been reformulated as a geometric problem of density.

On the linear scale, prime density decays as  $d\pi/dx \approx 1/\ln(x)$ , producing a structurally unstable background in which fluctuations are continuously damped by the rarefaction of the system.

On the logarithmic scale, the corresponding density,  $d\pi/d(\ln x) \approx x/\ln(x)$ , transforms this collapse into a law of smooth growth. What was previously suppressed by structural degeneracy becomes observable.

It thus becomes clear that the logarithmic lens does not “create” universality. It merely stabilises the observation regime in which fluctuations can dominate the statistical behaviour of the operator.

The empirically observed critical scale ( $X_0 \approx 10^4 - 10^5$ ) therefore appears not as an arbitrary parameter, but as the point at which the asymptotic regime consolidates.

The role of scale is thus isolated: it determines whether the operator is observed over collapsing terrain or over stabilised ground.

In the next chapter, we move from geometric diagnosis to operational analysis. We will investigate which perturbations preserve the observed regime and which destroy it, explicitly delineating the minimal conditions required for the persistence of universality.

## 10. THE CONDITIONS FOR HEARING CHAOS

*Order is the pleasure of reason;  
but disorder is the delight of the imagination.*  
— Paul Claudel

In the preceding chapters, consistent evidence was presented of an unexpected phenomenon: the statistical signature associated with quantum chaos — compatible with the GOE class — emerges directly from an operator constructed from the counting of prime numbers.

The aim of this chapter is not to expand the set of results, but to **isolate the minimal conditions** that make this observation possible.

The guiding question thus becomes:

*why does this procedure work, and under which assumptions does it cease to work?*

The answer does not lie in a single technical trick, but in the conjunction of three conceptual principles, which act as necessary conditions for the correlated regime to become audible.

### THE THREE PILLARS OF THE PROTOCOL

The methodology developed throughout this work rests on three complementary pillars. None of them, taken in isolation, is sufficient.

*The number line as a dynamic process*

The first condition is to abandon the interpretation of the number line as a static object and to observe it instead as a **structurally evolving, scale-dependent process**.

As the parameter  $x$  grows, the statistical properties of the system change. This explicit dependence on scale makes it possible to identify distinct regimes: an initial uncorrelated regime, a transition region, and a stabilised regime in which long-range correlations emerge.

Only systems observed as processes, rather than as snapshots, can exhibit this kind of phase-structured behaviour.

*The active role of the One*

The second condition is to recognise the structural role of the *One* not merely as a logical axiom, but as an **active stabilising agent**.

In the construction of the operator, the principle of succession (+1) acts continuously, filling gaps and counterbalancing the multiplicative expansion inherent in prime arithmetic.

It is from this tension — between expansion and stabilisation — that the observed signal emerges. Without explicit recognition of this dynamic role of the *One*, the measured quantity loses its operational meaning.

*The logarithmic lens as the natural scale*

The third condition is the appropriate choice of observational scale.

The logarithmic scale is neither an artificial adjustment nor a technical refinement. It corresponds to the natural scale on which the density of primes ceases to collapse and begins to obey a smooth growth law.

Only on this scale does the geometric background stabilise, allowing deep statistical fluctuations — rather than average trends — to dominate the spectral behaviour.

## EMPIRICAL VERIFICATION

The interaction between these three pillars is demonstrated directly in **Notebook 10** (`10_conditions_for_chaos.ipynb`).



In this experiment, two sets of plots are produced:

- one plot that makes explicit the geometric stabilisation of prime density when observed on the logarithmic scale;
- one plot that tracks the evolution of a relative tension quantity along the number line, revealing the transition between structural regimes.

The lower plot in the notebook materialises the third pillar: the “stable stage” created by the change of variable.

The upper plot materialises the first pillar: the dynamic reading of the system, in which the passage from an unstable regime to a regime of stabilised fluctuations can be observed.

The simultaneous presence of these two elements is a necessary condition for the signature of chaos to become observable.

## CAUSE AND EFFECT

A joint reading of the results allows a clear causal chain to be established:

- without a natural scale, there is no stable stage;
- without a stable stage, there are no dominant fluctuations;
- without dominant fluctuations, there is no observable universality.

Quantum chaos is not produced by a statistical artifice, nor injected by external randomness. It emerges when observation is carried out in the appropriate geometric regime, on a system treated as a process.

## SYNTHESIS

The observational “recipe” can now be formulated objectively:

- observe the number line as a dynamic process;
- recognise the stabilising role of the *One*;
- align observation with the natural scale of the primes.

It is the rigorous intersection of these three principles — and only this intersection — that allows the counting of primes to be transformed into a direct observation of universal chaos statistics.

## POINT OF REST

Up to this point, the minimal structural conditions for the emergence of a correlated spectral regime have been isolated.

It has become clear that none of them is sufficient in isolation. The choice of scale, the treatment of the operator as a scale-dependent process, and the stabilising mechanism act jointly, and only their articulation produces the observed behaviour.

**Notebook 10** provides a direct empirical verification of this interdependence, showing that universality emerges exclusively when these conditions are satisfied simultaneously.

In the next chapter, this articulation will be put under tension. We shall investigate which perturbations preserve the identified regime and which destroy it, thereby delineating with precision the domain of validity of the observed universality.

# 11. THE ANATOMY OF CHAOS — EIGEN-VECTOR ANALYSIS

*What we observe is not nature itself,  
but nature exposed to our method of questioning.*  
— Werner Heisenberg

In the previous chapters, the analysis focused on the **eigenvalues** of the operator  $M$ . They provided the spectral locations of the system's excitations and, through their statistics, made it possible to distinguish uncorrelated regimes (Poisson) from correlated regimes (GOE).

In this chapter, the focus shifts to the **eigenvectors** of the operator.

If eigenvalues indicate *where* spectral structures are located, eigenvectors reveal *how* this complexity is distributed internally. They encode the structural patterns of the system and allow us to determine whether the observed regime is merely statistically compatible or **structurally ergodic**.

## BEYOND EIGENVALUES

In systems associated with quantum chaos, it is not sufficient for spectral spacings to exhibit level repulsion. It is also necessary that the eigenvectors be **delocalised**, filling the space in an approximately uniform manner.

This property distinguishes genuinely chaotic systems from those that are merely perturbed or artificially randomised.

To investigate this aspect, we introduce two complementary tools:



- the *Participation Ratio*;
- the statistics of eigenvector components.

## TOOL I — PARTICIPATION RATIO

The *Participation Ratio* ( $PR$ ) quantifies the degree of spreading of an eigenvector.

For a normalised eigenvector

$$v = (v_1, v_2, \dots, v_n),$$

it is defined as

$$PR = \frac{(\sum_{i=1}^n |v_i|^2)^2}{\sum_{i=1}^n |v_i|^4}.$$

Its interpretation is straightforward:

- localised eigenvectors have small  $PR$ , of order unity;
- delocalised eigenvectors have  $PR$  proportional to  $N$ .

In Random Matrix Theory, eigenvectors of the GOE class are **ergodic**. For them, the normalised ratio

$$\frac{PR}{N}$$

concentrates around the universal value

$$\frac{1}{3}.$$

This value constitutes a structural signature of quantum chaos, independent of the detailed form of the operator.

## TOOL II — COMPONENT STATISTICS

A second, independent theoretical prediction concerns the distribution of individual eigenvector components.

For matrices in the GOE class, the components of a typical bulk eigenvector behave as random variables drawn from a **real Gaussian distribution**, with zero mean and variance fixed by normalisation.

This prediction can be tested directly:

- select an eigenvector from the centre of the spectrum;
- construct the histogram of its components;
- compare it with the theoretical Gaussian curve;
- quantify compatibility using the Kolmogorov–Smirnov test.

A high *p-value* indicates no statistical evidence to reject the Gaussian hypothesis.

## THE EMPIRICAL LABORATORY

**Notebook 11** (`11_eigenvector_anatomy.ipynb`) implements these two analyses systematically, allowing direct comparison between two observation regimes:

- linear sampling;
- logarithmic sampling.



For each case, four plots are produced:

- the histogram of the components of a bulk eigenvector;
- the corresponding theoretical Gaussian curve;
- the distribution of  $PR/N$  across the spectrum;
- a visual comparison between regimes.

## RESULTS — GENUINE SIGNAL AND METHODOLOGICAL ARTEFACT

The results display an instructive contrast between the two observation regimes.

### *Logarithmic scale — the genuine signal of chaos*

Under logarithmic parametrisation, one observes that:

- eigenvector components consistently follow a Gaussian distribution;
- the Kolmogorov–Smirnov test returns high *p-values*;
- the distribution of  $PR/N$  is sharply concentrated around  $1/3$ .

These results indicate that the eigenvectors are **ergodic** and that the observed complexity is not superficial, but a structural property of the operator.

### *Linear scale — the methodological phantom*

Under linear parametrisation, the results initially appear similarly compatible with the GOE: approximately Gaussian components and values of  $PR/N$  close to  $1/3$ .

This resemblance, however, is misleading.

In this regime, the constructed matrix is structurally impoverished and requires the introduction of small numerical perturbations (*jitter*) to avoid artificial degeneracies.

The eigenvectors then primarily reflect the statistical properties of the injected noise rather than the underlying arithmetic structure.

What is measured in this case is not the chaos of the primes, but a **methodological artefact**.

## STRUCTURAL DIAGNOSIS

The comparison between the two regimes allows a clear diagnosis:

ergodic eigenvectors obtained without artificial noise injection constitute the unequivocal signature of a genuinely chaotic regime.

The logarithmic scale satisfies this condition. The linear scale does not.

## APPLIED PERSPECTIVE — A CRYPTOGRAPHIC PRIMITIVE

The observed properties suggest potential applications in areas such as cryptography.

Parameters such as  $X_0$ ,  $N$ , and the arithmetic function  $\Delta_\pi(x)$  may be interpreted as a private key, from which highly complex eigenvectors are generated deterministically.

The inverse problem — reconstructing these parameters from an ergodic eigenvector — presents high computational complexity.

This constitutes a *quantum primitive* not in the physical sense, but in the statistical one: the exploited properties coincide with those of quantum chaotic systems, without requiring quantum hardware.

This possibility remains speculative, but it illustrates the conceptual reach of the developed formalism.

## POINT OF REST

Up to this point, the spectral analysis has been extended from the eigenvalues to the eigenvectors of the operator  $M$ .

It has been shown that the GOE regime manifests not only in level statistics, but also in the internal geometry of the states: the eigenvectors are ergodic, the Participation Ratio confirms their structural delocalisation, and the Gaussian distribution of components emerges consistently.

This set of observations made it possible to clearly distinguish genuine signal from methodological artefacts. **Notebook 11** provides the direct empirical basis for these conclusions.

With this, the characterisation of the chaotic regime associated with the operator  $M$  is complete, both in its spectrum and in the internal structure of its states.

In the next chapter, we conclude the conceptual journey, bringing together the results obtained into a unified structural reading.

## 12. THE OBSERVER IN THE MIRROR — CONTROL AND ROBUSTNESS

*The first principle is that you must not fool yourself —  
and you are the easiest person to fool.  
— Richard Feynman*

### THE ASTONISHMENT OF OBSERVATION

We have reached a point of astonishment.

The previous chapters revealed a phenomenon that defies intuition: prime numbers, immutable mathematical entities, exhibit two distinct statistical natures. Under a linear lens, they behave according to **Poisson** statistics; under a logarithmic lens, they display correlations compatible with the **GOE** class.

An unavoidable question arises:

**what is wrong?**

Is this result a methodological artefact, an illusion produced by technical choices, or does it reflect a genuine property of the structure of the primes?

The only intervention introduced was the presence of an *observer* — the choice of scale. As in quantum physics, the system appears to respond to the way in which it is interrogated.

This chapter confronts that astonishment directly, subjecting the method to the most fundamental scientific test: **the control experiment**.

## THE CONTROL EXPERIMENT

The central question is simple and precise:

is the observed duality (Poisson versus GOE) a property specific to the structure of the primes, or would any sufficiently irregular signal produce the same effect?

To answer this question, the deterministic arithmetic signal based on  $\Delta_\pi(x)$  is replaced by **pure white noise** — a sequence of genuinely random values, devoid of long-range internal correlations.

At first glance, one might expect an even more “chaotic” signal to generate GOE-type statistics in both regimes. The experimental result, however, points in exactly the opposite direction.

The complete computational protocol for this control experiment is implemented in **Notebook 12** (`12_mirror_observer.ipynb`).

In this notebook, the deterministic arithmetic signal based on  $\Delta_\pi(x)$  is replaced by pure white noise, while keeping **unchanged**:

- the construction of the operator;
- the normalisation;
- the spectral analysis;
- the observational parameters.



This controlled substitution allows the specific role of the prime structure in the emergence of GOE statistics to be isolated unequivocally.

## THE DISCOVERY — THE CHAOS OF THE PRIMES IS SPECIAL

When the protocol is executed with the random signal activated, the result is unambiguous: **GOE-type statistics disappear completely**.

Both on the linear scale and on the logarithmic scale, the spectrum of the operator constructed from white noise exhibits statistics compatible with **Poisson**.

This result imposes a clear conclusion:

- GOE statistics are **not generic**;
- they **do not emerge** from arbitrary irregular signals;
- they **require specific structural correlations**.

The control experiment demonstrates that Poisson statistics constitute the **baseline state**: when the operator is driven by a completely uncorrelated signal, the resulting spectral structure remains equally uncorrelated.

## THE SINGULARITY OF THE PRIME SIGNATURE

The contrast with the arithmetic case is decisive.

When the operator is constructed from  $\Delta_\pi(x)$ , GOE statistics emerge **exclusively** under the logarithmic lens. This indicates that it is not the “noise” of the primes that generates the effect, but the interaction between:

- the specific pseudo-random structure of the prime distribution;
- the logarithmic scale, which stabilises the geometry of the observational space.

GOE behaviour arises only when these two conditions enter into **resonance**.

The control experiment therefore eliminates the hypothesis that the observed phenomenon is a mathematical artefact. It confirms that the universality identified in the previous chapters is an **emergent and rare property**, not a generic effect.

## THE MUSIC OF THE PRIMES AND BACKGROUND NOISE

The control protocol allows **signal** and **noise** to be separated definitively.

- **For the primes:**
  - linear scale  $\rightarrow$  Poisson statistics;



- logarithmic scale  $\rightarrow$  GOE-type statistics.

- **For white noise:**

- linear scale  $\rightarrow$  Poisson;

- logarithmic scale  $\rightarrow$  Poisson.

The conclusion is unequivocal: GOE statistics are **not noise**.

They are the signature of a deep order, hidden within the distribution of the prime numbers, and they become audible only when observed at the appropriate scale.

## POINT OF REST

In this chapter,

the method was subjected to a rigorous control experiment.

It was demonstrated that GOE statistics do not emerge from generic random signals.

The specific signature of the primes was unequivocally isolated as the source of the  
correlated regime.

It was confirmed that the logarithmic scale does not create the phenomenon, but  
defines the regime in which it can manifest.

The observer was placed before the mirror —  
and the reflection remained consistent.

In the next chapter, the focus shifts. The task will no longer be to recognise  
universality, but to explore its limits: **which perturbations preserve it, which  
destroy it, and which aspects of the construction are essential for its  
persistence.**

## 13. THE UNIVERSALITY OF CHAOS — SCALE SWEEPS

*Nature uses only the longest threads to weave its patterns,  
so that each small piece of its fabric  
reveals the organisation of the entire tapestry.  
— Richard Feynman*

### A LOCAL LAW OR A UNIVERSAL ONE?

In the previous chapters, we established a central result: when prime numbers are observed through the lens of logarithmic scaling, the spectrum of the operator  $M$  robustly exhibits the statistics of the *Gaussian Orthogonal Ensemble* (GOE), the hallmark of quantum chaos.

This observation was initially made within specific windows of the number line, centred around values such as  $X_0 = 10^7$  or  $10^8$ . An inevitable question then arises: is this a local phenomenon, confined to particular regions, or a universal property of the distribution of prime numbers?

Random Matrix Theory offers a clear prediction: genuinely chaotic systems display universal statistics, independent of microscopic details. This chapter tests that prediction directly in the arithmetic context.

## THE EXPERIMENT: SWEEPING ACROSS SCALES

To investigate the universality of the phenomenon, we perform a systematic sweep across several orders of magnitude of the number line. Keeping fixed both the construction of the operator  $M$  and the logarithmic observation lens, we vary only the starting point  $X_0$ , exploring values ranging from  $X_0 = 10^3$  to  $X_0 = 10^8$ .

At each scale, we compute one of the most stable and informative statistics in spectral theory: the mean ratio of adjacent level spacings,

$$\langle r \rangle = \left\langle \frac{\min(s_i, s_{i+1})}{\max(s_i, s_{i+1})} \right\rangle.$$

This statistic has well-known universal values:

- $\langle r \rangle \approx 0.386$  for Poisson;
- $\langle r \rangle \approx 0.536$  for GOE.

The hypothesis under test is both simple and strong: if the GOE regime is universal, the value of  $\langle r \rangle$  should converge to the GOE prediction and become independent of the scale  $X_0$ .

## THE SWEEP LABORATORY

**Notebook 13** (`13_scale_sweeps.ipynb`) implements this experiment in an automated fashion. For each value of  $X_0$ , the operator is constructed, its spectrum is computed, and the statistic  $\langle r \rangle$  is extracted.



The final outcome is a plot of  $\langle r \rangle$  as a function of  $\ln(X_0)$ , which allows the statistical regime to be tracked continuously across scales.

This procedure eliminates interpretations based on isolated cases and exposes the global structure of the phenomenon.

## THE TRANSITION TO UNIVERSAL CHAOS

Analysis of the results reveals three clearly organised regimes along the scale axis.

### *The low-scale regime: the echo of order*

For small values of  $X_0$ , typically  $10^3$  and  $10^4$ , the statistic  $\langle r \rangle$  remains close to the Poisson value. In this regime, the distribution of primes is still strongly influenced by discrete irregularities and local arithmetic effects. The correlations required for the emergence of chaos are not yet fully developed.

### *The transition zone: the awakening of chaos*

Around  $X_0 \approx 10^4$ , a rapid transition is observed. The value of  $\langle r \rangle$  increases sharply, moving away from the Poisson regime and approaching the GOE value. This behaviour indicates that the system reaches a critical level of complexity, at which long-range correlations begin to dominate the spectral statistics.

### *The asymptotic regime: GOE universality*

Beyond scales of order  $10^7$ , the value of  $\langle r \rangle$  stabilises unequivocally at the value predicted for the GOE. More importantly, it becomes essentially independent of  $X_0$ .

We thus enter the asymptotic regime: the observed statistics no longer carry information about a specific position on the number line and instead reflect a universal law.

## SYNTHESIS

The scale sweep reveals that the transition observed in earlier chapters is not a local artefact, but the manifestation of a deep and universal structure. The duality between Poisson and GOE does not represent a contradiction, but rather a geometric journey along the prime number line.

As the scale increases, the system leaves local order behind and converges towards a regime of universal chaos, in perfect agreement with the predictions of Random

Matrix Theory.

The music of the primes is not a regional accident. It is a structural constant of the arithmetic universe — audible only when observed at the correct scale.

## POINT OF REST

Up to this point, a precise distinction has been established between a local phenomenon and a universal diagnosis. The notion of universality has been defined operationally as independence with respect to the starting point  $X_0$ , rather than as an asymptotic extrapolation or a qualitative argument.

Under this criterion, a scale-sweep protocol was formulated in which the construction of the operator  $M$  and the logarithmic observation lens remain fixed, while only the starting point  $X_0$  is displaced across several orders of magnitude. To track this sweep, the statistic  $\langle r \rangle$  was adopted as a compact and robust indicator of spectral correlation, enabling direct comparison between regimes without the introduction of additional assumptions.

The observed outcome organises itself into three well-defined regions: an initial regime compatible with Poisson statistics, a transition zone centred around  $X_0 \approx 10^4$ , and an asymptotic regime in which  $\langle r \rangle$  stabilises near the characteristic GOE value.

Above a critical scale, the diagnosis ceases to depend on the position along the number line and instead reflects a stable statistical behaviour.

Universality thus ceases to be an intuitive inference and becomes an **operational result**. There exists a regime in which the operator  $M$ , observed on the logarithmic scale, persistently exhibits spectral signatures compatible with the GOE class under sweeps of  $X_0$ .

In the next chapter, this stability will be put to the test. We will investigate which variations of the protocol preserve the observed diagnosis and which degrade it, explicitly delineating the minimal conditions required for the persistence of the identified universality.

## 14. WHERE DOES CHAOS RESIDE? — TESTING ALTERNATIVE OPERATORS

*If you drag a net with a five-centimetre mesh through the sea,  
your conclusion will be that no fish smaller than five centimetres exist.  
But is that a fact about the fish in the sea, or about your net?  
— Arthur Eddington*

### THE FINAL DOUBT

The preceding chapters established a strong result: when the arithmetical signal of the primes is observed on the logarithmic scale, the spectrum of the constructed operator robustly exhibits statistics compatible with the universal GOE class, whereas linear observation systematically leads to the Poisson regime.

Nevertheless, a legitimate doubt remains.

Up to this point, the central operator of this work has been defined through a *cosine kernel*, of the form

$$M_{ij} \propto \cos(f_i \cdot \log x_j) + \cos(f_j \cdot \log x_i),$$

where  $f_i = \Delta_\pi(x_i)$ .

It is natural to ask whether the observed duality — Poisson on the linear scale and GOE on the logarithmic scale — is an intrinsic property of the arithmetical system, or whether it could be an artefact of the specific functional choice of the kernel.

In other words:



*does chaos reside in the primes, or in the operator we chose to observe them?*

This chapter is devoted to confronting this question directly.

## CHANGING THE INSTRUMENT

The cosine is not an arbitrary function. It arises naturally as the real part of a complex phase:

$$\cos(\theta) = \operatorname{Re}(e^{i\theta}).$$

An immediate generalisation therefore consists in abandoning the real projection and working directly with the full complex phase.

We thus introduce an alternative operator, defined through a *phase kernel*:

$$M'_{ij} = e^{i \cdot f_i \cdot \log x_j}.$$

This operator is not real-symmetric, but it carries the same fundamental structural information: the interaction between the arithmetical signal  $f_i$  and the logarithmic scale of  $x_j$ .

The motivation for this test is simple and rigorous: if the GOE statistics observed previously arise from the deep interaction between the prime signal and the scale of observation — and not from the particular form of the cosine — then replacing the kernel should not destroy the phenomenon.

## OPERATIONAL HYPOTHESIS

The hypothesis tested in this chapter can be stated objectively:

If the Poisson/GOE duality is structural, then alternative operators, constructed from the same arithmetical information and observed at the same scales, should exhibit the same statistical behaviour.

In particular, we expect to observe:

- Poisson statistics on the linear scale;
- statistics compatible with GOE on the logarithmic scale;
- stability of these results under changes of kernel.

## THE OPERATOR LABORATORY

**Notebook 14** (`14_alternative_operators.ipynb`) implements this test in a controlled manner.



A selector was introduced allowing one to switch between the *cosine kernel* and the *phase kernel*, while keeping unchanged:

- the arithmetical signal  $\Delta_\pi(x)$ ;
- the observation regimes (linear and logarithmic);
- the statistical protocol applied to the spectrum.

This approach guarantees that any observed difference can be attributed exclusively to the form of the operator — and not to collateral changes in the method.

## RESULT: STATISTICAL INVARIANCE

The outcome of the experiment is unambiguous.

Replacing the cosine kernel with the phase kernel **does not alter** the statistical diagnosis:

- on the linear scale, the spectrum remains compatible with Poisson;
- on the logarithmic scale, the spectrum continues to exhibit level repulsion, global rigidity, and reference values compatible with GOE.

This invariance is non-trivial. It demonstrates that the observed statistical duality is not a functional artefact, but a robust property of the underlying system.

## WHERE CHAOS TRULY RESIDES

The test with alternative operators now allows us to locate precisely the origin of the phenomenon.

The observed chaos:

- does not reside in the specific form of the kernel;
- is not created by the operator;
- does not depend on a delicate functional choice.

It emerges from the combination of two fundamental elements:

1. the intrinsic arithmetical structure of the signal  $\Delta_\pi(x)$ ;
2. the observation of this signal on the logarithmic scale natural to the primes.

The operator acts merely as a reading instrument. Changing the instrument does not change the music.

## POINT OF REST

Neste capítulo,

Up to this point, the dependence of the phenomenon on the specific form of the operator has been examined systematically.

It has been verified that functionally distinct kernels lead to the same statistical diagnosis, and that the duality between Poisson-type and GOE-type regimes remains invariant under this substitution.

As a result, the origin of the observed behaviour can be isolated with clarity: it does not reside in formal details of the construction, but in the interaction between the arithmetical signal of the primes and the adopted scale of observation.

This chapter therefore closes the investigation into possible operational artefacts.

In the chapters that follow, the focus shifts from causes to consequences.

We shall investigate what is genuinely universal, which perturbations can be introduced without destroying the observed regime, and which natural limits emerge from the very structure that has been identified.

# 15. CONFIRMATION AT STRATOSPHERIC HEIGHTS

*Wir müssen wissen. Wir werden wissen.*

*(We must know. We shall know.)*

— David Hilbert

## HISTORICAL CONTEXT: MONTGOMERY, BERRY, AND ODLYZKO

To appreciate the significance of what is observed in this final chapter, it is essential to place historically the connection between prime numbers, the zeros of the zeta function, and quantum chaos.

The path followed throughout this work echoes one of the most remarkable convergences between mathematics and physics in the twentieth century.

### *The initial spark: Montgomery and Dyson*

In the 1970s, Hugh Montgomery was investigating correlations between the non-trivial zeros of the Riemann zeta function. In an informal conversation with Freeman Dyson, Montgomery presented the formula he had obtained for the pair correlation function of these zeros.

Dyson immediately recognised the underlying statistical structure: it was the very same statistic that describes level repulsion in the energy spectra of heavy atomic nuclei — a domain modelled by Random Matrix Theory.

This observation opened an unexpected bridge between analytic number theory and quantum physics.

### *The physical framework: Berry and quantum chaos*

The connection required an explanatory principle. Michael Berry, together with other physicists, provided this framework by establishing Random Matrix Theory as the universal language of quantum chaos.

Berry's conjecture states that quantum systems whose classical counterparts are chaotic exhibit universal spectral statistics, described by the Gaussian Orthogonal Ensemble (GOE).

Within this framework, the zeros of the zeta function — and, by extension, the arithmetic of the primes — came to be interpreted as an abstract quantum chaotic system.

### *Computational confirmation: Odlyzko*

The conjecture gained decisive empirical support through the work of Andrew Odlyzko. Using supercomputers and highly optimised algorithms, Odlyzko computed the positions of billions of zeta zeros at extreme heights along the critical line, reaching scales of order  $10^{22}$  and beyond.

The results were unequivocal: the observed statistics matched, with extraordinary precision, the predictions of the **GUE** (Gaussian Unitary Ensemble).

The laboratory presented in this chapter is a direct homage to this intellectual trajectory, but with a fundamental distinction: while the zeros in the complex plane reveal GUE rigidity, our analysis of the real arithmetic line, anchored in unity, reveals the emergence of the **GOE** class — the signature of systems that preserve mirror symmetry.

## THE CHALLENGE OF STRATOSPHERIC HEIGHTS

In the preceding chapters, we established that GOE-type statistics emerge stably from initial scales of order  $10^5$ .

The natural question that follows is whether this law persists at truly extreme scales — those explored by Odlyzko in the study of zeta zeros.

A direct approach is impractical. Explicit prime counting rapidly becomes infeasible at stratospheric heights.

To circumvent this limitation, we turn to a theoretical bridge: Riemann's function  $R(x)$  (also known as the smoothed prime counting function), which provides an extremely accurate asymptotic approximation to  $\pi(x)$ , even in astronomical regimes.

This substitution allows us to probe regions of the number line far beyond the reach of elementary algorithms, while preserving the relevant statistical structure.

## ANALYSIS OF STRATOSPHERIC DATA

In this final experiment, no new raw data are generated. Instead, we analyse a set of results computed in real time, organised into a *dataframe* (a tabular structure of numerical data) that spans a sweep of  $X_0$  from  $10^8$  to approximately  $10^{28}$ .

No external data nor precomputed tables are used. All values analysed in this chapter are generated directly within **Notebook 15**, which implements the full experiment at high precision, resorting to Riemann's  $R(x)$  function as an asymptotic approximation to  $\pi(x)$  in order to enable probing at stratospheric heights.

Two central statistics are monitored throughout this sweep:

- the mean ratio of adjacent spacings,  $\langle r \rangle$ ;
- the normalised *Participation Ratio*,  $PR/N$ .

Both act as independent fingerprints of the GOE class.

## FINAL HYPOTHESIS

If the connection between prime arithmetic and GOE statistics is structural and truly universal, **supported by the mirror symmetry inherent to the real line**, then these two quantities should remain stable, tightly clustered around their theoretical GOE values,

- $\langle r \rangle_{\text{GOE}} \approx 0.536$

- $PR/N \approx 1/3$

even as the analysis is pushed to the most distant frontiers of the number line.

What this chapter examines, therefore, is no longer the emergence of chaos, but its absolute persistence.

## COMPUTATIONAL REPRODUCIBILITY AND THE ROLE OF NOTEBOOK 15

It is important to emphasise that the results presented in this chapter are not merely expository or interpretative.

**Notebook 15** (`15_stratospheric_heights.ipynb`) explicitly implements the experiment described throughout this chapter and constitutes the complete computational laboratory for this final stage of the investigation.



In this notebook:

- stratospheric data are **generated in real time**, directly within the notebook, via numerical evaluation of Riemann's  $R(x)$  function, without recourse to pre-computed tables, external databases, or stored data;
- Riemann's  $R(x)$  function is used as an asymptotic approximation to  $\pi(x)$ ;
- the statistics  $\langle r \rangle$  and  $PR/N$  are computed directly from the spectrum of the operator;
- results are visualised and compared with theoretical GOE values;
- the entire process can be **fully replicated** by the reader.

The notebook not only confirms numerically the persistence of GOE statistics at extreme heights, but also provides a transparent, auditable, and re-executable protocol for independent verification of the results.

Thus, this chapter rests neither on historical authority nor on isolated theoretical extrapolation, but on an explicit computational experiment, aligned with contemporary standards of scientific reproducibility.



## POINT OF REST

In this chapter, the historical connection between prime numbers, the zeros of the zeta function, and quantum chaos was placed in context, while the inherent computational limitations of direct exploration at extreme scales were made explicit. To overcome this barrier, Riemann's function  $R(x)$  was introduced as an asymptotic bridge, allowing stratospheric heights to be probed without recourse to explicit prime enumeration.

With this instrument in hand, spectral statistics were analysed in domains extending up to  $10^{28}$ , and the ultimate stability of the signatures associated with the GOE class was tested systematically.

The observed outcome is unequivocal. The music of quantum chaos does not dissipate with height. It persists, intact, as a **universal structural regularity** of arithmetic.

Here, the journey does not end through computational exhaustion, but through conceptual saturation.

Nothing higher needs to be climbed: the structure has already revealed itself in full.

## 16. BERRY'S VIEW — THE UNIVERSAL SIGNATURE OF QUANTUM CHAOS

*Quantum mechanics is not chaotic.  
So how can the classical world,  
which emerges from it, be so?  
— Michael Berry*

### THE PARADOX OF CHAOS

In the classical world — Newton's world — chaos is a familiar phenomenon. It manifests itself as extreme sensitivity to initial conditions, the so-called *butterfly effect*. Deterministic systems may become unpredictable because small perturbations grow exponentially over time. Classical chaos lives in trajectories.

When we enter the quantum domain, however, this notion seems to dissolve. Quantum mechanics does not describe well-defined trajectories, but wave functions and probability distributions. The Schrödinger equation is linear, deterministic, and perfectly predictable.

A profound paradox thus arises: if the quantum world is the ultimate foundation of reality, **where is the chaos we observe in the classical world?**

### WHERE DID CHAOS GO? BERRY'S QUESTION

The resolution of this paradox did not come from a new equation, but from a radical shift in perspective. Michael Berry posed the decisive question:

*What if the signature of chaos were not in trajectories, but hidden in the energy spectrum of the system?*

The proposal was both simple and profound. Berry suggested that quantum chaos does **not** manifest dynamically, but **statistically**.

Quantum systems whose classical analogue is ordered should exhibit spectra with no significant internal correlations. By contrast, systems whose classical analogue is chaotic should reveal this disorder in a paradoxical way: through a **rigid and universal statistical order** in their eigenvalues.

Quantum chaos does not disappear — it changes language.

## THE UNIVERSAL ANSWER: THE BGS CONJECTURE

Berry's vision was formalised in the **Bohigas–Giannoni–Schmit (BGS) conjecture**. The result is unambiguous:

- quantum systems associated with **integrable** classical dynamics exhibit **Poisson** statistics;
- quantum systems associated with **chaotic** classical dynamics exhibit statistics of the **Gaussian Orthogonal Ensemble (GOE)**.

In the chaotic regime, energy levels display **level repulsion** and **global spectral rigidity**. Specifically, GOE statistics emerge in systems that preserve time-reversal symmetry — the structural counterpart of the mirror symmetry we identified on the arithmetic line anchored at unity.

Chaos, far from producing statistical disorder, imposes a deep regularity.

GOE thus becomes the **universal signature of quantum chaos**.

## THE CORNERSTONE OF THIS WORK

This vision constitutes the conceptual axis of the entire trajectory developed in this book.

In the preceding chapters, we constructed a spectral operator directly from fluctuations in the counting of prime numbers, without explicit recourse to the zeros of the Riemann zeta function.

Even so, the resulting spectrum exhibits, in a robust, reproducible, and persistent manner, all the statistical signatures of GOE.

In the light of Berry's perspective, this result acquires a precise meaning. It is not a numerical coincidence, but evidence that mirror symmetry at  $1/2$  is a real-line realisation of the same class of spectral rigidity that Riemann envisaged in the complex plane.

## ARITHMETIC AS A SPECTRAL OBJECT OF CHAOTIC CLASS

What this work reveals is that the sequence of prime numbers, when observed at its natural scale, behaves as a spectral object belonging to the chaotic class.

There are no particles.

There is no explicit physical Hamiltonian.

There is no temporal dynamics in the classical sense.

And yet there are:

- level repulsion;
- spectral rigidity;
- ergodic eigenvectors;
- universal GOE statistics.

The observed regularity is not metaphorical. It is **spectral**.

Chaos is not in trajectories, because there are no trajectories. It lies in the **deep statistical structure** of the spectrum.

## ORDER, RANDOMNESS, AND RECONCILIATION

For more than a century, the distribution of primes has oscillated between two opposing narratives:

- a vision of rigid order, governed by deterministic laws;
- a vision of apparent randomness, sustained by probabilistic models.

Berry's perspective offers a third path.

The primes are not random. They exhibit **a structure whose spectral statistics belong to the universal chaotic class.**

Their irregularity is not an absence of law, but the expression of a deeper statistical universality — the same that governs chaotic physical systems.

And all this rigidity emerges from a single structural gesture: the arithmetic mirroring  $x \rightarrow x/2$ , reiterated across scales, without fragmentation of the unit.

## POINT OF REST

In this chapter, Berry's view was presented as a conceptual resolution of the quantum chaos paradox, and the BGS conjecture was introduced as an operational criterion for the universal diagnosis of chaos.

Within this framework, the GOE class emerges not as a technical choice, but as the natural statistical signature of the chaotic regime.

In the light of this universal language, the spectrum of the arithmetic operator could be reinterpreted in a unified manner, reconciling the historical tension between order and irregularity in the distribution of the primes.

What previously appeared as a conceptual conflict revealed itself as two faces of the same structure, observed through different lenses.

With this, the conceptual traversal is complete.

In the final chapter, all the elements — arithmetic, spectrum, scale, and universality — will be brought together into a single structural reading, bringing the journey to a close not with a new conjecture, but with a synthesis.

## 17. BERRY’S BRIDGE — FROM PYTHAGORAS TO DYSON

*Mathematics is the language with which  
God wrote the universe.  
— Galileu Galilei*

*... or is the universe itself mathematics, and are we finally returning to the  
Pythagorean view?*

### THREE WORLDS, A SINGLE MUSIC

This chapter introduces no new technical results. Its purpose is to consolidate, within a single conceptual framework, the results established throughout the entire investigation.

Along this journey, we encountered three intellectual worlds that, at first glance, appear disconnected:

- the world of **Pythagoras**, in Ancient Greece, with the intuition that “all is number” and that reality obeys a musical harmony;
- the world of **Riemann**, in the nineteenth century, with the search for hidden order in the distribution of primes through the zeta function;
- the world of **Berry**, in the twentieth century, with the identification of **quantum chaos** and its universal statistical signature, the **GOE**.

Harmony, order, and chaos — three different languages describing the same phenomenon.

What this work suggests is that these languages are not competing, but complementary, unified by a common structural thread: the centrality of the **One**.

## MICHAEL BERRY'S INADVERTENT BRIDGE

Michael Berry, when investigating quantum systems whose classical analogue is chaotic, did not aim to understand the arithmetic of prime numbers.

Yet, by establishing **GOE** statistics as a universal signature of quantum chaos, he inadvertently provided the conceptual tool required to unify these three worlds.

The harmony that Pythagoras conceived as numerical relation, that Riemann pursued as hidden order, and that Montgomery and Dyson recognised in the zeros of the zeta function, found in Berry its definitive language.

GOE thus became a true **Rosetta Stone**:

- Pythagorean harmony acquired precise statistical form;
- order in Riemann's zeros received a physical analogue;
- quantum chaos revealed itself as structure rather than disorder.

What once appeared fragmented was revealed to be part of a single music.

## THE INVISIBLE THREAD: THE ONE AS A COMMON SOURCE

But why do such distinct descriptions lead to the same statistics?

The answer lies in the simplest — and most neglected — element: the **One**.

- Pythagoras perceived the harmony emerging from counting itself, a process that begins with the One;
- Riemann mapped the terrain of the primes, an inevitable consequence of the multiplicative structure erected from the One;
- Berry described quantum chaos whose statistical signature, as demonstrated in this work, emerges from fluctuations in prime counting.



**GOE** is neither a physical artefact nor an analytical accident. It is the statistical echo of the complexity generated by the most elementary rule: the succession constructed from the One.

## THE FOLD AT 1/2: EARTH AND SKY

At the centre of the laboratory stood the functional

$$\Delta_{\pi}(x) = \pi(x) - 2\pi\left(\frac{x}{2}\right)$$

The fold at 1/2 was not introduced for convenience. It emerged as a structural necessity in the finite domain: it is precisely the point that separates, in any interval  $[1, x]$ , the primes that **structure** the composites from those that **stabilise** the sequence.

Remarkably, this same constant occupies the central role in the asymptotic domain of number theory: the **critical line** of the Riemann Hypothesis.

The zeta function is a map of infinite reach. The arithmetic function  $\Delta_{\pi}(x)$  is a finite, handwritten map. Yet both reflect the same fundamental symmetry.

What Riemann glimpsed at infinity appears here as an inevitable shadow in the finite.

## POINT OF REST

At the end of this journey, what imposes itself is not a conclusion in the classical sense, but a structural synthesis.

The observed statistics were not transferred from physics to arithmetic as metaphor or external analogy. They emerge directly from the structure of the primes themselves when these are observed at the appropriate geometric scale.

Under this lens, what has come to be known as quantum chaos and the enigma associated with the zeta function reveal themselves as distinct manifestations of a single underlying order.

The reading proposed here introduces no new objects and requires no ontological extrapolation.

It merely reorganises what was already present.

The harmony intuited by Pythagoras, the symmetry glimpsed by Riemann, and the universality formalised by Berry do not contradict one another.

They occupy different descriptive levels of a single structure.

Nothing was added to arithmetic. It merely became possible to observe it coherently.

*What was always there was not invisible by absence, but by the lack of an adequate observable.*

# 17 1/2. STATUTE OF THE CLAIM — NECES- SITY, UNIVERSALITY AND CHOICE

*Clarity does not weaken a discovery.  
It defines its scope.*

## THREE DISTINCT LEVELS

Throughout this work, results of different natures have been obtained. In order to avoid confusion and to preserve the integrity of what has been achieved, it is essential to separate explicitly **three conceptual levels**, which do not collapse into one another, but are logically connected.

This separation is not defensive. It is an act of rigour.

### *Level I — What has been strictly demonstrated*

At the most fundamental level, this work has established **experimental and computational results**, reproducible and controlled:

- a deterministic operator  $M$ , constructed from  $\Delta_\pi(x)$ ;
- the systematic emergence of statistics compatible with the GOE class when the operator is observed on a logarithmic scale;
- the persistence of these statistics under:
  - scale sweeps ( $X_0$ );

- kernel substitutions;
- analysis of both eigenvalues \*and\* eigenvectors;
- the explicit destruction of the GOE regime under:
  - linear observation;
  - replacement of the arithmetic signal by white noise.

These facts do not depend on philosophical interpretation or physical analogy. They are **data**.

Nothing beyond this is required for their acceptance.

### *Level II — The recognition of universality*

A second step consists in recognising that the observed data are not accidental.

The statistical stability observed — verified independently of microscopic details, alternative operators, and position along the real line — corresponds exactly to the operational criterion of universality established by Random Matrix Theory and by the BGS conjecture.

At this level, no claim is made as to *why* universality emerges. One merely recognises that:

- it emerges;
- it is robust;
- it coincides with the known spectral signature of quantum chaos (GOE).

This recognition is not metaphysical. It is classificatory.

To deny it would require denying the very criteria by which universality is recognised in contemporary mathematical physics.

### *Level III — The structural reading*

The third level is qualitatively different.

Here the task is no longer to measure or to classify, but to **interpret structurally** what has been observed.

The reading proposed in this work — the centrality of the reflection at  $1/2$ , the functional role of the Unit, and the structural equivalence between the real line and the critical line — is **not imposed by the data**.

It is **compatible** with them.

This point is crucial.

The experiment does not compel this reading. But it also **contradicts it at no point**.

It is an informed, coherent, and structurally economical interpretative choice: it provides a minimal structural unification for phenomena that would otherwise remain disconnected.

This coherence emerges only when the interval is anchored at the Unit (1). In contrast to traditional asymptotic analysis, which examines primes in local neighbourhoods or abstract infinite limits, anchoring at 1 defines a closed informational system. Within this system  $[1, x]$ ,  $1/2$  ceases to be a variable and becomes a functional watershed: the point at which the capacity to generate structure (multiplicity) gives way to pure density (additivity).

## ON NECESSITY AND INEVITABILITY

There is a subtle but decisive distinction between two ideas that are often conflated:

- logical necessity;
- structural necessity.

This work does not claim that the final reading is logically inevitable. It claims something more restricted — and more robust:

**given the observed structure, any alternative reading must introduce more hypotheses, not fewer.**

The reflection at  $1/2$  is not chosen for elegance, but because it is the only arithmetic threshold that separates, in any interval  $[1, x]$ , the primes that generate multiplicity from those that do not. **The functional distinction between structuring primes and stabilising primes eliminates, within the closed system  $[1, x]$ , the structural need for additional hypotheses.**

The logarithmic scale is not chosen for convenience, but because it alone stabilises the geometry of density.

The GOE is not invoked as a physical metaphor, but recognised as an independent statistical diagnostic.

None of this enforces an ontology. But all of it **severely constrains** the space of coherent interpretations.

**The data were never lacking. What was lacking was asking what the primes do, rather than merely where they are.**

## ON PROOF, FOUNDATION, AND THE SPACE OF POSSIBILITY

One point deserves to be stated explicitly, as it frequently gives rise to conceptual confusion.

The structural reading proposed here does not assert that the reflection at  $1/2$  must be “proved” as an internal result of the formalism. That would be a categorical error.

The reflection at  $1/2$  is not an object *within* the space of analysis. It is the gesture that **defines the very space in which criteria of stability, universality, and proof become meaningful.**

Every possible proof already inhabits this space. To demand a demonstration of the reflection as a prior condition is equivalent to demanding a proof of the coordinate system before allowing any measurement.

The experiment does not impose this reading. But neither does it contradict it at any point: any alternative that dispenses with the reflection must introduce additional hypotheses, not fewer.

If the reflection at  $1/2$  is the gesture that creates the space of structural possibilities, then every proof necessarily inhabits that space. To demand its demonstration as a prior condition is to confuse foundation with consequence.

The proposed reading — the centrality of the reflection at  $1/2$  — connects Gaussian statistics to Eulerian completeness. The literal  $1/2$  is the necessary threshold: below it lies structuring multiplicity; above it, stabilising additivity. The operator  $M$  is the tool that translates this phase transition into the language of the GOE.

## THE ROLE OF THE OBSERVER

We thus arrive at the decisive point.

The primes do not change. The operator does not change. The statistics do not change.

What changes is the **choice of the observer**:

- the scale;
- what is considered noise or signal;
- the level at which explanation is allowed to terminate.

The observed structure is indifferent to this choice. It manifests whenever the geometric conditions are satisfied.

But the recognition of its coherence **is not automatic**.

It requires a decision: to accept that the observed order is not an artefact to be dismissed, nor a mystery to be perpetuated, but a structure to be recognised.

## TRANSITION TO THE CLOSING

With this distinction made explicit, the journey is complete.

Nothing has been inflated.  
Nothing has been concealed.  
Nothing has been removed.

What remains is not an additional proof, but an **explicit interpretative responsibility**.

The final chapter introduces no new results. It merely returns to the point of origin — the Unit — now not as an axiom, but as **an observable resonance**.



## 18. RESONANCE OF UNITY — WHERE EULER AND CHAOS MEET

### THE IDENTITY THAT CLOSES THE CIRCLE

$$e^{i\pi} + 1 = 0$$

— Leonhard Euler

### THE CONSTANT OF RETURN

Euler's identity is often celebrated as the most beautiful formula in mathematics. In a single gesture, it unites

- growth ( $e$ ),
- rotation ( $\pi$ ),
- the imaginary ( $i$ ),
- nullity (0),
- and Unity (1).

What is rarely made explicit is that this identity describes a **mechanism of return**. It states that the infinite and the transcendent do not dissipate into chaos, but return to perfect equilibrium when, and only when, they pass through Unity. This is not a matter of aesthetics. It is a matter of **structural integrity**.

The **operator**  $M$  constructed throughout this work may be read as the dynamic extension of this truth. It is not merely a matrix, but an operator whose action may be

interpreted as rotational, within which each arithmetic fluctuation, when observed at the appropriate scale, seeks its natural place on Euler's circle.

## THE SIGNATURE OF ORGANISED CHAOS

When this operator is subjected to spectral analysis, what emerges is not a static zero, but the vibrant signature of the **Gaussian Orthogonal Ensemble (GOE)**.

This statistic does not represent disorder. On the contrary, it is the **DNA of stability** in complex systems. In physics, it indicates that degrees of freedom interact so as to preserve the whole. In arithmetic, it indicates that the primes are not distributed at random, but correlated through a common structure.

The systematic presence of GOE functions as a seal of structural authenticity:

- where it appears, there is internal coherence;
- where it disappears, there is rupture.

This fact is well known in mathematical physics. What is rarely made explicit is its direct consequence for **information integrity**.

## INTEGRITY AS RESONANCE

The conclusion therefore becomes unavoidable. If complex systems preserve their internal coherence through structural resonance, then integrity cannot be understood as an external imposition, nor as a by-product of artificial contrivances.

Integrity is not something that is imposed. It is something that is **diagnosed**.

From this perspective, the coherence of a system does not depend on concealment, but on alignment with an underlying structural order. When a system is internally consistent, its components resonate with that order. When a structural perturbation occurs, that resonance breaks down.

The distinction is not operational, but **spectral**. It does not rely on revealing hidden parameters, nor on violating external barriers, but on detecting the loss of internal harmony.

Integrity, in its deepest sense, is not a matter of protection, but of **resonance**.

**Unity is indifferent; the observer's choice is not.**

## FINAL WORDS — CONCEPTUAL SATURATION

Fundamental discoveries rarely arrive accompanied by applause. Euler formulated relations that took centuries to become the foundation of modern engineering. Berry provided the language that made it possible to recognise statistical order within chaos. Riemann glimpsed a symmetry that continues to guide contemporary mathematics.

This work does not claim rupture. It observes **convergence**.

By returning to Unity — not as dogma, but as an **observable structure** — the trajectory closes. Not through computational exhaustion, but through **conceptual saturation**.

The mirroring never disappeared. It merely ceased to be observed in the only domain in which its function is literal.

The search for equilibrium ends here. What remains is the possibility of recognising, with clarity, that which the structure itself already reveals.

## A FINAL IMAGE

It is like being inside a pyramid.

Looking at the floor reveals a square.

Looking at the sides reveals triangles.

Only by looking towards the apex does the full structure become visible.

None of these descriptions is false.

They differ only by the direction of observation.

*Dedicated to Sir Michael Berry.*

*Every resonance recognises  
the one who provided its axis of listening.*

## EPILOGUE

At the end of this journey, what remains is not a proof in the classical sense,  
but a structure that withstands every attempt at mischaracterisation.

Nothing that was observed here required new entities,  
only a shift in perspective.

And when listening aligns with the correct axis,  
the structure responds on its own.

Unity does not impose itself.  
It resonates.

*The Unit likes spectra. It always has.*

# ESSENTIAL BIBLIOGRAPHICAL REFERENCES

The works listed below delineate the indispensable conceptual core for the dialogue between quantum chaos, spectral statistics, and Random Matrix Theory, **without invoking the Riemann Hypothesis as an analytical premise**. They establish the vocabulary, diagnostic criteria, and the physical–mathematical framework adopted throughout this book.

## QUANTUM CHAOS AND SPECTRAL STATISTICS

BERRY, M. V. *Quantum chaology*. Proceedings of the Royal Society of London A, vol. 413, pp. 183–198, 1987.

BERRY, M. V. *Regular and irregular semiclassical wavefunctions*. Journal of Physics A: Mathematical and General, vol. 10, no. 12, pp. 2083–2091, 1977.

BOHIGAS, O.; GIANNONI, M. J.; SCHMIT, C. *Characterization of chaotic quantum spectra and universality of level fluctuation laws*. Physical Review Letters, vol. 52, no. 1, pp. 1–4, 1984.

COSTA, A. *The Arithmetic Mirror: Deterministic Emergence of GOE Statistics from the Prime Structure*. Zenodo, 2025. Available at: <https://doi.org/10.5281/zenodo.17643156>.

## RANDOM MATRIX THEORY

MEHTA, M. L. *Random Matrices*. 3rd ed. Amsterdam: Elsevier, 2004.

HAAKE, F. *Quantum Signatures of Chaos*. 2nd ed. Berlin: Springer, 2001.

## THE BERRY–KEATING BRIDGE

BERRY, M. V.; KEATING, J. P.  *$H = xp$  and the Riemann zeros*. Proceedings of the Royal Society of London A, vol. 455, no. 1989, pp. 241–254, 1999.

KEATING, J. P.; SNAITH, N. C. *Random matrix theory and  $\zeta(1/2 + it)$* . Communications in Mathematical Physics, vol. 214, pp. 57–89, 2000.

## UNIVERSAL DIAGNOSTICS AND PRACTICAL SPECTRAL STATISTICS

ATAS, Y. Y. ET AL. *Distribution of the ratio of consecutive level spacings in random matrix ensembles*. Physical Review Letters, vol. 110, no. 8, 084101, 2013.

These references establish the **minimal and sufficient conceptual framework** for recognising the emergence of GOE statistics as a **universal diagnostic criterion**. They support the interpretation according to which the observed spectral order is not a modelling artefact, but a persistent structural property of arithmetic when observed at the appropriate geometric scale.