



- 1- inst;
- 2- start();
- 3- accept(), end();
- 4- getScon();
- 5- lookAround(),returnToTheBar(), enter(), callTheWaiter(), alertTheWaiter(), prepareTheBill(), shouldHaveArrivedEarlier(), sayGoodBye(), exit();
- 6- setWaiterState(), setStudentState(), setStudentId(), setChefState(), setCourseNumber(),
- 7- readObject(), writeObject(), close();
- 8- processAndReply();
- 9- writeObject(), close().




- 1- inst;
- 2- start();
- 3- accept(), end();
- 4- getScon();
- 5- watchTheNews(), handTheNoteToTheChef(), startPreparation(), proceedToPresentation(), alertTheWaiter(), collectThePortion(), haveAllPortionsBeenDelivered(),

HasAllStudentsBeenServed(), haveNextPortionReady(), continuePreparation(), orderCompleted(), cleanUp();


- 6- setWaiterState(), setStudentState(), setStudentId(), setChefState(), setCourseNumber()
- 7- readObject(), writeObject(), close();
- 8- processAndReply();
- 9- writeObject(), close();
- 10- alertTheWaiter().




- 1- inst;
- 2- start();
- 3- accept(), end();
- 4- getScon();
- 5- enter(), saluteTheClient(), readTheMenu(), HasEerybodyChosen(), prepareTheOrder(), describeTheOrder(), getThePad(), joinTheTalk(), informCompanion(), deliverThePortion(), HaveAllStudentsServed(), startEating(), HasEverybodyFinished(), signalTheWaiter(), shouldHaveArrivedEarlier(), presentTheBill(), honourTheBill(), exit();
- 6- setWaiterState(), setStudentState(), setStudentId(), setChefState(), setCourseNumber().
- 7- readObject(), writeObject(), close();
- 8- processAndReply();
- 9- writeObject(), close();
- 10- enter(), shouldHaveArrivedEarlier(), exit();
- 11- HaveAllStudentsBeenServed().




- 1- inst;
- 2- start();
- 3- accept(), end();
- 4- updateWaiterState(), updateStudentState(), updateChefState(), updateCourse();
- 5- readObject(), writeObject(), close();
- 6- processAndReply();
- 7- getScon();
- 8- setWaiterState(), setStudentState(), setStudentId(), setChefState(), setNumberCourse();
- 9- Paths.get
- 10- Files.newBufferedWriter



- 1- inst;
- 2- start(), join();
- 3- watchTheNews(), startPreparation(), proceedToPresentation(), alertTheWaiter(), haveNextPortionReady(), hasTheOrderBeenCompleted(), continuePreparation(), cleanUp();
- 4- readObject(), writeObject(), close();
- 5- inst



- 1- inst;
- 2- start(), join();
- 3- callTheWaiter();
- 4- enter(), readTheMenu(), hasEverybodyChosen(), prepareTheOrder(), describeTheOrder(), joinTheTalk(), informCompanion(), startEating(), endEating(), hasEverybodyFinished(), signalTheWaiter(), shouldHaveArrivedEarlier(), honourTheBill(), exit();
- 5- readObject(), writeObject(), close();
- 6- setStudentId(), setStudentState();



- 1- inst;
- 2- start(), join();
- 3- saluteTheClient(), getThePad(), deliverThePortion(), haveAllStudentsBeenServed(), presentTheBill();
- 4- lookAround(), prepareTheBill(), sayGoodBye(), returnToTheBar()
- 5- handNoteToTheChef(), collectThePortion();
- 6- readObject(), writeObject(), close();
- 7- setStudentId(), setStudentState();