Chloe Sutter: Problem Set 6

QTM 200: Applied Regression Analysis

Due: May 6, 2020

Instructions

- Please show your work! You may lose points by simply writing in the answer. If the problem requires you to execute commands in R, please include the code you used to get your answers. Please also include the .R file that contains your code. If you are not sure if work needs to be shown for a particular problem, please ask.
- Your homework should be submitted electronically on the course GitHub page in .pdf form.
- This problem set is due before midnight on Wednesday, May 6, 2020. No late assignments will be accepted.
- Total available points for this homework is 100.

Question 1 (50 points): Biology

Load in the data labelled cholesterol.csv on GitHub, which contains an observational study of 315 observations.

```
# load data
chol <- (data=cholesterol)
table(chol)</pre>
```

- Response variable:
 - cholCat: 1 if the individual has high cholesterol; 0 if the individual does not have high cholesterol
- Explanatory variables:
 - sex: 1 Male; 0 Female
 - fat: grams of fat consumed per day

Please answer the following questions:

- 1. We are interested in predicting the cholesterol category based on sex and fat intake.
 - (a) Fit an additive model. Provide the summary output, the global null hypothesis, and p-value. Please describe the results and provide a conclusion.

```
# fit an additive model
2 model1 <- lm(cholCat
                         sex + fat, chol)
3 model1
4 # Coefficients:
5 # (Intercept)
                          sex
                                        fat
       -0.130360 0.189416
                                   0.008247
7 # global null hypothesis: B=0
8 # find p value, install car
10 anova (model1)
11 # Df Sum Sq Mean Sq F value
12 # sex
                1 4.454 4.4543 27.516 2.882e-07 ***
               1\ 23.502\ 23.5017\ 145.177 < 2.2e-16 ***
13 # fat
# Residuals 312 50.507
                          0.1619
```

Since the adjusted p value for the model is substantially smaller than 0.05, we would reject the null hypothesis and conclude that sex and fat do have an effect on cholesterol.

- 2. If explanatory variables are significant in this model, then
 - (a) For women, how does increasing their fat intake by 1 gram per day change their odds on being in the high cholesterol group? (Interpretation of a coefficient) Answer: For women, increasing fat intake by 1g/day increases the log odds of cholesterol by .189
 - (b) For men, how does increasing their fat intake by 1 gram per day change their odds on being in the high cholesterol group? (Interpretation of a coefficient)

```
\exp(-0.189416)
```

Answer: For men, increasing fat intake by 1g/day increases the log odds of cholesterol by 1.208

- (c) What is the estimated probability of a woman with a fat intake of 100 grams per day being in the high cholesterol group? Answer: I would estimate that a woman with a fat intake of 100 grams per day is highly likely to be in the high cholesterol group.
- (d) Would the answers to 2a and 2b potentially change if we included the interaction term in this model? Why?
 - Perform a test to see if including an interaction is appropriate.

```
model2 <- lm(cholCat ~ sex + fat +sex:fat, chol)
2 model2
3 #(Intercept)
                                        fat
                                                  sex:fat
                          sex
_{4} #-0.152463
                  0.391109
                                0.008544
                                              -0.002210
6 anova (model2)
7 #Response: cholCat
8 #Df Sum Sq Mean Sq F value
                                    Pr(>F)
                          4.4543 27.5346 2.861e-07 ***
                1 \quad 4.454
10 # fat
                  1\ 23.502\ 23.5017\ 145.2762 < 2.2e-16 ***
11 # sex:fat
                  1 \quad 0.196 \quad 0.1963
                                       1.2133
12 # $Residuals 311 50.311 0.1618
```

Answer: Yes, the answers would potentially change, because it is looking at the direct interaction between fat intake and sex on cholesterol. Changing sex from female to male also increases the log odds of high cholesterol.

Question 2 (50 points): Political Economy

We are interested in how governments' management of public resources impacts economic prosperity. Our data come from Alvarez, Cheibub, Limongi, and Przeworski (1996) and is labelled gdpChange.csv on GitHub. The dataset covers 135 countries observed between 1950 or the year of independence or the first year forwhich data on economic growth are available ("entry year"), and 1990 or the last year for which data on economic growth are available ("exit year"). The unit of analysis is a particular country during a particular year, for a total > 3,500 observations.

- Response variable:
 - GDPWdiff: Difference in GDP between year t and t-1. Possible categories include: "positive", "negative", or "no change"
- Explanatory variables:
 - REG: 1=Democracy; 0=Non-Democracy
 - OIL: 1=if the average ratio of fuel exports to total exports in 1984-86 exceeded
 50%; 0= otherwise

Please answer the following questions:

1. Construct and interpret an unordered multinomial logit with GDPWdiff as the output and "no change" as the reference category, including the estimated cutoff points and coefficients.

```
1 #import gdpChange
2 gdpChange1
3 summary (gdpChange1)
5 #download nnet package
6 multinom_model1 <- multinom(GDPWdiff~REG+OIL, data=gdpChange1)
7 # weights: 12 (6 variable)
8 # initial value 4087.936326
9 # iter 10 value 2339.387349
10 # final value 2339.363928
11 # converged
multinom (formula=GDPWdiff~REG+OIL, data=gdpChange1)
13 #Coefficients:
14 #(Intercept)
                     REG
                                 OIL
15 #no change −3.8011902 −1.351703 −7.9240683
              0.7284081
                         0.389905 - 0.2076511
16 #positive
18 #Residual Deviance: 4678.728
19 #AIC: 4690.728
20 # for every one unit increase in the log-odds of
exp (coef (multinom_model1) [, c(1:3)])
```

```
22 #(Intercept) REG OIL
23 #no change 0.02234416 0.2587991 0.0003619269
24 #positive 2.07177984 1.4768404 0.8124904479
```

When there is a one unit increase in the baseline odds, where there is no change in GDPWdiff for a democracy, the oil ratio of fuel exports will increase by .03%

2. Construct and interpret an ordered multinomial logit with GDPWdiff as the outcome variable, including the estimated cutoff points and coefficients.

```
1 #import mass package
2 as . factor (gdpChange1$GDPWdiff)
as.ordered(gdpChange1$GDPWdiff)
4 ordered_logit <- polr(as.factor(gdpChange1$GDPWdiff)~REG+OIL, data=
      gdpChange1, Hess=T)
5 ordered_logit
6 #Coefficients:
7 #REG
8 \# 0.3984834 -0.1987177
10 #Intercepts:
  # negative | no change no change | positive
12 \# -0.7311784
                       -0.7104851
14 #Residual Deviance: 4687.689
15 #AIC: 4695.689
17 #get odds ratios and CI's
18 exp(cbind(OR=coef(ordered_logit), confint(ordered_logit)))
            2.5 \%
                    97.5 \%
19 # OR
20 #REG 1.4895639 1.2861520 1.727083
#OIL 0.8197813 0.6545844 1.030656
```

For democracy, the odds of a difference in GDP between years is 1.4 x higher than in a non-democracy, and if the average ratio of fuel exports to total exports in 1984-1986 exceeded 50%, the odds of GDP change are .81x higher.