# Technical Challenge: Backend Developer

Develop an HTTP API using Python that allows consumers to interact with a database, providing use domain abstractions, treated as HTTP resources. The code should be hosted in a **GitHub as a public repo**, and the dataset should be included in the repository or accessible via a provided link.

The application to be developed should read data from a database, perform some transformation on the data based on a business requirement and make the transformed data conveniently accessible through an HTTP API. The API should allow for all CRUD operations.

Regarding the DB, a from-scratch design could be used as well as using some public DB. The prerequisite is that the DB has at least 4 tables and that the structure allows the completion of the mandatory features.

Before the technical interview, the candidate must provide a URL for the public GitHub repository, and the dataset should be included in the repo. The repo's README should contain relevant context and necessary information to understand how a typical consumer would use the service and the steps taken during the development process. GitHub is not meant to be used as a hosting solution but as source control, meaning that a clean commit history reflecting the progress is expected.

**Clarification**: the usage of GenAl tools (e.g., ChatGPT, Cursor, TabNine, Github Copilot) is allowed and it is expected to streamline repetitive and/or easy to automate processes such as the following:

- Generate descriptive git commit messages.
- Generate docstrings for functions.
- Generate drafts for tests and boilerplate code.
- Use as a peer review tool to identify potential flaws.
- Identify which design patters will be most suitable for a particular functionality

Feel free to experiment and leverage these tools to enhance your work.

#### **Mandatory Features:**

- Use FastAPI as the framework for the application All endpoints should:
  - Return JSON objects
     Use
  - proper HTTP Status codes o
  - Define all CRUD operations o
  - Have a Swagger example
- Document the DB used with suitable diagrams using Mermaid
- Document a potential integration with another system using a Sequence diagram in Mermeid
- Design the application following a Layered Architecture. Having at least the following layers: Presentation (Routes/Views), Application (Controller/Services), Domain (Entities) and Persistence (Data).
- The Service layer should perform some business transformation on the data. Write the requirement that justifies that transformation.
- The resources exposed through the HTTP API should not be the same as the one in the DB.
   I.e. there should be a data transformation from the entities in the DB to the ones returned in
   the API. For example: API returns JSON in a denormalized way with and the DB stores data
   in a normalized way.

- The code should use Type-Hints throughout.
- Interactions with the database should be done through an ORM (e.g., SQLModel, SQLAlchemy)
- The API should be stateless and prepared to handle multiple (hundreds) of users concurrently.
- In addition to the CRUD endpoints, there should be one to use as a healthcheck and one for the version. Both unprotected.

### Optional Features (include at least 1):

- 1. Make the CRUD operations work for single entities and for batches of entities.
- 2. Lock the application dependencies (e.g., pipenv, poetry, pdm).
- 3. Implement logging throught the codebase to document each step of the process.
- 4. Use the Problem Details standard (RFC 9457) to show errors.
- 5. Add a middleware to include a autogenerated UUID for correlation id.
- 6. Add an endpoint that processes a CSV file,
- 7. Implement pagination for some endpoint, possible pagination strategies are:
  - a. Fixed size pagination i.e., using offset and limit
  - b. Cursor based pagination. I.e., using page size and page token 8. Add testing with Pytest:
    - a. Add unit tests, leveraging fixtures, mocks, and patches
    - b. Add integration tests by using a TestClient
    - c. Add tests with the database by leveraging Fakes
- 9. Use dependency injection to deal with external systems like the DB.
- 10. Use the repository pattern with Generics to manage queries to the database.
- 11. Use the inversion of control pattern.
- 12. Separate Database entities from Domain entities by leveraging Domain Driven Design.
- 13. Add quality gates using pre-commits to the codebase:
  - a. Formatting and Linting with Ruff
  - b. Linting with Pylint
  - c. Type checking with Mypy
- 14. Make a docker container to easily deploy the application
- 15. Use a hosted DB (e.g Supabase)
- 16. Enhance the retrieve endpoints by adding the possibility to filter records by attributes 17. Implement rate limitting.
- 18. Add a caching methodology to an expensive operation.
- 19. Protect the service by using Authentication and Authorization 20. Make the HTTP API RESTFUL following Richardson levels:
  - a. Use HTTP Resources
  - b. Use HTTP Verbs
  - c. Implement HATEOAS
- 21. Analyse metrics about the application performance (e.g., Apache ab, locust, hey, break, vegeta, siege).
- 22. Add versioning to the API, that is, having different endpoints for different versions. E.g., /api/v1/and /api/v2/
- 23. Add a simple UI showcasing the service functionality and value. This could be done by using any of the following:

- a. Python tools that do not require HTML/CSS/JS e.g., Streamlit.
- b. Pure HTML / CSS / JS.
- c. Backend-centered libraries for building frontends e.g., HTMX.
- d. Lightweight component libraries e.g., Lit.
- e. e. Fully Fledge Front-end frameworks/libraries React.
- 24. In addition to HTTP REST, add a GraphQL endpoint for querying the data. Provide examples of useful queries.
- 25. Implement the CQRS pattern
- 26. Use a database migration tool (e.g Alembic) Evaluation criteria:

The project will be evaluated in four dimensions:

- Best practices: a code review to evaluate best practices, patterns, and overall design.
- **Complexity**: the level of optional features implemented and how they were incorporated into the development process.
- **Time-Management**: the most important aspect is to have something functional by the deadline; the candidate should be able to organize themselves and deliver something valuable.
- Innovation: new features outside of what has been asked are a plus.

#### References

Here are some useful links and tutorials to assist you in completing the technical challenge:

- 1. FastAPI:
  - a. <u>Sebastián Ramírez: Building REST APIs with FastAPI | Real Python</u> b. First Steps
- 2. Designing REST APIs and HATEOAS:
  - a. Derek Comartin How to (and how not to) design REST APIs Code Opinion
  - b. <u>Derek Comartin Want to build a good API? Here's 5 Tips for API Design. -</u> Code Opinion
    - c. Jason Desrosiers Turning Up The Good On REST APIs 8th Light
    - d.  $\underline{\text{Jason Desrosiers Decoupling the Client and Server with Hypermedia} 8th}$
  - Light
- e. Jason Desrosiers The Hypermedia Maturity Model 8th Light 3. Testing:
- a. John Leeman, Ryan May Testing your Python Code with PyTest Scipy 2019
- b. María Andrea Vignau Patch, Stub y Mock PyCon US 2022
- c. <u>Harry Percival Stop Using Mocks (for a while) PyCon US 2020</u> 4. Domain Driven Design:
- a. Arjan: Deep Dive Into the Repository Design Pattern in Python
- 5. Hosted Database:
  - a. Patrick Loeber: Supabase Crash Course For Python Developers
- 6. Dependency Injection:
  - a. Arjan: Dependency Injection Explained in 7 Minutes
  - b. Arjan: Dependency INVERSION vs Dependency INJECTION in

Python 7. Inversion of Control:

a. Arjan: Should You Use Dependency Injection Frameworks?

## 8. API Versioning:

a. Stanislav Zmiev - Versioning APIs - Talk Python to Me Ep.450