

MarComn

Launch & Operations Handover Pack

October 2026 Commercial Launch

Status: Approved source content following OPS-P01 and DOC-P01.1. This pack is operational guidance; it does not replace approved legal, accounting, security, or contractual policy.

Prepared for Platform Owner, Technical Administration, Customer Support, Finance, Wallet Operations, and Content/Brand Management

Document Control

Item	Value
Document	MarComn Launch & Operations Handover Pack
Launch target	October 2026
Operational posture	Security, payment architecture, UAT blocker review, data transition planning, and operational readiness gates completed
Open external dependency	PAY-LIVE-01 - Stripe Live activation, pending client Stripe business/banking verification
Data cleanup	Management approval required before any Production cleanup execution
Backup/PITR	Requires manual Supabase dashboard verification

Operating Principles

- Preserve user accounts, profiles, and companies across UAT-to-launch transition; no blanket database reset.
- Use least-privilege administrative roles and individual email-OTP accounts.
- Financial and audit history must be preserved during normal operations; never perform routine raw wallet or ledger edits.
- Production database changes require an explicit, reviewed, release-specific procedure. Generic migration commands must not be used casually against Production.
- Stripe live top-up validation is separate from commercial job-posting and candidate-acceptance monetization activation.

1. Platform Admin Quick Start Guide

The Platform Admin area is the operational control center for authorized MarComn staff. It provides permission-filtered access to wallet and finance operations, monetization settings, CMS/legal content, role management, and audit logs without requiring routine direct database access.

1.1 Core Admin Roles

Role	Primary purpose
super_admin	Full platform administration, role management, global settings, CMS/legal, finance/refund oversight.
finance_admin	Read-only finance, platform wallet, receipts, reports, and audit-log visibility.
wallet_admin	Wallet operations: top-up approval/rejection and justified MCredit grants/deductions.
support_admin	Read-only wallet summary and support-oriented inspection; no mutation powers.
moderator	Community/content moderation and audit-log visibility where permitted.
Legacy fallback	Existing profiles with legacy global roles may retain compatibility access; do not use legacy fallback as the preferred model for new assignments.

1.2 Verified Permission Boundary

Capability	Super	Finance	Wallet	Support	Moderator
Admin shell	YES	YES	YES	YES	YES
Wallet summary	YES	YES	YES	YES	NO
Wallet controls	YES	NO	YES	NO	NO
Grant / deduct MCredits	YES	NO	YES	NO	NO
Approve / reject top-ups	YES	NO	YES	NO	NO
Platform wallet / finance reports	YES	YES	NO	NO	NO
Global monetization settings	YES	NO	NO	NO	NO
CMS pages / FAQs	YES	NO	NO	NO	NO
Admin roles	YES	NO	NO	NO	NO
Moderate content	YES	NO	NO	NO	YES
Manage refund reviews	YES	NO	NO	NO	NO
Admin audit logs	YES	YES	YES	NO	YES

1.3 Main Admin Routes

- /admin - permission-filtered dashboard
- /admin/mcredits - wallet lookup, top-up operations, adjustments, monetization controls
- /admin/finance - finance reporting, transaction history, receipts, refund review
- /admin/content - CMS pages, legal/informational content, FAQs and variables
- /admin/roles - role assignment and permission management
- /admin/audit-logs - administrative audit trail

1.4 Safe Administration

- Assign only the role required for the person's function.
- Every administrator uses an individual email-OTP account; do not share admin accounts.
- Use Platform Admin UI and approved audited backend mechanisms for administrative changes.
- High-impact financial adjustments follow management-approved authorization procedures; formal numeric thresholds are management policy to be defined.
- Direct Production SQL may be used only as an explicitly authorized, reviewed technical release/repair procedure - never as routine administration.

2. Support Troubleshooting Runbook

Tier-1 Support should diagnose through approved UI and evidence collection. Database, code, infrastructure, or payment-reconciliation intervention is escalated to the Technical Administrator.

ID	Incident	First checks	Support may	Must not	Escalation
SUP-01	OTP not received	Confirm email spelling and spam/junk; inspect Mailgun delivery status if authorized.	Guide retry; collect email/timestamp.	Never generate OTPs or alter Auth tables.	Technical Administrator if provider/system issue.
SUP-02	Onboarding loop	Confirm required onboarding fields and profile creation symptoms.	Guide user through required fields.	Do not insert profile rows manually.	Technical Administrator on form/system error.
SUP-03	Profile inaccessible	Re-authenticate; verify profile existence through available support/admin views.	Guide sign-out/sign-in and browser retry.	Do not alter RLS policies.	Technical Administrator.
SUP-04	Company member cannot act	Confirm membership/role and correct active identity.	Ask Company Owner to manage invitation/role through normal UI.	Do not insert company_members rows.	Technical Administrator if valid membership still blocked.
SUP-05	Job cannot publish	Check mandatory fields, wallet if fee active, and monetization status.	Explain missing field/balance; direct top-up if applicable.	Do not force jobs.status in SQL.	Technical Administrator.
SUP-06	Candidate cannot apply	Check job status, capacity, and existing application.	Explain filled/closed/duplicate application state.	Do not insert application rows.	Technical Administrator.
SUP-07	Offer cannot be accepted	Check offer validity, capacity, and wallet if acceptance fee active.	Explain condition or ask employer to re-issue where appropriate.	Do not force Accepted status.	Technical Administrator.
SUP-08	Application messaging unavailable	Verify correct personal/company identity and lifecycle state; cancelled threads are read-only.	Guide identity switch if needed.	Do not alter thread ownership.	Technical Administrator.
SUP-09	Engagement appears stuck	Identify next lifecycle actor/action: applicant completion, company confirmation, payment confirmation, close engagement.	Guide the correct party to the next action.	Do not force lifecycle state in DB.	Technical Administrator.
SUP-10	MCredit balance dispute	Inspect chronological immutable wallet transaction ledger.	Explain ledger entries; escalate confirmed discrepancy.	Do not grant credits without authorization.	Finance / Wallet Admin.
SUP-11	Paid top-up not credited	Record account, amount, timestamp, Checkout Session/Payment Intent if available; inspect top-up status.	Gather evidence and escalate.	Do not replay webhooks or make unverified manual grants.	Technical Administrator.
SUP-12	Refund failed	Inspect refund status/admin note and confirm expected wallet reversal behavior.	Gather evidence and escalate.	Do not repeatedly retry approval.	Finance + Technical Administrator.
SUP-13	Wrong monetization setting	Inspect monetization controls and audit trail.	Escalate immediately.	Do not directly edit platform settings.	Super Admin / Platform Owner.
SUP-14	Suspicious admin activity	Review audit logs by actor/time where authorized.	Escalate and preserve evidence.	Do not discuss publicly or alter evidence.	Super Admin / Platform Owner + Technical Administrator.

Stripe webhook recovery: Tier-1 Support does not replay or re-trigger webhooks. A Technical Administrator investigates and uses only a separately verified, idempotent reconciliation procedure.

3. MCredits & Finance Operations Guide

3.1 Implemented MCredit Uses

- Company job posting fee - deducted from the company wallet when posting monetization is enabled.
- Candidate job acceptance fee - deducted from the candidate's personal wallet when acceptance monetization is enabled.
- The MCredit/USD conversion rate is configurable through platform settings; do not treat a baseline rate as permanently fixed policy.

3.2 Wallet Isolation and Ledger

Personal and company wallets are separate ownership domains. Balance changes are recorded in an Auditable Single-Wallet Transaction Ledger with Balance Snapshots. This is not described as formal accounting double-entry.

- Never perform routine direct wallet-balance edits.
- Every approved balance mutation should use the canonical audited mechanism and retain reference, before/after balance, amount, direction, and transaction type.
- Financial and audit history must not be deleted or altered through routine administrative cleanup.
- Legal, tax, or accounting retention periods are separate management/legal policy.

3.3 Stripe Top-Up

1. User or company initiates Stripe Checkout from the appropriate wallet.
2. A pending top-up request is recorded.
3. Stripe sends checkout.session.completed to the Production webhook.
4. The webhook signature is verified and processing is idempotent.
5. The correct wallet is credited exactly once, the request is approved, and a receipt/ledger record is produced.

3.4 Manual Adjustments

Manual grants or deductions are operational exceptions such as approved compensation, dispute settlement, or promotion. They require an authorized role and a clear justification. High-impact adjustments follow management-approved authorization procedures.

3.5 Refund Operations

- User submits a refund request through the wallet workflow.
- Authorized admin reviews eligibility, refundable cap, history, and justification.
- Approval/rejection is recorded and audited.
- Live Stripe execution is gated separately by `ENABLE_MCREDIT_STRIPE_REFUNDS`.
- Do not automatically enable live refunds when live Stripe keys are first configured.
- If Stripe execution fails, verify the application's designed reversal/failure state before taking further action.

4. Launch-Day Cutover Runbook

PAY-LIVE-01 remains an external dependency until client Stripe business/banking verification is complete. Do not perform a real live payment test before explicit launch authorization.

Phase	Name	Required action
0	Preconditions	Security/Privacy P0, PAY-P01, UAT-P01, OPS-P01 closed; DATA-P01 reviewed; client approval; assigned launch roles; Stripe verification complete.
1	Production baseline health	Check marcomn.com, HTTPS, OTP via Mailgun, core pages, Supabase connectivity, current Vercel deployment.
2	Approved UAT data transition	Use the management-approved DATA-P01 register. Preserve accounts/profiles/companies. Close engaged/financial test jobs; delete only explicitly approved empty safe drafts.
3	Stripe live configuration	Set STRIPE_SECRET_KEY, NEXT_PUBLIC_STRIPE_PUBLISHABLE_KEY, STRIPE_WEBHOOK_SECRET in Vercel Production. Configure webhook https://www.marcomn.com/api/webhooks/stripe for checkout.session.completed. Keep live refunds disabled initially.
4	Production redeployment	Redeploy deliberately so Production functions load the new environment configuration; verify Ready/healthy.
5	Zero-fee baseline	Confirm mcredit_job_posting_enabled=false and mcredit_candidate_acceptance_enabled=false.
6	Controlled live top-up	Perform one smallest permitted live top-up (currently expected \$5) only after explicit authorization.
7	Exactly-once verification	Verify Stripe success, webhook HTTP 200, Approved top-up, exact wallet credit, exactly one corresponding ledger entry, and receipt.
8	Optional refund validation	Only if separately authorized: enable live refunds deliberately, redeploy, test controlled refund, and verify Stripe + wallet + audit behavior.
9	Minimal non-financial lifecycle	If needed, validate job/application/messaging while fees remain OFF. Avoid unnecessary Production records.
10	Commercial authorization	Platform Owner authorizes commercial monetization.
11	Enable monetization	Enable posting and acceptance controls independently via audited admin control using reason code commercial_pricing_transition.
12	Audit verification	Confirm settings and platform_setting_audit_logs reflect the approved transition.
13	Go-live sign-off	Do not manufacture another paid Production engagement solely for testing unless separately authorized.
14	Day-1 monitoring	Monitor OTP, Stripe/webhooks, wallet ledger, job publishing, applications, offer acceptance, refund queue, and admin audit logs.

5. Incident Escalation Matrix

Severity	Operational impact	Priority	First owner	Escalation
SEV-1 Critical	Platform-wide outage; auth unavailable; wallet corruption; duplicate Stripe credits; core lifecycle blocked.	IMMEDIATE PRIORITY	Technical Administrator	Platform Owner / engineering lead
SEV-2 Major	Major workflow failure affecting multiple users; messaging outage; delayed top-ups; finance portal failure.	HIGH PRIORITY	Customer Support Lead	Technical Administrator
SEV-3 Normal	Isolated user issue with workaround; onboarding confusion; balance dispute; minor notification issue.	NORMAL PRIORITY	Tier-1 Support	Support Lead / Wallet Admin as applicable
SEV-4 Cosmetic	Non-blocking spacing, wording, or visual issue.	PLANNED RELEASE	Content/Brand or Support	Frontend / product backlog

Formal response-time targets or SLAs are management policy and are not defined by this technical runbook.

6. Deployment & Rollback Quick Reference

Preferred release flow: Design -> Build locally -> Test locally -> Review -> Git -> deliberate UAT/Production deployment decision.

6.1 Current Environments

Environment	Purpose	Entry
Local - Antigravity	Development and local validation	http://localhost:5000
Client UAT	Client validation; shares Production backend	https://marcomn-uat.vercel.app
Production	Official public entry	https://www.marcomn.com

6.2 Production Database Migration Rule

Production database changes require an explicit, reviewed, release-specific migration procedure. Generic supabase db push, migration up, migration repair, or db reset commands must not be used casually against Production.

Because Production migration history has known lineage/reconciliation complexity, database releases are handled as deliberate technical changes with an explicit scope, safety report, verification, and stop point. Targeted SQL may be used only when explicitly authorized as part of such a reviewed release or repair procedure.

6.3 Rollback Concepts

- Frontend/Vercel: use a previously known-good deployment according to the Vercel project's approved rollback procedure. Capability should be verified operationally before relying on it during an incident.
- Git: revert or restore a known-good application commit through the normal reviewed release workflow.
- Environment variables: restore the previous approved values and redeploy deliberately.
- Database: do not assume automatic reversal. Prepare a reviewed forward-compensating change or a separately approved restore procedure.

7. Backup & Recovery Verification Checklist

Component	Status	Required action
Supabase automated backups	REQUIRES MANUAL DASHBOARD VERIFICATION	Confirm availability, schedule, retention, and plan entitlement.
Supabase PITR	REQUIRES MANUAL DASHBOARD VERIFICATION	Confirm whether PITR is enabled and available for the Production project.
Database restore authorization	REQUIRES MANUAL DASHBOARD VERIFICATION	Identify who can authorize/perform restore and document approval path.
Database restore procedure/test	NOT DOCUMENTED	Create restore runbook after backup/PITR capability is verified.
Vercel rollback	REQUIRES OPERATIONAL VERIFICATION	Confirm exact rollback procedure on marcomn-pro and record a safe test/evidence.
Git repository recovery	VERIFIED AS VERSION-CONTROL BASIS	Document repository ownership, backup/access, and recovery contacts.
Production environment secrets	REQUIRES MANUAL VERIFICATION	Confirm secure organizational vault/ownership and recovery process; do not export secrets into this document.
Stripe configuration	REQUIRES MANUAL DASHBOARD VERIFICATION	Confirm live webhook, account ownership, access controls, and recovery contacts after verification.
Mailgun/DNS	REQUIRES MANUAL DASHBOARD VERIFICATION	Confirm sending-domain status, DNS ownership, suppression/log access, and recovery contacts.

8. UAT Data Cleanup Approval Sheet

Management approval is required before Production cleanup. Job titles alone are not proof of test data. Wallet cleanup is a separate decision and is not part of job cleanup.

#	Job ID	Title	Status	Apps	Orders	Msgs	Fin.	Recommendation
1	5a654c1b-37dc-4316-afd4-33ddf17115bb	Chief Engineer	Published	1	1	9	No	PRESERVE & CLOSE
2	a7d60b68-8643-4a9d-8dc9-638b1b8c3ac3	Cargo Expeditor	Draft	0	0	0	No	DELETE ONLY IF EMPTY/SAFE
3	9a68abfc-876e-446b-9c00-964d3ab954c1	Test job 1st September	Draft	0	0	0	No	DELETE ONLY IF EMPTY/SAFE
4	ee53ec4c-ed8f-4e8d-a804-2033dfd6436b	qqwq	Draft	0	0	0	No	DELETE ONLY IF EMPTY/SAFE
5	8c4681b2-bd33-412f-ae9d-cf7c5d6933b3	sddsaa	Draft	0	0	0	No	DELETE ONLY IF EMPTY/SAFE
6	6cfeb3d4-bbd3-4caa-8f19-9fe449388167	TEST Multi-Position Opportunity	Published	2	0	0	No	CLOSE
7	04babce1-7c56-478f-b27a-6a3e02ff23cb	JOB A1- ai	Published	1	1	6	Yes	PRESERVE & CLOSE
8	e3a9a492-0449-4a7b-8433-07ad078307ac	RATE HR	Closed	2	1	5	Yes	PRESERVE & CLOSE
9	8b7c70d9-6fea-4eb1-88bd-56bfcfa6377b	B33	Published	1	1	2	Yes	PRESERVE & CLOSE
10	8d8f34cf-c9f0-44a0-b873-11b0e5fd2bba	A22	Published	0	0	0	Yes	CLOSE
11	6033f8ca-9759-493d-af0a-cc532933a579	PPAA	Published	1	1	0	Yes	PRESERVE & CLOSE
12	cbd72361-589f-48b6-815e-ad9e999dc412	TYTY	Published	2	2	0	Yes	PRESERVE & CLOSE
13	5a1235f0-3609-4a87-a5ca-83ab46742aba	XXYY	Published	1	1	0	Yes	PRESERVE & CLOSE
14	8e5ef836-17ce-4cf3-9d14-9823e2118cb1	AABB	Published	2	2	0	Yes	PRESERVE & CLOSE
15	f2b30ea5-0c29-457a-a793-49a26bf03dd5	Draft test	Published	2	2	0	Yes	PRESERVE & CLOSE
16	3ee382c2-ec0d-47ea-88ce-5a02af7a073d	test 2nd August	Published	1	1	0	Yes	PRESERVE & CLOSE
17	e0203d90-3e40-4b53-8b93-318f0414aa73	Test Rich Text Job	Open	0	0	0	No	CLOSE
18	b454198a-5537-41a5-99e7-b850e88aee43	Verification Specialist Job	Published	2	0	0	No	CLOSE

Management decision / approval notes:

9. Launch Responsibility Assignment Sheet

Function	Assigned person	Backup	Launch authority / responsibility
Platform Owner	_____	_____	Final go/no-go; monetization authorization; data cleanup approval.
Technical Administrator	_____	_____	Vercel/Production config, Stripe live provisioning, technical monitoring and escalation.
Customer Support Lead	_____	_____	Tier-1 support coordination, evidence collection, user communications.
Finance Administrator	_____	_____	Finance monitoring, refund review oversight, payout/top-up reconciliation.
Wallet Operations Admin	_____	_____	Authorized top-up processing and justified wallet adjustments.
Content / Brand Manager	_____	_____	CMS/legal content verification and launch communications.

Platform Owner launch approval: _____ Date: _____

Technical readiness confirmation: _____ Date: _____

10. Remaining Pre-Launch Actions

ID	Action	Status / owner
REC-01	Verify Supabase Production backup availability, retention, PITR, and restore authorization.	Technical Administrator - manual dashboard verification
REC-02	Obtain management decisions/signatures for DATA-P01 candidate jobs before cleanup execution.	Platform Owner / Client Management
REC-03	Complete Stripe business/banking verification, then execute PAY-LIVE-01 only with explicit authorization.	External dependency + Technical Administrator
REC-04	Assign named personnel/backups to launch responsibility functions.	Platform Owner
REC-05	Confirm legal/public content final proof before launch.	Content / Brand + Platform Owner
REC-06	Verify Vercel rollback procedure operationally and document evidence.	Technical Administrator

11. Approval Status

This handover pack is generated from the approved DOC-P01.1 source content. It is ready for management review and operational assignment. Production cleanup, Stripe live activation, monetization activation, and any Production database change remain separately authorized actions.