

Two admin prompts — campus database and new agent

Sign in as admin (admin-demo until you import your own key). The server must already be running. Fill every [BRACKET] before pasting. Send Prompt 1 first; send Prompt 2 only after Prompt 1 succeeds.

Do not put SQL in either prompt.

Prompt 1 writes the org YAML and people rows, then seeds mess/bus/notice through those agents. Prompt 2 registers a JSON record service (list / search / add) — it does not CREATE TABLE .

Prompt 1 — set up the campus database

Collect this before you paste

Required	Rules
Campus display name	Official name students will see
Timezone	IANA, e.g. Asia/Kolkata
Enabled agents	Subset of: mess, bus, complaint, room_booking, attendance, notice, timetable. Day college: omit mess and bus
Student id regex	Must compile. IIT-style: <code>^[0-9]{4}[A-Z]{2}[0-9]{2}\$</code>
Hostels	If mess is on: ≥1 name. Aliases optional
Rooms	If room_booking is on: map onto SAC Hall, Guest House, CLH, Auditorium (those four booking types are fixed)
Buses	If bus is on: names like Bus 01
Meals	If mess is on: usually breakfast, lunch, snacks, dinner
Complaint categories	If complaint is on: ≥1, e.g. academic, hostel, mess
People CSV	Header role,name,roll_number plus optional authentication_key . Roles: student / faculty / admin. ≥1 of each. Students must match the regex. Max 500 rows
Seed rows	Optional but needed to go live: one menu, one bus trip, one notice if those agents are on. Skip disabled agents

Empty catalog lists are rejected. A student roll that fails the regex aborts the whole people import. Generated authentication keys are shown once — copy them from the reply.

BLANK TEMPLATE · PASTE AS ONE ADMIN MESSAGE

SETUP CAMPUS DATABASE. I am an authenticated admin.
Execute every section in order. Do not invent names I did not list.
Do not run SQL or CREATE TABLE. Use setup for A and B. Use the matching domain agents for C (only for agents I enabled).
When done, quote: saved display_name, enabled_agents, catalog names, every generated authentication_key, and which seed writes succeeded.

A. PROFILE (update_org_profile)
- display_name: [CAMPUS NAME]
- timezone: [IANA TIMEZONE]
- student_id_field: roll_number
- student_id_pattern: [REGEX]
- enabled_agents: [mess, bus, complaint, room_booking, attendance, notice, timetable]
- replace_hostels: [NAME (aliases: ...)], ...
- replace_rooms: [SAC Hall, Guest House, CLH, Auditorium]
- replace_buses: [Bus 01, Bus 02, ...]
- replace_meals: [breakfast, lunch, snacks (alias snack), dinner (alias supper)]
- replace_complaint_categories: [academic, hostel, mess]

B. PEOPLE (import_people, csv_text). Abort the batch if any student roll fails the regex. Max 500 rows.
role,name,roll_number,authentication_key
admin,[ADMIN NAME],[ADMIN ID],[OPTIONAL KEY]
faculty,[FACULTY NAME],[FACULTY ID],[OPTIONAL KEY]
student,[STUDENT NAME],[STUDENT ROLL],[OPTIONAL KEY]

C. SEED (skip any agent I disabled)
Mess: set today's [HOSTEL] [MEAL] to [DISH].
Bus: add [Bus NN] weekdays [HH:MM] from [STOP A] to [STOP B], driver [NAME], phone [PHONE].
Notice: publish "[NOTICE TEXT]".
Timetable (optional): add [COURSE] for [ROLL] on [DAY] [HH:MM]–[HH:MM] in [ROOM].

FILLED EXAMPLE · IIT MANDI

SETUP CAMPUS DATABASE. I am an authenticated admin.
Execute every section in order. Do not invent names I did not list.

Do not run SQL or CREATE TABLE. Use setup for A and B. Use the matching domain agents for C (only for agents I enabled). When done, quote: saved display_name, enabled_agents, catalog names, every generated authentication_key, and which seed writes succeeded.

A. PROFILE (update_org_profile)

- display_name: IIT Mandi
- timezone: Asia/Kolkata
- student_id_field: roll_number
- student_id_pattern: ^[0-9]{4}[A-Z]{2}[0-9]{2}\$
- enabled_agents: mess, bus, complaint, room_booking, attendance, notice, timetable
- replace_hostels: Chandra (aliases: C hostel), Suvalsar
- replace_rooms: SAC Hall, Guest House, CLH, Auditorium
- replace_buses: Bus 01, Bus 02, Bus 03, Bus 04
- replace_meals: breakfast, lunch, snacks (alias snack), dinner (alias supper)
- replace_complaint_categories: academic, hostel, mess

B. PEOPLE (import_people, csv_text). Abort the batch if any student roll fails the regex. Max 500 rows.

role,name,roll_number,authentication_key
admin,Campus Admin,AD001,mandi-admin
faculty,Priya Patel,PF001,mandi-faculty
student,Asha Rao,2501CS99,mandi-asha

C. SEED

Mess: set today's Chandra breakfast to poha and tea.

Bus: add Bus 01 weekdays 08:00 from Chandra to the academic block, driver Test, phone 9999999999.

Notice: publish "Orientation Monday 9am, Auditorium."

Prompt 2 — define a new agent

This registers a JSON-backed service (list / search / add records). It does **not** create a PostgreSQL table or a new Python file. A hospital or fees system with its own schema still needs a real coded agent.

Collect this before you paste

Required	Rules
Agent name	Becomes slug <code>library</code> , <code>lost_and_found</code> . Letters, numbers, underscore. Not reserved: <code>mess</code> , <code>bus</code> , <code>complaint</code> , <code>room_booking</code> , <code>attendance</code> , <code>notice</code> , <code>timetable</code> , <code>setup</code>
One-line description	What students ask this agent to do
Keywords	≥1 words the planner uses to route (“library”, “book”, “isbn”)
Fields (1–20)	Each: <code>name</code> (<code>snake_case</code>), <code>type</code> = <code>string</code> / <code>number</code> / <code>boolean</code> / <code>date</code> , required <code>yes/no</code> , short description
Who may use it	Subset of <code>student</code> , <code>faculty</code> , <code>admin</code>
Seed records (optional)	One sample row so search works immediately

Students can list, search, and add. There is no delete/update tool on this path.

```
BLANK TEMPLATE · PASTE AS ONE ADMIN MESSAGE

DEFINE A NEW CAMPUS AGENT. I am an authenticated admin.
Use add_feature only. Do not run SQL, do not CREATE TABLE, do not
reuse a built-in name (mess, bus, complaint, room_booking, attendance,
notice, timetable, setup). Then add the seed records onto that feature.
Finally tell me the slug, keywords, field list, and one student
smoke-test phrase.

- name: [AGENT NAME]
- title: [DISPLAY TITLE]
- description: [WHAT IT DOES IN ONE SENTENCE]
- keywords: [word1, word2, word3]
- roles that may use it: [student, faculty, admin]
- fields:
  - [field_name] ([string|number|boolean|date], required|optional) - [what it stores]
  - [field_name] ([string|number|boolean|date], required|optional) - [what it stores]
- seed records (add_record on the new agent):
  1) [field]=[value]; [field]=[value]
  2) [field]=[value]; [field]=[value]
```

```
FILLED EXAMPLE · CAMPUS LIBRARY

DEFINE A NEW CAMPUS AGENT. I am an authenticated admin.
Use add_feature only. Do not run SQL, do not CREATE TABLE, do not
reuse a built-in name (mess, bus, complaint, room_booking, attendance,
notice, timetable, setup). Then add the seed records onto that feature.
Finally tell me the slug, keywords, field list, and one student
smoke-test phrase.

- name: library
- title: Campus Library
- description: Search and add holds for campus library books
- keywords: library, book, isbn
- roles that may use it: student, faculty, admin
- fields:
  - title (string, required) - book title
  - author (string, required) - author name
  - isbn (string, optional) - ISBN-13
- seed records (add_record on the new agent):
  1) title=Introduction to Algorithms; author=Cormen; isbn=9780262033848
  2) title=Operating Systems; author=Galvin; isbn=9781118063330
```

Student smoke-test after Prompt 2: `Search the library for algorithms.`

What these prompts will not do

Request	What actually happens
“Run this SQL” / “create a fees table”	Rejected. Setup has no SQL tool. Invalid org YAML is refused; previous file kept as <code>.bak</code>
“Add a hospital agent with its own schema”	Not a JSON feature. That needs a real agent in the registry — engineering work
Empty catalog (no hostels, no buses)	Save fails loud. A missing field must not silently disable a route
Student or faculty trying setup	Planner does not offer setup. The agent itself also refuses
Reuse a built-in name (<code>mess</code> , <code>bus</code> , ...)	<code>add_feature</code> returns an error. Reserved slugs cannot be overwritten

After Prompt 1, before students

Copy generated authentication keys offline. Confirm a hostel alias resolves and one live query per enabled agent uses the new campus names, not IIT Patna leftovers.