

EENG307: Controlling DC Motors¹

Lecture 21

Elenya Grant, Kathryn Johnson, and Hisham Sager²


Department of Electrical Engineering
Colorado School of Mines

Fall 2022


¹ This work is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/3.0/> or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.

² Developed and edited by Tyrone Vincent and Kathryn Johnson, Colorado School of Mines, with contributions from Salman Mohagheghi, Chris Coulston, Kevin Moore, CSM and Matt Kupilik, University of Alaska, Anchorage


DC motor block diagram with arbitrary load



DC motor block diagram is the open loop plant



Feedback control of DC motor with plant shown



DC Motor Control Video Example

Consider the DC motor control problem shown in the video
<https://www.youtube.com/watch?v=dTGITLnYAY0>.

DC Motor Control Prompts

- What hardware is needed? Consider plant (DC motor), sensor, actuator and controller.
- What two physical components are considered as part of the “plant” in the video?
- What is the reference input signal called in the video?
- What kind of controller is used in the video?
- How are the integral and derivative terms estimated in this discrete-time control algorithm?
- What is the performance of the feedback controller at the first test? Consider both steady-state and transient (rise time, settling time, and percent overshoot) response.
- What control term is tuned to solve the problem identified in the previous step?
- What reference input signals are used?
- What types of disturbances are expected to impact the DC motor system?

DC Motor Control Prompts

- What hardware is needed? Consider plant (DC motor), sensor, actuator and controller.
- What two physical components are considered as part of the “plant” in the video?
- What is the reference input signal called in the video?
- What kind of controller is used in the video?
- How are the integral and derivative terms estimated in this discrete-time control algorithm?
- What is the performance of the feedback controller at the first test? Consider both steady-state and transient (rise time, settling time, and percent overshoot) response.
- What control term is tuned to solve the problem identified in the previous step?
- What reference input signals are used?
- What types of disturbances are expected to impact the DC motor system?

DC Motor Control Prompts

- What hardware is needed? Consider plant (DC motor), sensor, actuator and controller.
- What two physical components are considered as part of the “plant” in the video?
- What is the reference input signal called in the video?
- What kind of controller is used in the video?
- How are the integral and derivative terms estimated in this discrete-time control algorithm?
- What is the performance of the feedback controller at the first test? Consider both steady-state and transient (rise time, settling time, and percent overshoot) response.
- What control term is tuned to solve the problem identified in the previous step?
- What reference input signals are used?
- What types of disturbances are expected to impact the DC motor system?

DC Motor Control Prompts

- What hardware is needed? Consider plant (DC motor), sensor, actuator and controller.
- What two physical components are considered as part of the “plant” in the video?
- What is the reference input signal called in the video?
- What kind of controller is used in the video?
- How are the integral and derivative terms estimated in this discrete-time control algorithm?
- What is the performance of the feedback controller at the first test? Consider both steady-state and transient (rise time, settling time, and percent overshoot) response.
- What control term is tuned to solve the problem identified in the previous step?
- What reference input signals are used?
- What types of disturbances are expected to impact the DC motor system?

DC Motor Control Prompts

- What hardware is needed? Consider plant (DC motor), sensor, actuator and controller.
- What two physical components are considered as part of the “plant” in the video?
- What is the reference input signal called in the video?
- What kind of controller is used in the video?
- How are the integral and derivative terms estimated in this discrete-time control algorithm?
- What is the performance of the feedback controller at the first test? Consider both steady-state and transient (rise time, settling time, and percent overshoot) response.
- What control term is tuned to solve the problem identified in the previous step?
- What reference input signals are used?
- What types of disturbances are expected to impact the DC motor system?

DC Motor Control Prompts

- What hardware is needed? Consider plant (DC motor), sensor, actuator and controller.
- What two physical components are considered as part of the “plant” in the video?
- What is the reference input signal called in the video?
- What kind of controller is used in the video?
- How are the integral and derivative terms estimated in this discrete-time control algorithm?
- What is the performance of the feedback controller at the first test? Consider both steady-state and transient (rise time, settling time, and percent overshoot) response.
- What control term is tuned to solve the problem identified in the previous step?
- What reference input signals are used?
- What types of disturbances are expected to impact the DC motor system?

DC Motor Control Prompts


- What hardware is needed? Consider plant (DC motor), sensor, actuator and controller.
- What two physical components are considered as part of the “plant” in the video?
- What is the reference input signal called in the video?
- What kind of controller is used in the video?
- How are the integral and derivative terms estimated in this discrete-time control algorithm?
- What is the performance of the feedback controller at the first test? Consider both steady-state and transient (rise time, settling time, and percent overshoot) response.
- What control term is tuned to solve the problem identified in the previous step?
- What reference input signals are used?
- What types of disturbances are expected to impact the DC motor system?

DC Motor Control Prompts

- What hardware is needed? Consider plant (DC motor), sensor, actuator and controller.
- What two physical components are considered as part of the “plant” in the video?
- What is the reference input signal called in the video?
- What kind of controller is used in the video?
- How are the integral and derivative terms estimated in this discrete-time control algorithm?
- What is the performance of the feedback controller at the first test? Consider both steady-state and transient (rise time, settling time, and percent overshoot) response.
- What control term is tuned to solve the problem identified in the previous step?
- What reference input signals are used?
- What types of disturbances are expected to impact the DC motor system?


DC Motor Control Prompts

- What hardware is needed? Consider plant (DC motor), sensor, actuator and controller.
- What two physical components are considered as part of the “plant” in the video?
- What is the reference input signal called in the video?
- What kind of controller is used in the video?
- How are the integral and derivative terms estimated in this discrete-time control algorithm?
- What is the performance of the feedback controller at the first test? Consider both steady-state and transient (rise time, settling time, and percent overshoot) response.
- What control term is tuned to solve the problem identified in the previous step?
- What reference input signals are used?
- What types of disturbances are expected to impact the DC motor system?



$$R_a = 1, L_a = 0, J = 1, b = 2, K_e = K_t = 1$$

- rise time, $t_r = .1$ s
- overshoot, $\%OS = 10\%$.



$$\frac{\theta(s)}{R(s)} = \frac{K_p}{s^2 + (3 + K_d)s + K_p}$$

$$\omega_n^2 = K_p, 2\zeta\omega_n = 3 + K_d \text{ and } K = 1$$

- $t_r = \frac{2.2}{\omega_n} = .1$ implies $\omega_n = 22$
- $\%OS = 10\%$ implies $\zeta = \frac{-\ln(\frac{10\%}{100\%})}{\sqrt{\ln(\frac{10\%}{100\%})^2 + \pi^2}} = .59$

$$K_p = \omega_n^2 = 22^2 = 484$$

$$K_d = 2\zeta\omega_n - 3 = 2(.59)(22) - 3 = 22.96$$