HNCO


Evolution of maximum of various black box optimization algorithms

February 17, 2018


Contents

1	one-max	2
2	lin	2
3	leading-ones	3
4	ridge	3
5	m jmp-5	4
6	jmp-10	4
7	${f djmp-5}$	5
8	${ m djmp} ext{-}10$	5
9	fp-5	6
10	fp-10	6
11	$\mathbf{n}\mathbf{k}$	7
12	max-sat	7
13	labs	8
14	ер	8
15	cancel	9
16	trap	9
17	hiff	10
18	plateau	10
19	walsh2	11
A	Plan	11
В	Default parameters	13


1 one-max




2 lin




3 leading-ones




4 ridge




5 jmp-5




6 jmp-10




7 djmp-5




8 djmp-10




9 fp-5




10 fp-10




$11 \quad nk$




12 max-sat




13 labs




14 ep




15 cancel




16 trap




17 hiff



18 plateau



19 walsh2



A Plan

```
{
    "exec": "hnco",
    "opt": "--log-improvement --map 1 --map-random -s 100 -i 0 -b 1000000",
    "parallel": true,
    "results": "results",
    "graphics": "graphics",
    "report": "report",
    "functions": [
        {
            "id": "one-max",
            "opt": "-F 0 --stop-on-maximum",
            "col": ">{{\\nprounddigits{0}}}N{3}{0}"
       },
            "id": "lin",
            "opt": "-F 1 -p instances/lin.100",
            "col": ">{{\\nprounddigits{2}}}N{2}{2}"
        },
            "id": "leading-ones",
            "opt": "-F 10 --stop-on-maximum",
            "col": ">{{\\nprounddigits{0}}}N{3}{0}"
       },
            "id": "ridge",
            "opt": "-F 11 --stop-on-maximum",
            "col": ">{{\\nprounddigits{0}}}N{3}{0}"
       },
            "id": "jmp-5",
            "opt": "-F 30 --stop-on-maximum -t 5",
```

```
"col": ">{{\\nprounddigits{0}}}N{3}{0}"
},
{
    "id": "jmp-10",
    "opt": "-F 30 --stop-on-maximum -t 10",
    "col": ">{{\\nprounddigits{0}}}N{3}{0}"
},
    "id": "djmp-5",
    "opt": "-F 31 --stop-on-maximum -t 5",
    "col": ">{{\\nprounddigits{0}}}N{3}{0}"
},
    "id": "djmp-10",
    "opt": "-F 31 --stop-on-maximum -t 10",
    "col": ">{{\\nprounddigits{0}}}N{3}{0}"
},
    "id": "fp-5",
    "opt": "-F 40 --stop-on-maximum -t 5",
    "col": ">{{\\nprounddigits{0}}}N{3}{0}"
},
    "id": "fp-10",
    "opt": "-F 40 --stop-on-maximum -t 10",
    "col": ">{{\\nprounddigits{0}}}N{3}{0}"
},
    "id": "nk",
    "opt": "-F 60 -p instances/nk.100.4",
    "col": ">{{\\nprounddigits{2}}}N{1}{2}"
},
    "id": "max-sat",
    "opt": "-F 70 -p instances/ms.100.3.1000",
    "col": ">{{\\nprounddigits{0}}}N{3}{0}"
},
    "id": "labs",
    "opt": "-F 80",
    "col": ">{{\\nprounddigits{2}}}N{1}{2}"
},
    "id": "ep",
    "opt": "-F 90 -p instances/ep.100",
    "reverse": true,
    "logscale": true,
    "col": ">{{\\nprounddigits{2}}}N{1}{2}"
},
    "id": "cancel",
    "opt": "-F 100 -s 99",
    "reverse": true,
    "col": ">{{\\nprounddigits{2}}}N{1}{2}"
},
    "id": "trap",
    "opt": "-F 110 --stop-on-maximum --fn-num-traps 10",
    "col": ">{{\\nprounddigits{0}}}N{3}{0}"
},
    "id": "hiff",
    "opt": "-F 120 --stop-on-maximum -s 128",
```

```
"col": ">{{\\nprounddigits{0}}}N{3}{0}"
    },
    {
        "id": "plateau",
        "opt": "-F 130 --stop-on-maximum",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
    },
        "id": "walsh2",
        "opt": "-F 162 -p instances/walsh2.100",
        "col": ">{{\\nprounddigits{2}}}N{3}{2}"
    }
],
"algorithms": [
    {
        "id": "sa",
        "opt": "-A 200 --sa-beta-ratio 1.05 --sa-num-trials 10"
    },
        "id": "ea-1p1",
        "opt": "-A 300"
    },
        "id": "ea-1p10",
        "opt": "-A 310 --ea-mu 1 --ea-lambda 10"
    },
        "id": "ea-10p1",
        "opt": "-A 310 --ea-mu 10 --ea-lambda 1"
    },
        "id": "ea-1c10",
        "opt": "-A 320 --ea-mu 1 --ea-lambda 10 --allow-stay"
    },
        "id": "ga",
        "opt": "-A 400 --ea-mu 100"
    },
        "id": "pbil",
        "opt": "-A 500 -r 5e-3"
    },
        "id": "umda",
        "opt": "-A 600 -x 100 -y 10"
    }
]
```

B Default parameters

}

```
# algorithm = 100
# bm_mc_reset_strategy = 1
# bm_num_gs_cycles = 1
# bm_num_gs_steps = 100
# bm_sampling = 1
# budget = 10000
# bv_size = 100
# cache_budget = 0
# ea_lambda = 100
# ea_mu = 10
# fn_name = noname
```

```
# fn_num_traps = 10
# fn_prefix_length = 2
# fn_threshold = 10
# function = 0
# ga_crossover_bias = 0.5
# ga_crossover_probability = 0.5
# ga_tournament_size = 10
# hea_binary_dynamics = 0
\# hea_delay = 10000
# hea_num_par_updates = 1
# hea_num_seq_updates = 100
# hea_rate_strategy = 0
# hea_reset_period = 0
# hea_sampling_method = 0
# hea_time_constant = 1000
# hea_weight = 1
# learning_rate = 0.001
# map = 0
# map_input_size = 100
# map_path = nopath
# mutation_probability = 1
# neighborhood = 0
# neighborhood_iterator = 0
# noise_stddev = 1
# num_iterations = 0
# num_threads = 1
# path = nopath
# pn_mutation_probability = 1
# pn_neighborhood = 0
# pn_radius = 2
# population_size = 10
# pv_log_num_components = 5
# radius = 2
# rls_patience = 50
# sa_beta_ratio = 1.2
# sa_initial_acceptance_probability = 0.6
# sa_num_transitions = 50
# sa_num_trials = 100
\# seed = 0
# selection_size = 1
# target = 100
# print_defaults
# last_parameter
# exec_name = hnco
\# version = 0.7
# Generated from hnco.json
```