

# HNCO

## Dynamics of performances of various black box optimization algorithms

April 25, 2017

### Contents

<b>1</b>	<b>Default parameters</b>	<b>2</b>
<b>2</b>	<b>Plan</b>	<b>2</b>
<b>3</b>	<b>one-max</b>	<b>5</b>
<b>4</b>	<b>lin</b>	<b>6</b>
<b>5</b>	<b>leading-ones</b>	<b>6</b>
<b>6</b>	<b>ridge</b>	<b>7</b>
<b>7</b>	<b>jmp-5</b>	<b>7</b>
<b>8</b>	<b>jmp-10</b>	<b>8</b>
<b>9</b>	<b>djmp-5</b>	<b>8</b>
<b>10</b>	<b>djmp-10</b>	<b>9</b>
<b>11</b>	<b>fp-5</b>	<b>9</b>
<b>12</b>	<b>fp-10</b>	<b>10</b>
<b>13</b>	<b>quad</b>	<b>10</b>
<b>14</b>	<b>nk</b>	<b>11</b>
<b>15</b>	<b>max-sat</b>	<b>11</b>
<b>16</b>	<b>labs</b>	<b>12</b>
<b>17</b>	<b>ep</b>	<b>12</b>
<b>18</b>	<b>cancel</b>	<b>13</b>
<b>19</b>	<b>trap</b>	<b>13</b>
<b>20</b>	<b>hiff</b>	<b>14</b>
<b>21</b>	<b>plateau</b>	<b>14</b>

# 1 Default parameters

```
# algorithm = 100
# bm_mc_reset_strategy = 1
# bm_num_gs_cycles = 1
# bm_num_gs_steps = 100
# bm_sampling = 1
# budget = 10000
# bv_size = 100
# ea_lambda = 100
# ea_mu = 10
# exhaustive_neighborhood = 0
# fun_num_traps = 10
# fun_threshold = 10
# function = 0
# ga_crossover_probability = 0.5
# ga_tournament_size = 10
# hea_binary_dynamics = 0
# hea_delay = 10000
# hea_num_par_updates = 1
# hea_num_seq_updates = 100
# hea_rate_strategy = 0
# hea_reset_period = 0
# hea_sampling_method = 0
# hea_time_constant = 1000
# hea_weight = 1
# learning_rate = 0.001
# map = 0
# map_input_size = 100
# map_path = nopath
# neighborhood = 0
# noise_stddev = 1
# num_iterations = 0
# path = nopath
# patience = 50
# plugin_function_name = nofunction
# population_size = 10
# pv_log_num_components = 5
# radius = 2
# sa_initial_acceptance_probability = 0.6
# sa_num_transitions = 50
# sa_num_trials = 100
# sa_rate = 1.2
# scaled_mutation_probability = 1
# seed = 0
# selection_size = 1
# print_default_parameters
# last_parameter
# exec_name = hnco
# version = 1.13
# Generated from hnco.json
```

# 2 Plan

```
{
  "exec": "hnco",
  "opt": "--no-header --log-improvement --map 1 --map-random -s 100 -i 0 -b 1000000",
  "results": "results",
  "graphics": "graphics",
  "report": "report",
  "functions": [
    {
      "id": "one-max",
```

```

    "opt": "-F 0",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },
  {
    "id": "lin",
    "opt": "-F 1 -p instances/lin.100",
    "col": ">{\{\nprouddigits{2}\}}N{2}{2}"
  },
  {
    "id": "leading-ones",
    "opt": "-F 10",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },
  {
    "id": "ridge",
    "opt": "-F 11",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },
  {
    "id": "jump-5",
    "opt": "-F 30 -t 5",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },
  {
    "id": "jump-10",
    "opt": "-F 30 -t 10",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },
  {
    "id": "djump-5",
    "opt": "-F 31 -t 5",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },
  {
    "id": "djump-10",
    "opt": "-F 31 -t 10",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },
  {
    "id": "fp-5",
    "opt": "-F 40 -t 5",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },
  {
    "id": "fp-10",
    "opt": "-F 40 -t 10",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },
  {
    "id": "quad",
    "opt": "-F 50 -p instances/quad.100 --cache",
    "col": ">{\{\nprouddigits{2}\}}N{3}{2}"
  },
  {
    "id": "nk",
    "opt": "-F 60 -p instances/nk.100.4",
    "col": ">{\{\nprouddigits{2}\}}N{1}{2}"
  },
  {
    "id": "max-sat",
    "opt": "-F 70 -p instances/ms.100.3.1000 --cache",
    "col": ">{\{\nprouddigits{0}\}}N{3}{0}"
  },

```

```

{
  "id": "labs",
  "opt": "-F 80",
  "col": ">{\nprounddigits{2}}N{1}{2}"
},
{
  "id": "ep",
  "opt": "-F 90 -p instances/ep.100",
  "reverse": true,
  "logscale": true,
  "col": ">{\nprounddigits{2}}N{1}{2}"
},
{
  "id": "cancel",
  "opt": "-F 100 -s 99",
  "reverse": true,
  "col": ">{\nprounddigits{2}}N{1}{2}"
},
{
  "id": "trap",
  "opt": "-F 110 --fun-num-traps 10",
  "col": ">{\nprounddigits{0}}N{3}{0}"
},
{
  "id": "hiff",
  "opt": "-F 120 -s 128",
  "col": ">{\nprounddigits{0}}N{3}{0}"
},
{
  "id": "plateau",
  "opt": "-F 130",
  "col": ">{\nprounddigits{0}}N{3}{0}"
}
],
"algorithms": [
{
  "id": "sa",
  "opt": "-A 200 --sa-rate 1.05 --sa-num-trials 10"
},
{
  "id": "ea-1p1",
  "opt": "-A 300"
},
{
  "id": "ea-1p10",
  "opt": "-A 310 --ea-mu 1 --ea-lambda 10"
},
{
  "id": "ea-10p1",
  "opt": "-A 310 --ea-mu 10 --ea-lambda 1"
},
{
  "id": "ea-1c10",
  "opt": "-A 320 --ea-mu 1 --ea-lambda 10"
},
{
  "id": "ga",
  "opt": "-A 400 --ea-mu 100"
},
{
  "id": "pbil",
  "opt": "-A 500 -r 5e-3"
},


```

```


{
  "id": "umda",
  "opt": "-A 600 -x 100 -y 10"
}
]
}

```


### 3 one-max




#### 4 lin




#### 5 leading-ones




## 6 ridge




## 7 jmp-5



## 8 jmp-10




## 9 djmp-5







## 10 djmp-10




## 11 fp-5




## 12 fp-10




## 13 quad




14 nk




15 max-sat




## 16 labs




## 17 ep




18 cancel



19 trap



## 20 hiff



## 21 plateau

