HNCO

Dynamics of performances of various black box optimization algorithms

August 21, 2017

Contents

1 Default parameters	2
2 Plan	2
3 one-max	5
4 lin	6
5 leading-ones	6
6 ridge	7
7 jmp-5	7
8 jmp-10	8
$9 ext{ djmp-5}$	8
$10~\mathrm{djmp}$ - 10	9
11 fp-5	9
12 fp-10	10
13 nk	10
14 max-sat	11
15 labs	11
16 ep	12
17 cancel	12
18 trap	13
19 hiff	13
20 plateau	14
21 walsh2	14

1 Default parameters

algorithm = 100


```
# bm_mc_reset_strategy = 1
# bm_num_gs_cycles = 1
# bm_num_gs_steps = 100
# bm_sampling = 1
# budget = 10000
# bv_size = 100
\# ea_lambda = 100
\# ea_mu = 10
# fun_num_traps = 10
# fun_prefix_length = 2
# fun_threshold = 10
# function = 0
# ga_crossover_probability = 0.5
# ga_tournament_size = 10
# hea_binary_dynamics = 0
\# hea_delay = 10000
# hea_num_par_updates = 1
# hea_num_seq_updates = 100
# hea_rate_strategy = 0
# hea_reset_period = 0
# hea_sampling_method = 0
# hea_time_constant = 1000
# hea_weight = 1
# learning_rate = 0.001
# map = 0
# map_input_size = 100
# map_path = nopath
# neighborhood = 0
# neighborhood_iterator = 0
# noise_stddev = 1
# num_iterations = 0
# num_threads = 1
# path = nopath
# plugin_function_name = nofunction
# population_size = 10
# pv_log_num_components = 5
# radius = 2
# rls_patience = 50
# sa_initial_acceptance_probability = 0.6
# sa_num_transitions = 50
# sa_num_trials = 100
# sa_rate = 1.2
# scaled_mutation_probability = 1
\# seed = 0
# selection_size = 1
# target = 100
# print_default_parameters
# last_parameter
# exec_name = hnco
\# version = 0.6
# Generated from hnco.json
2
    Plan
{
    "exec": "hnco",
    "opt": "--log-improvement --map 1 --map-random -s 100 -i 0 -b 1000000",
    "results": "results",
    "graphics": "graphics",
    "report": "report",
```

```
"functions": [
   {
        "id": "one-max",
        "opt": "-F 0 --stop-on-maximum",
        "col": ">{{\\nprounddigits{0}}}}N{3}{0}"
   },
        "id": "lin",
        "opt": "-F 1 -p instances/lin.100",
        "col": ">{{\\nprounddigits{2}}}N{2}{2}"
   },
        "id": "leading-ones",
        "opt": "-F 10 --stop-on-maximum",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
   {
        "id": "ridge",
        "opt": "-F 11 --stop-on-maximum",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
        "id": "jmp-5",
        "opt": "-F 30 --stop-on-maximum -t 5",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
        "id": "jmp-10",
        "opt": "-F 30 --stop-on-maximum -t 10",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
        "id": "djmp-5",
        "opt": "-F 31 --stop-on-maximum -t 5",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
        "id": "djmp-10",
        "opt": "-F 31 --stop-on-maximum -t 10",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
        "id": "fp-5",
        "opt": "-F 40 --stop-on-maximum -t 5",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
        "id": "fp-10",
        "opt": "-F 40 --stop-on-maximum -t 10",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
        "id": "nk",
        "opt": "-F 60 -p instances/nk.100.4",
        "col": ">{{\\nprounddigits{2}}}N{1}{2}"
   },
        "id": "max-sat",
        "opt": "-F 70 -p instances/ms.100.3.1000 --cache",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
   {
        "id": "labs",
```


```
"opt": "-F 80",
        "col": ">{{\\nprounddigits{2}}}N{1}{2}"
    },
        "id": "ep",
        "opt": "-F 90 -p instances/ep.100",
        "reverse": true,
        "logscale": true,
        "col": ">{{\\nprounddigits{2}}}N{1}{2}"
    },
        "id": "cancel",
        "opt": "-F 100 -s 99",
        "reverse": true,
        "col": ">{{\\nprounddigits{2}}}N{1}{2}"
    },
    {
        "id": "trap",
        "opt": "-F 110 --stop-on-maximum --fun-num-traps 10",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
    },
        "id": "hiff",
        "opt": "-F 120 --stop-on-maximum -s 128",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
    },
        "id": "plateau",
        "opt": "-F 130 --stop-on-maximum",
        "col": ">{{\\nprounddigits{0}}}N{3}{0}"
   },
    {
        "id": "walsh2",
        "opt": "-F 162 -p instances/walsh2.100 --cache",
        "col": ">{{\\nprounddigits{2}}}}N{3}{2}"
    }
"algorithms": [
    {
        "id": "sa",
        "opt": "-A 200 --sa-rate 1.05 --sa-num-trials 10"
    },
        "id": "ea-1p1",
        "opt": "-A 300"
    },
    {
        "id": "ea-1p10",
        "opt": "-A 310 --ea-mu 1 --ea-lambda 10"
    },
        "id": "ea-10p1",
        "opt": "-A 310 --ea-mu 10 --ea-lambda 1"
    },
        "id": "ea-1c10",
        "opt": "-A 320 --ea-mu 1 --ea-lambda 10"
    },
        "id": "ga",
        "opt": "-A 400 --ea-mu 100"
    },
    {
```

],


3 one-max




4 lin




5 leading-ones




6 ridge




7 jmp-5




8 jmp-10




9 djmp-5




10 djmp-10




11 fp-5




12 fp-10




nk




14 max-sat




15 labs




16 ep




17 cancel




18 trap



19 hiff



20 plateau



walsh2

