

## 2-7 Discrete Probability

Hengfeng Wei


hfwei@nju.edu.cn

May 07, 2018







*Let us calculate [calculemus].*



## Intuition vs. Calculation

# The Monty-Hall Problem





You: Randomly pick a door (No. 1)

I: Open a door which has a goat (No. 3)  
(I know what's behind the doors)

Q : Do you want to switch to door 2?

$C_i$  : The car is behind door  $i$  ( $i = 1, 2, 3$ )

$$\Pr \{C_i\} = \frac{1}{3}$$

$C_i$  : The car is behind door  $i$  ( $i = 1, 2, 3$ )

$$\Pr \{C_i\} = \frac{1}{3}$$

$Y_1$  : you initially pick door 1

$$\Pr \{X_1\} = \frac{1}{3}$$

$C_i$  : The car is behind door  $i$  ( $i = 1, 2, 3$ )

$$\Pr \{C_i\} = \frac{1}{3}$$

$Y_1$  : you initially pick door 1

$$\Pr \{X_1\} = \frac{1}{3}$$

$I_3$  : I open door 3

$C_i$  : The car is behind door  $i$  ( $i = 1, 2, 3$ )

$$\Pr \{C_i\} = \frac{1}{3}$$

$Y_1$  : you initially pick door 1

$$\Pr \{X_1\} = \frac{1}{3}$$

$I_3$  : I open door 3

$$\Pr \{C_2 | I_3, Y_1\}$$

$$\begin{aligned}\Pr \{C_2 | I_3, Y_1\} &= \frac{\Pr \{C_2, I_3, Y_1\}}{\Pr \{I_3, Y_1\}} = \frac{\Pr \{I_3, Y_1 | C_2\} \Pr \{C_2\}}{\Pr \{I_3 | Y_1\} \Pr \{Y_1\}} \\ &= \frac{\Pr \{I_3, Y_1 | C_2\}}{\Pr \{I_3 | Y_1\}}\end{aligned}$$

$$\begin{aligned}\Pr \{C_2 | I_3, Y_1\} &= \frac{\Pr \{C_2, I_3, Y_1\}}{\Pr \{I_3, Y_1\}} = \frac{\Pr \{I_3, Y_1 | C_2\} \Pr \{C_2\}}{\Pr \{I_3 | Y_1\} \Pr \{Y_1\}} \\ &= \frac{\Pr \{I_3, Y_1 | C_2\}}{\Pr \{I_3 | Y_1\}}\end{aligned}$$

$$\begin{aligned}\Pr \{I_3, Y_1 | C_2\} &= \frac{\Pr \{I_3, Y_1, C_2\}}{\Pr \{C_2\}} = \frac{\Pr \{I_3 | C_2, Y_1\} \Pr \{C_2, Y_1\}}{\Pr \{C_2\}} \\ &= \frac{\Pr \{I_3 | C_2, Y_1\} \Pr \{Y_1 | C_2\} \Pr \{C_2\}}{\Pr \{C_2\}} \\ &= \frac{1}{3} \Pr \{I_3 | C_2, Y_1\}\end{aligned}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{3 \Pr \{I_3 | Y_1\}}$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{3 \Pr \{I_3 \mid Y_1\}}$$

$$\begin{aligned}\Pr \{I_3 \mid Y_1\} &= \Pr \{I_3 \mid C_1, Y_1\} \Pr \{C_1 \mid Y_1\} \\&\quad + \Pr \{I_3 \mid C_2, Y_1\} \Pr \{C_2 \mid Y_1\} \\&\quad + \Pr \{I_3 \mid C_3, Y_1\} \Pr \{C_3 \mid Y_1\} \\&= \frac{1}{3} \left( \Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\} + \Pr \{I_3 \mid C_3, Y_1\} \right)\end{aligned}$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\} + \Pr \{I_3 \mid C_3, Y_1\}}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\} + \Pr \{I_3 | C_3, Y_1\}}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\} + \Pr \{I_3 | C_3, Y_1\}}$$

**It depends on how I choose the door to open!**

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\} + \Pr \{I_3 | C_3, Y_1\}}$$

**It depends on how I choose the door to open!**

$$\Pr \{I_3 | C_1, Y_1\} = \frac{1}{2}$$

$$\Pr \{I_3 | C_2, Y_1\} = 1$$

$$\Pr \{I_3 | C_3, Y_1\} = 0$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\} + \Pr \{I_3 | C_3, Y_1\}}$$

**It depends on how I choose the door to open!**

$$\Pr \{I_3 | C_1, Y_1\} = \frac{1}{2}$$

$$\Pr \{I_3 | C_2, Y_1\} = 1$$

$$\Pr \{I_3 | C_3, Y_1\} = 0$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{2}{3}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\} + \Pr \{I_3 | C_3, Y_1\}}$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\} + \Pr \{I_3 \mid C_3, Y_1\}}$$

$$\boxed{\Pr \{I_3 \mid C_3, Y_1\} = 0}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\} + \Pr \{I_3 | C_3, Y_1\}}$$

$$\boxed{\Pr \{I_3 | C_3, Y_1\} = 0}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\}}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\} + \Pr \{I_3 | C_3, Y_1\}}$$

$$\boxed{\Pr \{I_3 | C_3, Y_1\} = 0}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\}}$$

$$\Pr \{C_1 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_1, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\}}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\} + \Pr \{I_3 | C_3, Y_1\}}$$

$$\boxed{\Pr \{I_3 | C_3, Y_1\} = 0}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\}}$$

$$\Pr \{C_1 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_1, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\}}$$

$$\frac{\Pr \{C_2 | I_3, Y_1\}}{\Pr \{C_1 | I_3, Y_1\}} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\}}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\} + \Pr \{I_3 | C_3, Y_1\}}$$

$$\boxed{\Pr \{I_3 | C_3, Y_1\} = 0}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\}}$$

$$\Pr \{C_1 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_1, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\}}$$

$$\frac{\Pr \{C_2 | I_3, Y_1\}}{\Pr \{C_1 | I_3, Y_1\}} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\}}$$

$$\Pr \{C_2 | I_3, Y_1\} > \Pr \{C_1 | I_3, Y_1\} \iff \Pr \{I_3 | C_2, Y_1\} > \Pr \{I_3 | C_1, Y_1\}$$

$$\Pr \{C_2 \mid I_3, Y_1\} > \Pr \{C_1 \mid I_3, Y_1\} \iff \Pr \{I_3 \mid C_2, Y_1\} > \Pr \{I_3 \mid C_1, Y_1\}$$

$$\Pr \{C_2 \mid I_3, Y_1\} > \Pr \{C_1 \mid I_3, Y_1\} \iff \Pr \{I_3 \mid C_2, Y_1\} > \Pr \{I_3 \mid C_1, Y_1\}$$

$$\Pr \{I_3 \mid C_1, Y_1\} = \frac{1}{2}$$

$$\Pr \{I_3 \mid C_2, Y_1\} = 1$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{2}{3}$$

$$\Pr \{C_2 \mid I_3, Y_1\} > \Pr \{C_1 \mid I_3, Y_1\} \iff \Pr \{I_3 \mid C_2, Y_1\} > \Pr \{I_3 \mid C_1, Y_1\}$$

$$\Pr \{I_3 \mid C_1, Y_1\} = \frac{1}{2}$$

$$\Pr \{I_3 \mid C_2, Y_1\} = 1$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{2}{3}$$

*Q : Switching vs. Choosing between the two remaining doors randomly?*

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\}}$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\}}$$

$$\Pr \{I_3 \mid C_1, Y_1\} = q$$

$$\Pr \{I_3 \mid C_2, Y_1\} = 1$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\}}$$

$$\Pr \{I_3 \mid C_1, Y_1\} = q$$

$$\Pr \{I_3 \mid C_2, Y_1\} = 1$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{1}{1+q}$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\}}$$

$$\Pr \{I_3 \mid C_1, Y_1\} = q$$

$$\Pr \{I_3 \mid C_2, Y_1\} = 1$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{1}{1+q} \in [\frac{1}{2}, 1]$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\}}$$

$$\Pr \{I_3 \mid C_1, Y_1\} = q$$

$$\Pr \{I_3 \mid C_2, Y_1\} = 1$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{1}{1+q} \in [\frac{1}{2}, 1]$$

$$\Pr \{C_1 \mid I_3, Y_1\} \in [0, \frac{1}{2}]$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\}}$$

$$\Pr \{I_3 \mid C_1, Y_1\} = q$$

$$\Pr \{I_3 \mid C_2, Y_1\} = 1$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{1}{1+q} \in [\frac{1}{2}, 1]$$

$$\Pr \{C_1 \mid I_3, Y_1\} \in [0, \frac{1}{2}]$$

*Always Switch!*

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\}}$$

$$\Pr \{I_3 \mid C_1, Y_1\} = q$$

$$\Pr \{I_3 \mid C_2, Y_1\} = 1$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{1}{1+q} \in [\frac{1}{2}, 1]$$

$$\Pr \{C_1 \mid I_3, Y_1\} \in [0, \frac{1}{2}]$$

*Always Switch!*

$$\Pr \{C_2 \mid I_3, Y_1\} > \Pr \{C_1 \mid I_3, Y_1\} \iff \Pr \{I_3 \mid C_2, Y_1\} > \Pr \{I_3 \mid C_1, Y_1\}$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{\Pr \{I_3 \mid C_1, Y_1\} + \Pr \{I_3 \mid C_2, Y_1\}}$$

$$\boxed{\Pr \{C_2 \mid I_3, Y_1\} > \Pr \{C_1 \mid I_3, Y_1\} \iff \Pr \{I_3 \mid C_2, Y_1\} > \Pr \{I_3 \mid C_1, Y_1\}}$$

$$\Pr \{I_3 \mid C_1, Y_1\} = \frac{1}{2}$$

$$\Pr \{I_3 \mid C_2, Y_1\} = 1$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{2}{3}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\}}$$

$$\boxed{\Pr \{C_2 | I_3, Y_1\} > \Pr \{C_1 | I_3, Y_1\} \iff \Pr \{I_3 | C_2, Y_1\} > \Pr \{I_3 | C_1, Y_1\}}$$

I know what's behind the doors.

$$\Pr \{I_3 | C_1, Y_1\} = \frac{1}{2}$$

$$\Pr \{I_3 | C_2, Y_1\} = 1$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{2}{3}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{\Pr \{I_3 | C_2, Y_1\}}{\Pr \{I_3 | C_1, Y_1\} + \Pr \{I_3 | C_2, Y_1\}}$$

$$\boxed{\Pr \{C_2 | I_3, Y_1\} > \Pr \{C_1 | I_3, Y_1\} \iff \Pr \{I_3 | C_2, Y_1\} > \Pr \{I_3 | C_1, Y_1\}}$$

I know what's behind the doors.

I do not know what's behind the doors,  
and opens one randomly that happens  
not to reveal the car.

$$\Pr \{I_3 | C_1, Y_1\} = \frac{1}{2}$$

$$\Pr \{I_3 | C_1, Y_1\} = \frac{1}{2}$$

$$\Pr \{I_3 | C_2, Y_1\} = 1$$

$$\Pr \{I_3 | C_2, Y_1\} = \frac{1}{2}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{2}{3}$$

$$\Pr \{C_2 | I_3, Y_1\} = \frac{1}{2}$$

# The Boy/Girl Puzzle



## Both Girls (CS Problem 5.3 – 12)

Mr. and Mrs. Smith have two children of different ages,  
what is the probability that they has two girls

- (a) given that **one of the children** is a girl?
- (b) given that **the older child** is a girl?



$G_1$  : the older child is a girl

$G_2$  : the younger child is a girl

$G_1$  : the older child is a girl

$G_2$  : the younger child is a girl

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\}$$

$G_1$  : the older child is a girl

$G_2$  : the younger child is a girl

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1 \vee G_2\}}$$

$G_1$  : the older child is a girl

$G_2$  : the younger child is a girl

$$\begin{aligned}\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} &= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1 \vee G_2\}} \\ &= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1\} + \Pr \{G_2\} - \Pr \{G_1 \wedge G_2\}}\end{aligned}$$

$G_1$  : the older child is a girl

$G_2$  : the younger child is a girl

$$\begin{aligned}\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} &= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1 \vee G_2\}} \\&= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1\} + \Pr \{G_2\} - \Pr \{G_1 \wedge G_2\}} \\&= \frac{1/4}{3/4} = \frac{1}{3}\end{aligned}$$

$G_1$  : the older child is a girl

$G_2$  : the younger child is a girl

$$\begin{aligned}\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} &= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1 \vee G_2\}} \\&= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1\} + \Pr \{G_2\} - \Pr \{G_1 \wedge G_2\}} \\&= \frac{1/4}{3/4} = \frac{1}{3}\end{aligned}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1\}$$

$G_1$  : the older child is a girl

$G_2$  : the younger child is a girl

$$\begin{aligned}\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} &= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1 \vee G_2\}} \\&= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1\} + \Pr \{G_2\} - \Pr \{G_1 \wedge G_2\}} \\&= \frac{1/4}{3/4} = \frac{1}{3}\end{aligned}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1\} = \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1\}}$$

$G_1$  : the older child is a girl

$G_2$  : the younger child is a girl

$$\begin{aligned}\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} &= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1 \vee G_2\}} \\&= \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1\} + \Pr \{G_2\} - \Pr \{G_1 \wedge G_2\}} \\&= \frac{1/4}{3/4} = \frac{1}{3}\end{aligned}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1\} = \frac{\Pr \{G_1 \wedge G_2\}}{\Pr \{G_1\}} = \frac{1/4}{1/2} = \frac{1}{2}$$

$(G_1, G_2), (G_1, B_2), (B_1, G_2), (B_1, B_2)$

$(G_1, G_2), (G_1, B_2), (B_1, G_2), (B_1, B_2)$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{1}{3}$$

$(G_1, G_2), (G_1, B_2), (B_1, G_2), (B_1, B_2)$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{1}{3}$$

$(G_1, G_2), (G_1, B_2), (B_1, G_2), (B_1, B_2)$

$(G_1, G_2), (G_1, B_2), (B_1, G_2), (B_1, B_2)$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{1}{3}$$

$(G_1, G_2), (G_1, B_2), (B_1, G_2), (B_1, B_2)$

$$\Pr \{G_1 \wedge G_2 \mid G_1\} = \frac{1}{2}$$

$(G_1, G_2), (G_1, B_2), (B_1, G_2), (B_1, B_2)$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{1}{3}$$

$(G_1, G_2), (G_1, B_2), (B_1, G_2), (B_1, B_2)$

$$\Pr \{G_1 \wedge G_2 \mid G_1\} = \frac{1}{2}$$

$(G_1, G_2), (G_1, B_2), (B_1, G_2), (B_1, B_2)$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{1}{3}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1\} = \frac{1}{2}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{1}{3}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1\} = \frac{1}{2}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \boxed{\frac{2}{3}} \Pr \{G_1 \wedge G_2 \mid G_1\}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{1}{3}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1\} = \frac{1}{2}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \boxed{\frac{2}{3}} \Pr \{G_1 \wedge G_2 \mid G_1\}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \boxed{\Pr \{G_1 \mid G_1 \vee G_2\}} \Pr \{G_1 \wedge G_2 \mid G_1\}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{1}{3}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1\} = \frac{1}{2}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \boxed{\frac{2}{3}} \Pr \{G_1 \wedge G_2 \mid G_1\}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \boxed{\Pr \{G_1 \mid G_1 \vee G_2\}} \Pr \{G_1 \wedge G_2 \mid G_1\}$$

$$\Pr \{G_1 \mid G_1 \vee G_2\} = \frac{\Pr \{G_1 \wedge (G_1 \vee G_2)\}}{\Pr \{G_1 \vee G_2\}}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \frac{1}{3}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1\} = \frac{1}{2}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \boxed{\frac{2}{3}} \Pr \{G_1 \wedge G_2 \mid G_1\}$$

$$\Pr \{G_1 \wedge G_2 \mid G_1 \vee G_2\} = \boxed{\Pr \{G_1 \mid G_1 \vee G_2\}} \Pr \{G_1 \wedge G_2 \mid G_1\}$$

$$\Pr \{G_1 \mid G_1 \vee G_2\} = \frac{\Pr \{G_1 \wedge (G_1 \vee G_2)\}}{\Pr \{G_1 \vee G_2\}} = \frac{\Pr \{G_1\}}{\Pr \{G_1 \wedge G_2\}} = \frac{2}{3}$$





## Both Girls (CS Problem 5.3 – 12)

Mr. and Mrs. Smith have two children of different ages,  
what is the probability that they has two girls

- (a) given that one of the children is a girl?

## Both Girls (CS Problem 5.3 – 12)

Mr. and Mrs. Smith have two children of different ages,  
what is the probability that they has two girls

- (a) given that one of the children is a girl?

*Q : How do you know that “one of the children is a girl”?*

**Q : How** do you know that “one of the children is a girl”?

**Q : How do you know that “one of the children is a girl”?**



**Q : How do you know that “one of the children is a girl”?**



- (I) From all families with two children, at least one of whom is a girl, a (Smith's) family is chosen at random.

**Q : How do you know that “one of the children is a girl”?**



- (I) From all families with two children, at least one of whom is a girl, a (Smith's) family is chosen at random.
- (II) From all families with two children, one child (of Smith) is selected at random that happens to be a girl.

*Q* : **How** do you know that “one of the children is a girl”?

- (II) *g* : From all families with two children, **one child (of Smith)** is selected at random that happens to be a girl.

*Q : How do you know that “one of the children is a girl”?*

- (II) *g* : From all families with two children, **one child (of Smith) is selected at random that happens to be a girl.**

$$\Pr \{G_1 \wedge G_2 \mid g\} = \frac{\{G_1 \wedge G_2 \wedge g\}}{\Pr \{g\}}$$

*Q* : How do you know that “one of the children is a girl”?

- (II) *g* : From all families with two children, one child (of Smith) is selected at random that happens to be a girl.

$$\Pr \{G_1 \wedge G_2 \mid g\} = \frac{\{G_1 \wedge G_2 \wedge g\}}{\Pr \{g\}} = \frac{1/4}{1/2} = \frac{1}{2}$$

## After-class Exercise

A new couple, known to have two children, has just moved into town. Suppose that the mother is encountered walking with one of her children. If this child is a girl, what is the probability that both children are girls?



## Searching an Unsorted Array (CLRS Problem 5 – 2 (f))

---

```
1: procedure DETERMINISTIC-SEARCH( $A[1 \cdots n]$ ,  $x$ )
2:    $i \leftarrow 1$ 
3:   while  $i \leq n$  do
4:     if  $A[i] = x$  then
5:       return true
6:      $i \leftarrow i + 1$ 
7:   return false
```

---

## Searching an Unsorted Array (CLRS Problem 5 – 2 (f))

---

```
1: procedure DETERMINISTIC-SEARCH( $A[1 \cdots n]$ ,  $x$ )
2:    $i \leftarrow 1$ 
3:   while  $i \leq n$  do
4:     if  $A[i] = x$  then
5:       return true
6:      $i \leftarrow i + 1$ 
7:   return false
```

---

(e)

$$\exists! i : A[i] = x$$

(f)

$$\exists!_k i : A[i] = x$$

$$\exists! i : A[i] = x$$

$$\exists! i : A[i] = x$$

$Y$  : # of comparisons

$\exists! i : A[i] = x$

$Y : \# \text{ of comparisons}$

$$\mathbb{E}[Y] = \sum_{i=1}^n i \Pr\{Y = i\}$$

$\exists! i : A[i] = x$ 

$Y : \# \text{ of comparisons}$

$$\begin{aligned}\mathbb{E}[Y] &= \sum_{i=1}^n i \Pr\{Y = i\} \\ &= \sum_{i=1}^n i \Pr\{A[i] = x\}\end{aligned}$$

$\exists! i : A[i] = x$

$Y : \# \text{ of comparisons}$

$$\begin{aligned}\mathbb{E}[Y] &= \sum_{i=1}^n i \Pr\{Y = i\} \\ &= \sum_{i=1}^n i \Pr\{A[i] = x\} \\ &= \frac{1}{n} \sum_{i=1}^n i\end{aligned}$$

$$\exists! i : A[i] = x$$

$Y$  : # of comparisons

$$\begin{aligned}\mathbb{E}[Y] &= \sum_{i=1}^n i \Pr\{Y = i\} \\ &= \sum_{i=1}^n i \Pr\{A[i] = x\} \\ &= \frac{1}{n} \sum_{i=1}^n i \\ &= \frac{n+1}{2}\end{aligned}$$

$$\exists!_k i : A[i] = x$$

$$\exists!_k i : A[i] = x$$

$Y$  : # of comparisons

$$\exists!_k i : A[i] = x$$

$Y$  : # of comparisons

$$\mathbb{E}[Y] = \sum_{i=1}^{n-k+1} i \Pr\{Y = i\}$$

$$\exists!_k i : A[i] = x$$

$Y$  : # of comparisons

$$\begin{aligned}\mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} i \Pr\{Y = i\} \\ &= \sum_{i=1}^{n-k+1} i \Pr\{i \text{ is the first index among } k \text{ indices s.t. } A[i] = x\}\end{aligned}$$

$$\exists!_k i : A[i] = x$$

$Y$  : # of comparisons

$$\begin{aligned}\mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} i \Pr\{Y = i\} \\ &= \sum_{i=1}^{n-k+1} i \Pr\{i \text{ is the first index among } k \text{ indices s.t. } A[i] = x\} \\ &= \sum_{i=1}^{n-k+1} i \frac{\binom{n-i}{k-1}}{\binom{n}{k}}\end{aligned}$$

$$\exists!_k i : A[i] = x$$

$Y$  : # of comparisons

$$\begin{aligned}\mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} i \Pr\{Y = i\} \\ &= \sum_{i=1}^{n-k+1} i \Pr\{i \text{ is the first index among } k \text{ indices s.t. } A[i] = x\} \\ &= \sum_{i=1}^{n-k+1} i \frac{\binom{n-i}{k-1}}{\binom{n}{k}} = \frac{1}{\binom{n}{k}} \sum_{i=1}^{n-k+1} i \binom{n-i}{k-1}\end{aligned}$$

$$\exists!_k i : A[i] = x$$

$Y$  : # of comparisons

$$\begin{aligned}\mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} i \Pr\{Y = i\} \\&= \sum_{i=1}^{n-k+1} i \Pr\{i \text{ is the first index among } k \text{ indices s.t. } A[i] = x\} \\&= \sum_{i=1}^{n-k+1} i \frac{\binom{n-i}{k-1}}{\binom{n}{k}} = \frac{1}{\binom{n}{k}} \sum_{i=1}^{n-k+1} i \binom{n-i}{k-1} \\&= \frac{1}{\binom{n}{k}} \binom{n+1}{k+1} = \frac{n+1}{k+1}\end{aligned}$$


$$\exists!_k i : A[i] = x$$

$Y$  : # of comparisons

$$\begin{aligned}\mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} i \Pr\{Y = i\} \\&= \sum_{i=1}^{n-k+1} i \Pr\{i \text{ is the first index among } k \text{ indices s.t. } A[i] = x\} \\&= \sum_{i=1}^{n-k+1} i \frac{\binom{n-i}{k-1}}{\binom{n}{k}} = \frac{1}{\binom{n}{k}} \sum_{i=1}^{n-k+1} i \binom{n-i}{k-1} \\&= \frac{1}{\binom{n}{k}} \binom{n+1}{k+1} = \frac{n+1}{k+1} \\k = 1 \implies \mathbb{E}[Y] &= \frac{n+1}{2}, \quad k = n \implies \mathbb{E}[Y] = 1\end{aligned}$$

## After-class Exercise

$$\sum_{i=1}^{n-k+1} i \binom{n-i}{k-1} = \binom{n+1}{k+1}$$



$$r \binom{r-1}{k-1} = k \binom{r}{k}$$

$$\sum_{0 \leq k \leq n} \binom{k}{m} = \binom{n+1}{m+1}$$

## Chapter 5: Binomial Coefficients

$$\begin{aligned}
\sum_{i=1}^{n-k+1} i \binom{n-i}{k-1} &= \sum_{i=0}^{n-k} (i+1) \binom{n-i-1}{k-1} \\
&= \sum_{i=0}^{n-k} ((n+1) - (n-i)) \binom{n-i-1}{k-1} \\
&= \sum_{i=0}^{n-k} (n+1) \binom{n-i-1}{k-1} - \sum_{i=0}^{n-k} (n-i) \binom{n-i-1}{k-1} \\
&= (n+1) \sum_{i=0}^{n-k} \binom{n-i-1}{k-1} - k \sum_{i=0}^{n-k} \binom{n-i}{k} \\
&= (n+1) \sum_{m=k-1}^{n-1} \binom{m}{k-1} - k \sum_{m=k}^n \binom{m}{k} \\
&= (n+1) \binom{n}{k} - k \binom{n+1}{k+1} = \binom{n+1}{k+1}
\end{aligned}$$

# Indicator Random Variables

## Indicator Random Variables

$$I_i = \begin{cases} 1, & \text{if } A[i] \text{ is checked} \\ 0, & \text{o.w.} \end{cases}$$

## Indicator Random Variables

$$I_i = \begin{cases} 1, & \text{if } A[i] \text{ is checked} \\ 0, & \text{o.w.} \end{cases}$$

$Y : \# \text{ of comparisons}$

## Indicator Random Variables

$$I_i = \begin{cases} 1, & \text{if } A[i] \text{ is checked} \\ 0, & \text{o.w.} \end{cases}$$

$Y : \# \text{ of comparisons}$

$$\mathbb{E}[Y] = \mathbb{E} \left[ \sum_{i=1}^n I_i \right] = \sum_{i=1}^n \mathbb{E}[I_i] = \sum_{i=1}^n \Pr \{ I_i = 1 \}$$

## Indicator Random Variables

$$I_i = \begin{cases} 1, & \text{if } A[i] \text{ is checked} \\ 0, & \text{o.w.} \end{cases}$$

$Y : \# \text{ of comparisons}$

$$\mathbb{E}[Y] = \mathbb{E} \left[ \sum_{i=1}^n I_i \right] = \sum_{i=1}^n \mathbb{E}[I_i] = \sum_{i=1}^n \Pr \{ I_i = 1 \}$$

$$\Pr \{ I_i = 1 \} = \begin{cases} \frac{1}{k}, & \text{if } A[i] = x \\ \frac{1}{k+1}, & \text{if } A[i] \neq x \end{cases}$$

## Indicator Random Variables

$$I_i = \begin{cases} 1, & \text{if } A[i] \text{ is checked} \\ 0, & \text{o.w.} \end{cases}$$

$Y : \# \text{ of comparisons}$

$$\mathbb{E}[Y] = \mathbb{E} \left[ \sum_{i=1}^n I_i \right] = \sum_{i=1}^n \mathbb{E}[I_i] = \sum_{i=1}^n \Pr \{ I_i = 1 \}$$

$$\Pr \{ I_i = 1 \} = \begin{cases} \frac{1}{k}, & \text{if } A[i] = x \\ \frac{1}{k+1}, & \text{if } A[i] \neq x \end{cases}$$

$$\mathbb{E}[Y] = \sum_{i=1}^n \Pr \{ I_i = 1 \} = k \cdot \frac{1}{k} + (n - k) \cdot \frac{1}{k+1} = \frac{n+1}{k+1}$$





$$\Pr \{I_i = 1\} = \begin{cases} \frac{1}{k}, & \text{if } A[i] = x \\ \frac{1}{k+1}, & \text{if } A[i] \neq x \end{cases}$$



$$\Pr \{I_i = 1\} = \begin{cases} \frac{1}{k}, & \text{if } A[i] = x \\ \frac{1}{k+1}, & \text{if } A[i] \neq x \end{cases}$$

$$i = 1 \implies \Pr \{I_1 = 1\} = 1$$



$$\Pr \{I_i = 1\} = \begin{cases} \frac{1}{k}, & \text{if } A[i] = x \\ \frac{1}{k+1}, & \text{if } A[i] \neq x \end{cases}$$

$$i = 1 \implies \Pr \{I_1 = 1\} = 1$$

$$i = n \implies \Pr \{I_n = 1\} = 0$$



$$\Pr \{I_i = 1\} = \begin{cases} \frac{1}{k}, & \text{if } A[i] = x \\ \frac{1}{k+1}, & \text{if } A[i] \neq x \end{cases}$$

$$i = 1 \implies \Pr \{I_1 = 1\} = 1$$

$$i = n \implies \Pr \{I_n = 1\} = 0$$

NOT IID  
(Independent and Identically Distributed)

$$\mathbb{E}[Y] = \sum_{i=1}^{n-k+1} \Pr\{Y \geq i\}$$

$$\begin{aligned}\mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} \Pr\{Y \geq i\} \\ &= \sum_{i=1}^{n-k+1} \frac{\binom{n-i+1}{k}}{\binom{n}{k}}\end{aligned}$$

$$\begin{aligned}
 \mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} \Pr\{Y \geq i\} \\
 &= \sum_{i=1}^{n-k+1} \frac{\binom{n-i+1}{k}}{\binom{n}{k}} \\
 &= \frac{1}{\binom{n}{k}} \sum_{i=1}^{n-k+1} \binom{n-i+1}{k}
 \end{aligned}$$


$$\begin{aligned}
\mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} \Pr \{Y \geq i\} \\
&= \sum_{i=1}^{n-k+1} \frac{\binom{n-i+1}{k}}{\binom{n}{k}} \\
&= \frac{1}{\binom{n}{k}} \sum_{i=1}^{n-k+1} \binom{n-i+1}{k} \\
&= \frac{1}{\binom{n}{k}} \sum_{r=k}^n \binom{r}{k}
\end{aligned}$$

$$\begin{aligned}
\mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} \Pr \{Y \geq i\} \\
&= \sum_{i=1}^{n-k+1} \frac{\binom{n-i+1}{k}}{\binom{n}{k}} \\
&= \frac{1}{\binom{n}{k}} \sum_{i=1}^{n-k+1} \binom{n-i+1}{k} \\
&= \frac{1}{\binom{n}{k}} \sum_{r=k}^n \binom{r}{k} \\
&= \frac{1}{\binom{n}{k}} \binom{n+1}{k+1}
\end{aligned}$$

$$\begin{aligned}
\mathbb{E}[Y] &= \sum_{i=1}^{n-k+1} \Pr \{Y \geq i\} \\
&= \sum_{i=1}^{n-k+1} \frac{\binom{n-i+1}{k}}{\binom{n}{k}} \\
&= \frac{1}{\binom{n}{k}} \sum_{i=1}^{n-k+1} \binom{n-i+1}{k} \\
&= \frac{1}{\binom{n}{k}} \sum_{r=k}^n \binom{r}{k} \\
&= \frac{1}{\binom{n}{k}} \binom{n+1}{k+1} \\
&= \frac{n+1}{k+1}
\end{aligned}$$

order statistics?  
balls-into-bins?

# Thank You!



Office 302

Mailbox: H016

[hfwei@nju.edu.cn](mailto:hfwei@nju.edu.cn)