

## 2-7 Discrete Probability

Hengfeng Wei


hfwei@nju.edu.cn


May 07, 2018





## The Monty-Hall Problem





You: Randomly pick a door (No. 1)

I: Open a door which has a goat (No. 3)

Q : Do you want to switch to door No. 2?

$C_i$  : The car is behind door  $i$  ( $i = 1, 2, 3$ )

$$\Pr \{C_i\} = \frac{1}{3}$$

$C_i$  : The car is behind door  $i$  ( $i = 1, 2, 3$ )

$$\Pr \{C_i\} = \frac{1}{3}$$

$Y_1$  : you initially pick door 1

$$\Pr \{X_1\} = \frac{1}{3}$$

$C_i$  : The car is behind door  $i$  ( $i = 1, 2, 3$ )

$$\Pr \{C_i\} = \frac{1}{3}$$

$Y_1$  : you initially pick door 1

$$\Pr \{X_1\} = \frac{1}{3}$$

$I_3$  : I open door No. 3

$C_i$  : The car is behind door  $i$  ( $i = 1, 2, 3$ )

$$\Pr \{C_i\} = \frac{1}{3}$$

$Y_1$  : you initially pick door 1

$$\Pr \{X_1\} = \frac{1}{3}$$

$I_3$  : I open door No. 3

$$\Pr \{C_2 \mid I_3, Y_1\}$$



$$\begin{aligned}\Pr\{C_2 \mid I_3, Y_1\} &= \frac{\Pr\{C_2, I_3, Y_1\}}{\Pr\{I_3, Y_1\}} = \frac{\Pr\{I_3, Y_1 \mid C_2\} \Pr\{C_2\}}{\Pr\{I_3 \mid Y_1\} \Pr\{Y_1\}} \\ &= \frac{\Pr\{I_3, Y_1 \mid C_2\}}{\Pr\{I_3 \mid Y_1\}}\end{aligned}$$

$$\begin{aligned}\Pr\{C_2 \mid I_3, Y_1\} &= \frac{\Pr\{C_2, I_3, Y_1\}}{\Pr\{I_3, Y_1\}} = \frac{\Pr\{I_3, Y_1 \mid C_2\} \Pr\{C_2\}}{\Pr\{I_3 \mid Y_1\} \Pr\{Y_1\}} \\ &= \frac{\Pr\{I_3, Y_1 \mid C_2\}}{\Pr\{I_3 \mid Y_1\}}\end{aligned}$$

$$\begin{aligned}\Pr\{I_3, Y_1 \mid C_2\} &= \frac{\Pr\{I_3, Y_1, C_2\}}{\Pr\{C_2\}} = \frac{\Pr\{I_3 \mid C_2, Y_1\} \Pr\{C_2, Y_1\}}{\Pr\{C_2\}} \\ &= \frac{\Pr\{I_3 \mid C_2, Y_1\} \Pr\{Y_1 \mid C_2\} \Pr\{C_2\}}{\Pr\{C_2\}} \\ &= \frac{1}{3} \Pr\{I_3 \mid C_2, Y_1\}\end{aligned}$$

$$\Pr\{C_2 \mid I_3, Y_1\} = \frac{\Pr\{I_3 \mid C_2, Y_1\}}{3 \Pr\{I_3 \mid Y_1\}}$$

$$\Pr \{C_2 \mid I_3, Y_1\} = \frac{\Pr \{I_3 \mid C_2, Y_1\}}{3 \Pr \{I_3 \mid Y_1\}}$$





Thank  
You!



Office 302

Mailbox: H016

hfwei@nju.edu.cn