What We Talk About When We Talk About Isomorphism Theorems

Hengfeng Wei

hfwei@nju.edu.cn

April 15, 2019






Q: Do isomorphic groups behave exactly the same?

2 / 6





$$H = \{(0,0), (1,0)\}$$




$$G = Z_2 \times Z_4$$

 $K = \{(0,0), (0,2)\}$



$$H = \{(0,0), (1,0)\}$$



$$G = Z_2 \times Z_4$$

$$G = \mathbb{Z}, \ H = 2\mathbb{Z}, \ K = 3\mathbb{Z}$$



 $K = \{(0,0), (0,2)\}$

$$G \times H \cong H \times K \Longrightarrow G \cong K$$

$G \times H \cong H \times K \Longrightarrow G \cong K$



$G \times H \cong H \times K \Longrightarrow G \cong K$





$G \times H \cong H \times K \Longrightarrow G \cong K$





$$G = \mathbb{Z}, \quad H = \{e\}, \quad K = \prod_{n \in \mathbb{N}} \mathbb{Z}$$

4 / 6

$G \times H \cong H \times K \Longrightarrow G \cong K$





$$G = \mathbb{Z}, \quad H = \{e\}, \quad K = \prod_{n \in \mathbb{N}} \mathbb{Z}$$

"On Cancellation in Groups" by R. Hirshon, 1969

$$G \times H \cong H \times K, |K| < \infty \implies G \cong K$$

 $\phi: G_1 \to G_2$ is a surjective group homomorphism.

$$H_1 \triangleleft G_1$$
, $\phi(H_1) = H_2 \Longrightarrow G_1/H_1 \cong G_2/H_2$

 $\phi: G_1 \to G_2$ is a surjective group homomorphism.

$$H_1 \triangleleft G_1, \quad \phi(H_1) = H_2 \Longrightarrow G_1/H_1 \cong G_2/H_2$$



$$G_1 = \mathbb{Z}_2$$
, $G_2 = \{e\}$, $H_1 = \{0\}$, $H_2 = \{e\}$

Find all homomorphisms from \mathbb{Z}_{24} to \mathbb{Z}_{18} .

$$\phi: \mathbb{Z}_{24} \to \mathbb{Z}_{18}$$

Find all homomorphisms from \mathbb{Z}_{24} to \mathbb{Z}_{18} .

$$\phi: \mathbb{Z}_{24} \to \mathbb{Z}_{18}$$

$$\phi(1) = a? \quad \phi(x) = xa \pmod{18}$$

Find all homomorphisms from \mathbb{Z}_{24} to \mathbb{Z}_{18} .

$$\phi: \mathbb{Z}_{24} \to \mathbb{Z}_{18}$$

$$\phi(1) = a? \quad \phi(x) = xa \pmod{18}$$

$$\phi(1) = a \implies \operatorname{ord}(a) \mid \operatorname{ord}(1)$$

Find all homomorphisms from \mathbb{Z}_{24} to \mathbb{Z}_{18} .

$$\phi: \mathbb{Z}_{24} \to \mathbb{Z}_{18}$$

$$\phi(1) = a? \quad \phi(x) = xa \pmod{18}$$

$$\phi(1) = a \implies \operatorname{ord}(a) \mid \operatorname{ord}(1)$$

Theorem

$$ord(\phi(x)) \mid ord(x)$$

Find all homomorphisms from \mathbb{Z}_{24} to \mathbb{Z}_{18} .

$$\phi: \mathbb{Z}_{24} \to \mathbb{Z}_{18}$$

$$\phi(1) = a? \quad \phi(x) = xa \pmod{18}$$

$$\phi(1) = a \implies \operatorname{ord}(a) \mid \operatorname{ord}(1)$$

Theorem

$$ord(\phi(x)) \mid ord(x)$$

$$ord(a) \mid gcd(24, 18) = 6$$

Find all homomorphisms from \mathbb{Z}_{24} to \mathbb{Z}_{18} .

$$\phi: \mathbb{Z}_{24} \to \mathbb{Z}_{18}$$

$$\phi(1) = a? \quad \phi(x) = xa \pmod{18}$$

$$\phi(1) = a \implies \operatorname{ord}(a) \mid \operatorname{ord}(1)$$

Theorem

$$ord(\phi(x)) \mid ord(x)$$

$$\operatorname{ord}(a)\mid \gcd(24,18)=6$$

$$\phi(1) = 0, 9, 6, 12, 3, 15$$





Office 302

Mailbox: H016

hfwei@nju.edu.cn