#### Getting to fit models in $\boldsymbol{R}$

#### Alexandre Courtiol

Leibniz Institute of Zoo and Wildlife Research

June 2018

- Introduction
- 2 Linear Models
- Generalised Linear Models
- Mixed Models

2/26

#### What is a linear model?

Alexandre Courtiol (IZW) Getting to fit models in R June 2018 3/26

#### Types of linear models?

Alexandre Courtiol (IZW) Getting to fit models in R June 2018 4/26

A selection of packages fitting linear models in R

# Preparing data for (G)LM(M)

Alexandre Courtiol (IZW) Getting to fit models in R June 2018 6/26

#### Useful resources

- Linear Models

- Introduction
- Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
- inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Mixed Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - advanced MM

outputs

- Introduction
- Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
  - inputs
    - outputs
    - tests
    - predictions
    - assumptions
  - Mixed Models
    - inputs
    - outputs
    - tests
    - predictions
    - assumptions
    - advanced MM

- Introduction
- Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
  - inputs
    - outputs
    - tests
    - predictions
    - assumptions
  - Mixed Models
    - inputs
    - outputs
    - tests
    - predictions
    - assumptions
    - advanced MM

predictions

# Getting started with R

- Introduction
- Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
- inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Mixed Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - advanced MM

Getting to fit models in R

- Introduction
- 2 Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
- inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Mixed Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - advanced MM

- Introduction
- 2 Linear Models
- Generalised Linear Models
- Mixed Models

- Introduction
- 2 Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - Mixed Models
    - inputs
    - outputs
    - tests
    - predictions
    - assumptions
    - advanced MM

- Introduction
- 2 Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - Mixed Models
    - inputs
    - outputs
    - tests
    - predictions
    - assumptions
    - advanced MM

- Introduction
- 2 Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - Mixed Models
    - inputs
    - outputs
    - tests
    - predictions
    - assumptions
    - advanced MM

- Introduction
- Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
  - inputs
    - outputs
    - tests
    - predictions
    - assumptions
  - Mixed Models
- inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - advanced MM

Alexandre Courtiol (IZW) Getting to fit models in R June 2018

- Introduction
- 2 Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
  - inputs
    - outputs
    - tests
    - predictions
    - assumptions
  - Mixed Models
  - inputs
    - outputs
    - tests
    - predictions
    - assumptions
    - advanced MM

19 / 26

- Introduction
- 2 Linear Models
- Generalised Linear Models
- Mixed Models

- Introduction
- Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
- inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Mixed Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - advanced MM

- Introduction
- 2 Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
  - inputs
    - outputs
    - tests
    - predictions
    - assumptions
  - Mixed Models
    - inputs
    - outputs
    - tests
    - predictions
    - assumptions
    - advanced MM

June 2018

- Introduction
- 2 Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
- inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Mixed Models
- iviixed ivio
  - inputs
- outputs
- tests
- predictions
- assumptions
- advanced MM

- Introduction
- 2 Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
- inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Mixed Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - advanced MM

June 2018

- Introduction
- Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
- inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Mixed Models
  - inputs

  - outputs
  - tests
  - predictions
  - assumptions
  - advanced MM

- Introduction
- 2 Linear Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Generalised Linear Models
- inputs
  - outputs
  - tests
  - predictions
  - assumptions
- Mixed Models
  - inputs
  - outputs
  - tests
  - predictions
  - assumptions
  - advanced MM

26 / 26