

4Medica Format	Multivalued	Description	Comments
ID	No	MPI Internal identifier (Optional)	The general format rules of
Alternate ID	No	Alternate ID from external system	the Upload file are as
Identity MRN	Yes	Medical Record Number (MRN)	follows:
Identity MRN	Yes	The Entity ID that assigned this	
Assigned Facility		MRN for this patient	
<b>Identity Personal</b>	Yes	Identity's personal identification	1) Fields are separated by
ID		such as drivers license # etc	pipe character ( )
<b>Identity Personal</b>	Yes	Type of Personal Id e.g. DL for	
ID Type		Driver's license	
<b>Identity Personal</b>	Yes	Whether this address is valid or	2) Multiple values in a
ID Validity		not. If the supplied value is "Y" or	single field should be
		"YES" or empty, the address is	separated using ^^
		valid. For all other values the	(double caret character)
		validity will be NO	
Identity First	Yes	Identity's first name	2) If nine on count
Name			3) If pipe or caret
<b>Identity Last Name</b>	Yes	Identity's last name	character[ i.e   or ^ ] is
Identity Middle	No	Identity's middle name	part of the value, then it
Name	V	E - Ingian In Carian Co ata	should be escaped using
Identity Name Suffix	Yes	E.g. Junior, Jr., Senior, Sr. etc.	the \ character. For e.g. \^
<b>Identity Nick</b>	Yes	Identity's nick name	
Name			4) If a field value is null or
Gender	No	Identity's gender. The valid values	blank, two single quote or
		are	nothing should be passed
		M – Male	as its field value.
		F – Female	
		U – Unknown	
		O - Other	
Identity Date of	No	Identity's date of birth. It should be	
Birth		in the format YYYYMMDD or	
		MM/DD/YYYY. For eg- 19800320	
SSN - Full or Last 4	No	Identity's social security number. It	
		can either be the entire 9 digits or	
		just the last 4 digits. Hyphen in	
		between is permitted. For eg- 789-	
		19-9870 is a valid format, 9870 is	
		valid format, 789-199870 is a valid	
		format. But 789-19 is not valid	
		format	
Identity Address 1	Yes	Identity's address line 1	
Identity Address 2	Yes	Identity's address line 2	
<b>Identity City</b>	Yes	Identity's city	
<b>Identity State</b>	Yes	Identity's state	
Identity Zip Code	Yes	Identity's zip code. This field only	
		accepts digits, all characters and	



	1		
		special characters are discarded. If	
		the length of the zip code is	
		greater than 5 and less than 9, only	
		first five digits will be taken rest of	
		them will be discarded. If the	
		length is greater than 9, only first 9	
		digits will be taken and rest of	
		them will be discarded.	
Identity Address	Yes	Whether this address is valid or	
Validity	. 55	not. If the supplied value is "Y" or	
,		"YES" or empty, the address is	
		valid. For all other values the	
		validity will be NO	
Phone	Yes	Identity's contact phone number,	
Filone	165	1	
		type and validity. Hyphen in Phone	
		number value is permitted. For eg	
		839-555-9559 and 555-9559 are	
		valid formats. But 839-55599 is not	
		a valid format. Round brackets or	
		parentheses for the area code in a	
		Phone number is permitted i.e	
		(839)-555-9559 and (839)5559559	
		are valid formats. But 839-	
		(555)(9559) is not a valid format.	
Phone Type	Yes	Identity's phone type. This is	
		predefined for an entity during	
		implementation. The valid values	
		are	
		W – Work	
		H – Home	
		M – Mobile	
		However user can pass blank value	
		also	
Phone Validity	Yes	Whether this phone is valid or not.	
		If the supplied value is "Y" or "YES"	
		or empty, the phone is valid. For all	
		other values the validity will be NO	
Email	Yes	Email address of the identity.	
Email Validity	Yes	Whether this email is valid or not.	
,		If the supplied value is "Y" or "YES"	
		or empty, the email is valid. For all	
		other values the validity will be NO	
Race	Yes	Identity's race. Race codes are	
11000	1.03	predefined for an entity during	
		implementation. The valid values	
		· ·	
		are	



		1 American Indian/Alackan Native
		I - American Indian/Alaskan Native
		A – Asian
		B – Black/African American
		N – Native Hawaiian/Other Pacific
		Islanders
		C – White
		O – Other
		D – Declined
		U – Unknown
		L – Blank
Ethnicity	Yes	Identity's Ethnicity. Ethnicity codes
		are predefined for an entity during
		implementation. The valid values
		are
		H - Hispanic/Latino
		N - Not Hispanic/Latino
		D – Declined
		U - Unknown
Custom	Yes	Custom field value. Any field that
		the customer would like to store
		for narrowing down the search
<b>Custom Type</b>	Yes	Custom field type. E.g. BT for Blood
		type.

Sample file upload format <u>Click here to download</u>