

122COM: Profiling

David Croft

Coventry University

david.croft@coventry.ac.uk

2017

Overview

- 1 Profiling
 - Efficiency
 - Optimization
 - Profilers

- 2 Recap



When writing software think about its efficiency.

- Time.
- Memory.

When writing software think about its efficiency.

- Time.
- Memory.
- Time vs Memory.
 - Can you trade one for the other
 - I.e. data stored in RAM costs memory but saves time.
 - I.e. data stored on hard drive saves memory but costs time.

When writing software think about its efficiency.

- Time.
- Memory.
- Time vs Memory.
 - Can you trade one for the other
 - I.e. data stored in RAM costs memory but saves time.
 - I.e. data stored on hard drive saves memory but costs time.
- Optimization makes software run faster/leaner/better.

“Premature optimization is the root of all evil”

–Donald Knuth

For any large piece of code you should:

"Premature optimization is the root of all evil"

–Donald Knuth

For any large piece of code you should:

- Write clear, easily understood code. Focus on getting the behaviour right, not on performance.
- Test the performance.
 - It may be fine.
- Profile your code to get the baseline performance.
 - So that you know if you are making things better or worse.
- Focus your efforts on the code that is consuming all the time.
 - E.g. small pieces of code that get called multiple times.

Profiling is a method of analysing your code to identify the impact of the different functions/classes/sections etc.

Instrumentation profilers

- Add extra bits of code to track time/memory/function calls.
 - Can be done manually.
 - But automatic is better.
- Accurate.
 - But slows things down.

Statistical profilers

- Regularly checks the software state.
- Accurate-ish.
 - Based on statistical sampling.
 - Doesn't slow things down.

In this example which function takes the most time?

- `fast_math_function()` or `slow_math_function()`?

```
def fast_math_function(a, b):  
    time.sleep(0.00001)  
    return a + b  
  
def slow_math_function(a, b):  
    time.sleep(3)  
    return a + b  
  
def main():  
    for i in range(int(1.0000)):  
        slow_math_function(42, 69)  
  
    for i in range(int(100000)):  
        fast_math_function(42,69)  
  
if __name__ == '__main__':  
    sys.exit(main())
```

lec_functions.py

Example

A

In this example which function takes the most time?

- `fast_math_function()` or `slow_math_function()`?
- Why don't we just profile it and find out?

```
def fast_math_function(a, b):  
    time.sleep(0.00001)  
    return a + b  
  
def slow_math_function(a, b):  
    time.sleep(3)  
    return a + b  
  
def main():  
    for i in range(int(1.0000)):  
        slow_math_function(42, 69)  
  
    for i in range(int(100000)):  
        fast_math_function(42,69)  
  
if __name__ == '__main__':  
    sys.exit(main())
```

lec_functions.py

```
» python3 -m cProfile lec_functions.py
```


```
200007 function calls in 10.362 seconds
```

```
Ordered by: standard name
```

ncalls	totttime	percall	cumtime	percall	filename:lineno(function)
1	0.000	0.000	10.362	10.362	lec_functions.py:1(<module>)
1	0.137	0.137	10.362	10.362	lec_functions.py:11(main)
100000	0.171	0.000	7.222	0.000	lec_functions.py:3(fast_math_function)
1	0.000	0.000	3.003	3.003	lec_functions.py:7(slow_math_function)
1	0.000	0.000	10.362	10.362	{built-in method exec}
1	0.000	0.000	0.000	0.000	{built-in method exit}
100001	10.054	0.000	10.054	0.000	{built-in method sleep}
1	0.000	0.000	0.000	0.000	{method 'disable' of '_lsprof.Profiler' object}

Things to note:

- Total time - time spent in each function.
- Cumulative time - time spent in each function AND the functions it calls.



Results visualised

A

Results passed through
Graphviz/gprof2dot.

- A profiling visualisation tool.

Why do I care?

- Everyone
 - Without $O()$ notation we can't discuss how algorithms compare.
 - Without $O()$ can't discuss why some tasks are effectively impossible (travelling salesman).
 - You should be trying to write good, efficient code. Profiling helps you do this.
- Ethical Hackers - $O()$ important in discussing password security.
- Games Tech - $O()$ explains the need for path finding and graphics work arounds.

Recap

Profiling help determines the actual performance of your code.

- Statistical profilers.
 - Accurate-ish
- Instrumental profilers.
 - Insert additional instructions.
 - Accurate but slows things down.

The End