



SLN Medical College and Hospital, Koraput, Odisha

Patient Information

| | | | |
|-----------------|---------------|------------------|------------------------|
| Patient ID: | SLN50705 | Name: | Hariom prakash pansari |
| Age: | 15 Years | Gender: | Male |
| Contact Number: | 9937064087 | Country of Test: | India |
| Adhaar Number: | Not Available | Passport Number: | Not Available |

Specimen Information

| | | | |
|---------------------------------|---------------------|--------------------------------------|---------------------|
| ICMR ID: | 5707088035 | SRF ID: | 2136545433360 |
| Result of SARS-CoV2: | Negative | Test Type: | RTPCR |
| Specimen Type: | Nasopharyngeal swab | Report ID: | SLN230674 |
| Date Time of Sample Collection: | 20-01-2022 11:13:9 | Date Time of Sample Received at Lab: | 20-01-2022 14:23:37 |
| Date Time of Sample Testing: | 20-01-2022 14:26:34 | Date Time of Result Reported: | 20-01-2022 14:29:36 |

Checked and Approved by:

R Bhalchandra

Scan for e-Verify

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

1. Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
2. A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
3. A positive test result is only tentative, and will be reconfirmed by retesting
4. Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
5. A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
6. Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR