CS341 · COMPUTER GRAPHICS

Midterm Review

مراجعة الميد في ملف واحد

محارب

محتوى الملف

01 وش يجي من كل شابتر

02 Introduction

03 Chapter 1: الشاشات

04 Chapter 2: المتجهات

05 DDA: من (2,2) إلى (4,10)

01 وش يجي من كل شابتر

الشابتر	من 20	شكل السؤال
Chapter 1 (الشاشات و CRT)	**7 – 8**	تعريفات، صح وخطأ، اختيارات، رسمة CRT، Aspect ratio
رسم الخط (DDA)	**4 – 5**	مسألة وحدة: جدول ونقاط ورسم
Chapter 2 (المتجهات)	**2 – 5**	صح وخطأ وتعريفات
Introduction	**2 – 3**	تعريف CG والتطبيقات

التوزيع من نموذجي 472 و 461.

02 Introduction

السؤال	الجواب
تعريف CG	**Creation, storage, and manipulation of models and images**
المهام الرئيسية	Modeling · Rendering · Animation
مو من المهام	Data encryption
التطبيقات	CAD · Medical · Entertainment → **All of the above**
Used only for" "entertainment	**False**
الهدف	Synthetic images indistinguishable from reality

03 Chapter 1: الشاشات

المصطلح	الجواب
Random scan	الشعاع يرسم الخطوط مباشرة · الصورة في **display list**
Raster scan	يمسح من فوق لتحت سطر سطر · الصورة في **frame buffer**
الـ CRT يطلق	**Electrons**
Persistence	الوقت لين الضوء يضعف لـ **عُشر** شدته
Refresh rate	كم مرة ترسم الصورة في الثانية
Resolution	أكبر عدد نقاط بدون تداخل
وضوح الشاشة	resolution · **dot pitch** · refresh rate
Input device	Mouse (مو Monitor ولا Printer ولا Speaker)
Hard-copy devices	Laser · Ink-jet · Film recorder · Electrostatic · Pen plotter


Aspect ratio

Why? To maintain geometric features: a square stays a square and a circle does not become an ellipse.

$$AR = \frac{\frac{\text{vertical points}}{\text{height}}}{\frac{\text{horizontal points}}{\text{width}}}$$

$$461: \quad AR = \frac{\frac{1080}{5}}{\frac{1920}{10}} = \frac{216}{192} = 1.125$$

رسمة الـ CRT



From the left: pins → electron gun → focusing system → horizontal plates → vertical plates → screen (the beam hits the screen).

Absolute vs Relative

Absolute: the actual position, measured from the origin.

Relative: an offset from the last position (current position). (3, 8) + (2, −1) → (5, 7)

04 Chapter 2: المتجهات

الجملة	الجواب
A vector has both magnitude and direction.	**True**
Vector from P to Q	**Q – P**
Sum two points results in a valid point.	**False**
The dot product of two perpendicular vectors is zero.	**True**
A unit vector has a length greater than 1.	**False** (= 1)

05 DDA: من (2,2) إلى (4,10)

1) dx = 2, dy = 8, steps = the larger = 8

2) $xInc = \frac{2}{8} = 0.25$ $yInc = \frac{8}{8} = 1$

3) round x every step (0.5 rounds up)

k	x	y	round(x)	round(y)
0	2	2	2	2
1	2.25	3	2	3
2	2.5	4	3	4
3	2.75	5	3	5
4	3	6	3	6
5	3.25	7	3	7
6	3.5	8	4	8
7	3.75	9	4	9
8	4	10	4	10

DDA: floating-point increments, then rounding. Rounding is time consuming, and pixels drift away from the true line on long segments.