

BISHOP GRAPHICS/ACCUPRESS
ORDER NO. A13709

COMPUTER MEMORIES, INC.

APPLICATION NOTE

NO.

1 A

FAULT CHART ANALYSIS

Drive Error

Fatal error in controlling spindle motor speed or positioner motor

Offset Limit

Offset limit established during startup (90% of maximum encoder amplitude) has been reached during settling process.

Offset Excessive

After settling, offset value is greater than 20 hex. This value corresponds to about 2v offset at TP 10

No Burst

Off track sense is at wrong logic state when a deliberate offset is applied

Servo Writer won't clear

State counter(defining which burst or erase) did not clear

No write reply from servo writer

Servo writer responds to write enable by sending step pulses. This error occurs if no step pulses received after write was enabled

9/4/84



Computer Memo
Incorporated

9216 Eton Avenue, Chatsworth, California
Phone (213) 709-6445 TWX 910 494

TECHNICAL BULLETIN

TO: DISTRIBUTION - CM6000 ONLY

FROM: Stephen Stein *SS*
Technical Support

SUBJECT: ECN 839 BLANKING SERVO WEDGE TO THE INTERFACE

No. 8 Vol. 2

Technical Bulletin #7 Vol. 2 on 8-13-84, did not include the fix for controllers P.L.L.'s (Phase Lock Loop) that can not lock up to the servo wedge that is written on CM6000 series disk drives.

Enclosed is ECN 839, these are the direction on how to install the change to blank the servo wedge to the read data interface on CM6000 series only.

If you have any questions about this or any other CMI specification please contact CMI Technical Support.

CMI TECHNICAL SUPPORT

FOR IMMEDIATE RELEASE TO ALL SALES PERSONNEL AND REGIONAL/DISTRICT
SALES PERSONS

COMPUTER MEMORIES, INC.

ERN NO.	ECR NO. 839	STOP ORDER	ECN
---------	----------------	------------	-----

ENGINEERING NOTICE

REQUEST ☒ CHANGE ☐ RELEASE ☐ STOP ORDER ☐

RELEASE DATE:

INCORPORATION DATE:

INCORPORATED ON DRAWING ☐ YES ☒ NO

URGENCY LEVEL A ☒ B ☐ C ☐ D

PROJECT NUMBER

PROJECT TITLE

6000

ORIGINATOR C. WHAN

PREPARED BY R. NEILSON

DEPT.
ENG

D
8-2

REASON FOR CHANGE:

TO PREVENT SERVO BURST APPEARING
AT THE INTERFACE.

DRAWING NO.	NEW ISS.	NF	F	MODEL AFFECTED	DRAWING TITLE
100079					P.C.B.A. 40MB MAIN H.C. VERSION 4
L/M 100079-01					L/M 40MB MAIN H.C. VERSION 4
100078					SCHEMATIC 40MB MAIN H.C. VERSION

ON L/M 100079-01:

REVISION CHANGE ONLY.

PRELIMINARY

QTY.	DISPOSITION OF PARTS	USE	REWORK	SCRAP	DATE OF EFFECTIVITY	NOTED
	Open Purchase Orders - Not Started		✓			
	Open Purchase Orders - Started	✓				
	Assemblies & Kits In Inspection & Test		✓			
	Production Stores - Purchase Parts	✓				
	Production Stores - Assemblies & PCBA's	✓				
	Units In F/A or F/A Kits - Prior To System Test		✓			
	Units In System Test or QC Audit		✓			
	Finished Goods - Units In Factory	✓				
	Finished Goods - Units In Field	✓				
	Finished Goods - Spares In Factory	✓				
	Finished Goods - Spares In Field	✓				

CLASS I <input type="checkbox"/> II <input type="checkbox"/> III <input type="checkbox"/>		
REJ. APPVD.	APPROVAL	DAT
<input type="checkbox"/> CHECKER	<i>San</i>	08/
<input checked="" type="checkbox"/> PROJECT ENGR.	<i>R. Neilson</i>	8/2
<input type="checkbox"/> I.E. MGR.		
<input type="checkbox"/> MAT'L. CONTROL		
<input type="checkbox"/> CUST. SER. MGR.		
<input type="checkbox"/> PRODUCT MGR.		
<input type="checkbox"/> Q.A. MGR.		
<input type="checkbox"/> ENGR. MGR.		

REMARKS	ECN REVISIONS:				FCN RE
	ENG APP				
	CCB APP				
	DATE				

COMPUTER MEMORIES, INC.

ERN NO.

ECR NO.


STOP ORDER

839

ON 100079 SHT 2 ZONE C-6, C-7 (ADD)

ADD JUMPER AS SHOWN
30 AWG INSULATED WIRE
PT. NO. 660-3049

CUT ETCH
AS SHOWN



ON 100079, REWORK INSTRUCTIONS, SOLDER SIDE:

21

1. CUT TRACE LEADING FROM ~~Z20~~, PIN 18.
2. ADD JUMPER (PIN 660-3049) FROM FEED THRU HALFWAY BETWEEN Z14, PIN 6 & 9 TO FEED THRU BY Z24, PIN 6.

COMPUTER MEMORIES, INC.

ERN NO.

ECR NO.


STOP ORDER

ECN


839

ON 100078 SHT2 ZONE D-3, C-2.3

FROM:




TO:



USR MSK

1. AUTHORITY 2. AUTHORITY 3. AUTHORITY 4. AUTHORITY 5. AUTHORITY 6. AUTHORITY 7. AUTHORITY 8. AUTHORITY 9. AUTHORITY 10. AUTHORITY 11. AUTHORITY 12. AUTHORITY 13. AUTHORITY 14. AUTHORITY 15. AUTHORITY 16. AUTHORITY 17. AUTHORITY 18. AUTHORITY 19. AUTHORITY 20. AUTHORITY 21. AUTHORITY 22. AUTHORITY 23. AUTHORITY 24. AUTHORITY 25. AUTHORITY 26. AUTHORITY 27. AUTHORITY 28. AUTHORITY 29. AUTHORITY 30. AUTHORITY 31. AUTHORITY 32. AUTHORITY 33. AUTHORITY 34. AUTHORITY 35. AUTHORITY 36. AUTHORITY 37. AUTHORITY 38. AUTHORITY 39. AUTHORITY 40. AUTHORITY 41. AUTHORITY 42. AUTHORITY 43. AUTHORITY 44. AUTHORITY 45. AUTHORITY 46. AUTHORITY 47. AUTHORITY 48. AUTHORITY 49. AUTHORITY 50. AUTHORITY 51. AUTHORITY 52. AUTHORITY 53. AUTHORITY 54. AUTHORITY 55. AUTHORITY 56. AUTHORITY 57. AUTHORITY 58. AUTHORITY 59. AUTHORITY 60. AUTHORITY 61. AUTHORITY 62. AUTHORITY 63. AUTHORITY 64. AUTHORITY 65. AUTHORITY 66. AUTHORITY 67. AUTHORITY 68. AUTHORITY 69. AUTHORITY 70. AUTHORITY 71. AUTHORITY 72. AUTHORITY 73. AUTHORITY 74. AUTHORITY 75. AUTHORITY 76. AUTHORITY 77. AUTHORITY 78. AUTHORITY 79. AUTHORITY 80. AUTHORITY 81. AUTHORITY 82. AUTHORITY 83. AUTHORITY 84. AUTHORITY 85. AUTHORITY 86. AUTHORITY 87. AUTHORITY 88. AUTHORITY 89. AUTHORITY 90. AUTHORITY 91. AUTHORITY 92. AUTHORITY 93. AUTHORITY 94. AUTHORITY 95. AUTHORITY 96. AUTHORITY 97. AUTHORITY 98. AUTHORITY 99. AUTHORITY 100. AUTHORITY 		1. AUTHORITY 2. AUTHORITY 3. AUTHORITY 4. AUTHORITY 5. AUTHORITY 6. AUTHORITY 7. AUTHORITY 8. AUTHORITY 9. AUTHORITY 10. AUTHORITY 11. AUTHORITY 12. AUTHORITY 13. AUTHORITY 14. AUTHORITY 15. AUTHORITY 16. AUTHORITY 17. AUTHORITY 18. AUTHORITY 19. AUTHORITY 20. AUTHORITY 21. AUTHORITY 22. AUTHORITY 23. AUTHORITY 24. AUTHORITY 25. AUTHORITY 26. AUTHORITY 27. AUTHORITY 28. AUTHORITY 29. AUTHORITY 30. AUTHORITY 31. AUTHORITY 32. AUTHORITY 33. AUTHORITY 34. AUTHORITY 35. AUTHORITY 36. AUTHORITY 37. AUTHORITY 38. AUTHORITY 39. AUTHORITY 40. AUTHORITY 41. AUTHORITY 42. AUTHORITY 43. AUTHORITY 44. AUTHORITY 45. AUTHORITY 46. AUTHORITY 47. AUTHORITY 48. AUTHORITY 49. AUTHORITY 50. AUTHORITY 51. AUTHORITY 52. AUTHORITY 53. AUTHORITY 54. AUTHORITY 55. AUTHORITY 56. AUTHORITY 57. AUTHORITY 58. AUTHORITY 59. AUTHORITY 60. AUTHORITY 61. AUTHORITY 62. AUTHORITY 63. AUTHORITY 64. AUTHORITY 65. AUTHORITY 66. AUTHORITY 67. AUTHORITY 68. AUTHORITY 69. AUTHORITY 70. AUTHORITY 71. AUTHORITY 72. AUTHORITY 73. AUTHORITY 74. AUTHORITY 75. AUTHORITY 76. AUTHORITY 77. AUTHORITY 78. AUTHORITY 79. AUTHORITY 80. AUTHORITY 81. AUTHORITY 82. AUTHORITY 83. AUTHORITY 84. AUTHORITY 85. AUTHORITY 86. AUTHORITY 87. AUTHORITY 88. AUTHORITY 89. AUTHORITY 90. AUTHORITY 91. AUTHORITY 92. AUTHORITY 93. AUTHORITY 94. AUTHORITY 95. AUTHORITY 96. AUTHORITY 97. AUTHORITY 98. AUTHORITY 99. AUTHORITY 100. AUTHORITY
--	--	--

COMPUTER MEMORIES, INC.




ADD JUMPER AS SHOWN
USE 30AWG WIRE PT.NO. 660-3049

SOLDER SIDE

CUT ETCHED AS SHOWN

ECN NO. 688
SHT. 5 OF 5



SCHEMATIC MAIN

[illegible]

TABLE II

1. REFER TO ASSEMBLY DRAWING 200236Z FOR POSITIONING AND INSTALLATION OF BOARD
2. ALL WIRE CLUT ELEMENTS SEE TABLE II
3. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
4. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
5. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
6. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
7. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
8. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
9. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
10. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
11. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
12. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
13. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
14. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
15. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
16. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
17. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
18. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
19. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO
20. ALL WIRE CLUT ELEMENTS DELETED FROM BOARD TO

TABLE I


ITEM	DESIGNATION	PART NO	DESCRIPTION	PART NO	DESCRIPTION
1	W1	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
2	W2	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
3	W3	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
4	W4	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
5	W5	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
6	W6	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
7	W7	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
8	W8	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
9	W9	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
10	W10	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
11	W11	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
12	W12	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
13	W13	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
14	W14	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
15	W15	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
16	W16	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
17	W17	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
18	W18	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
19	W19	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K
20	W20	100-1003	POTENTIOMETER 1K	100-1003	POTENTIOMETER 1K

ECN 618 may
unreported

COMPUTER MEMORIES INC	
SCHEMATIC MAIN	
5 POTS	
200236	
10/1/84	

200568

DATE	DESCRIPTION	AMOUNT	CHECK NO.	BANK
11-25-54	PPE-PRODUCTION EARN 5-HR	0		




WIRE	WIRE TERMINATION CHART
	CONNECTOR PIN NO.
660-2219	40
660-2219	0
660-2219	7
660-2219	6
660-2219	2
660-2219	3
660-2219	9
660-2219	1
660-2219	4 AND 5


④ COMPONENTS WILL NOT EXTEND BEYOND DIMENSION SHOWN.

10-05502 MW AT A TALKY FOR GOOD MOVEMENT
DIRECTION DOES NOT APPLY TO NEW SUB-AOL.

10-667730-10 1711 10 NOV 77 0508-01.
24. ANSWER TO AS STAMPED WITH LATEST LIST OF
JULY 1977.


DECLARATIVE AND IMPERATIVE

<p>  COMPUTER MEMORIES, INC. </p>	<p> PRODUCTS: Random Access Memories, Read Only Memories, Semiconductor Memories, and more. </p>	<p> REPRESENTATIVE: J. J. GARY COMPANY: J. J. GARY </p>	<p> REPRESENTATIVE: J. J. GARY COMPANY: J. J. GARY </p>
--	---	--	--



NOTES: UNLESS OTHERWISE SPECIFIED
 1 REF 200368, A55V DWG
 2 RESISTORS ARE IN OHMS, 1/4 W, 1%
 3 CAPACITORS ARE IN MICROFARADS, 10

COMPUTER MEMORY	
200368	5000
SCHEMATIC MOTOR CONT	



SWAGE BEFORE SOLDERING

PC BOARD TO BE STAMPED WITH LATEST LIST OF MATERIAL, NUMBER & REVISIONS.

COMPONENTS SHALL NOT EXTEND BEYOND DIMENSION SHOWN.


DATE: 10-1-74 BY: 10-1-74

10-1-74

THIS DOCUMENT IS THE PROPERTY OF COMPUTER NETWORKS CORPORATION AND IS LOANED SUBJECT TO ALL DEMANDS UNTIL IT IS RETURNED TO THE LENDING PARTY. IT IS TO BE USED ONLY PURSUANT TO THE INSTRUCTIONS OF COMPUTER NETWORKS CORPORATION. ALL RIGHTS TO PATENTS AND INVENTIONS ARE RESERVED BY COMPUTER NETWORKS CORPORATION. THIS DOCUMENT IS LOANED SUBJECT TO THE FOLLOWING:


COMPUTER MEMORIES II

PCBA. 19 MB
MAIN BOARD[illegible]



SOLDER SIDE SHOWN

COMPUTER MEMORIES INC	
P L E A 1940 MAIN BOARD	
DATE	10/07/75
DESIGNED BY	
CHECKED BY	
APPROVED BY	
DATE	
DESIGNED BY	
CHECKED BY	
APPROVED BY	
DATE	

[illegible]

