

phpMyAdmin

Recent Favorites

- New
- information\_schema
- s104222099\_db
  - New
  - cars

Server: Feenix MariaDB (MySQL) » Database: s104222099\_db » Table: cars

Browse Structure SQL Search Insert Export Import Operations Tracking

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				car_id	make	model	price	yom
<input type="checkbox"/>	Edit	Copy	Delete	1	BMW	X3	35000	2010
<input type="checkbox"/>	Edit	Copy	Delete	2	Holden	Astra	14000	2009
<input type="checkbox"/>	Edit	Copy	Delete	3	Ford	Falcon	39000	2013
<input type="checkbox"/>	Edit	Copy	Delete	4	Toyota	Corolla	20000	2012
<input type="checkbox"/>	Edit	Copy	Delete	5	Holden	Commodore	13500	2005
<input type="checkbox"/>	Edit	Copy	Delete	6	Holden	Astra	8000	2004
<input type="checkbox"/>	Edit	Copy	Delete	7	Holden	Commodore	28000	2009
<input type="checkbox"/>	Edit	Copy	Delete	8	Ford	Falcon	14000	2011
<input type="checkbox"/>	Edit	Copy	Delete	9	Ford	Falcon	7000	2003
<input type="checkbox"/>	Edit	Copy	Delete	10	Ford	Laser	10000	2010

☐ Check all | With selected: Edit Copy Delete Export

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Console

```
>INSERT INTO cars ( car_id , make , model , price , yom ) VALUES (NULL, Ford , Laser , 10000 , 2010 );
>SELECT * FROM cars;
>SELECT make, model, price FROM cars ORDER BY make, model;
>SELECT make, model, price FROM cars WHERE price >= 20000;
>SELECT make, model FROM cars WHERE price < 15000.00;
>SELECT AVG(price) FROM cars WHERE make = 'FORD';
```



phpMyAdmin

Recent Favorites

- New
- information\_schema
- s104222099\_db
  - New
  - cars

Server: Feenix MariaDB (MySQL) » Database: s104222099\_db

Structure SQL Search Query Export Import Operations Routines Tracking Designer Central columns

Run SQL query/queries on database s104222099\_db:

```
1 SELECT make, model
2 FROM cars
3 WHERE price < 15000.00;
```

Console

Bookmarks Options History Clear

```
> INSERT INTO cars (car_id, make, model, price, yom) VALUES (NULL, Ford, Laser, 10000, 2010 );
> SELECT * FROM cars;
> SELECT make, model, price FROM cars ORDER BY make, model;
> SELECT make, model, price FROM cars WHERE price >= 20000;
> SELECT make, model FROM cars WHERE price < 15000.00;
> SELECT AVG(price) FROM cars WHERE make = 'FORD';
```

Collapse Requery Edit Explain Profiling Bookmark Database : s104222099\_db Queried time : 15:56:56

```
SELECT *
FROM cars
WHERE yom >= 2010 AND price >= 15000.00;
> SELECT * FROM `cars`
> SELECT * FROM `cars`
```



phpMyAdmin

Recent Favorites

- New
- information\_schema
- s104222099\_db
  - New
  - cars

Server: Feenix MariaDB (MySQL) » Database: s104222099\_db » Table: cars

Browse Structure SQL Search Insert Export Import Operations Tracking

`SELECT make, model FROM cars WHERE price < 15000.00;`

☐ Profiling [ Edit inline ] [ Edit ] [ Explain SQL ] [ Create PHP code ] [ Refresh ]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	make	model
<input type="checkbox"/> Edit Copy Delete Holden Astra		
<input type="checkbox"/> Edit Copy Delete Holden Commodore		
<input type="checkbox"/> Edit Copy Delete Holden Astra		
<input type="checkbox"/> Edit Copy Delete Ford Falcon		
<input type="checkbox"/> Edit Copy Delete Ford Falcon		
<input type="checkbox"/> Edit Copy Delete Ford Laser		

☐ Check all | With selected: Edit Copy Delete Export

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Print Copy to clipboard Export Display chart Create view

Console

Bookmarks Options History Clear

```
>INSERT INTO cars (car_id, make, model, price, year) VALUES (NULL, Ford, Laser, 10000, 2010);
>SELECT * FROM cars;
>SELECT make, model, price FROM cars ORDER BY make, model;
>SELECT make, model, price FROM cars WHERE price >= 20000;
>SELECT make, model FROM cars WHERE price < 15000.00;
>SELECT AVG(price) FROM cars WHERE make = 'FORD';
```



phpMyAdmin

Recent Favorites

- New
- information\_schema
- s104222099\_db
  - New
  - cars

Run SQL query/queries on database s104222099\_db:

```
1 SELECT AVG(price)
2 FROM cars
3 WHERE make = 'FORD';
```

Clear Format Get auto-saved query

☐ Bind parameters

Bookmark this SQL query:

Console

Bookmarks Options History Clear

```
> INSERT INTO cars (car_id, make, model, price, year) VALUES (NULL, 'Ford', 'Laser', 10000, 2010);
> SELECT * FROM cars;
> SELECT make, model, price FROM cars ORDER BY make, model;
> SELECT make, model, price FROM cars WHERE price >= 20000;
> SELECT make, model FROM cars WHERE price < 15000.00;
> SELECT AVG(price) FROM cars WHERE make = 'FORD';
```



phpMyAdmin

Recent Favorites

- New
- information\_schema
- s104222099\_db
  - New
  - cars

Server: Feenix MariaDB (MySQL) » Database: s104222099\_db » Table: cars

Browse Structure SQL Search Insert Export Import Operations Tracking

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 0 (1 total, Query took 0.0009 seconds.)

```
SELECT AVG(price) FROM cars WHERE make = 'FORD';
```

☐ Profiling [ [Edit inline](#) ] [ [Edit](#) ] [ [Explain SQL](#) ] [ [Create PHP code](#) ] [ [Refresh](#) ]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

AVG(price)  
17500

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

[Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

Console

Bookmarks Options History Clear

```
> INSERT INTO cars (car_id, make, model, price, year) VALUES (NULL, 'Ford', 'Laser', 10000, 2010);  
> SELECT * FROM cars;  
> SELECT make, model, price FROM cars ORDER BY make, model;  
> SELECT make, model, price FROM cars WHERE price >= 20000;  
> SELECT make, model FROM cars WHERE price < 15000.00;  
> SELECT AVG(price) FROM cars WHERE make = 'FORD';
```



**phpMyAdmin**

Recent Favorites

- New
- information\_schema
- s104222099\_db
  - New
  - cars

Run SQL query/queries on database s104222099\_db:

```
1 SELECT *
2 FROM cars
3 WHERE yom >= 2010 AND price >= 15000.00;
```

Clear Format Get auto-saved query

☐ Bind parameters

Bookmark this SQL query:

Console Bookmarks Options History Clear

```
> INSERT INTO cars (car_id, make, model, price, yom) VALUES (NULL, Ford, Laser, 10000, 2010);
> SELECT * FROM cars;
> SELECT make, model, price FROM cars ORDER BY make, model;
> SELECT make, model, price FROM cars WHERE price >= 20000;
> SELECT make, model FROM cars WHERE price < 15000.00;
> SELECT AVG(price) FROM cars WHERE make = 'FORD';
```



phpMyAdmin

Recent Favorites

- New
- information\_schema
- s104222099\_db
  - New
  - cars

Server: Feenix MariaDB (MySQL) » Database: s104222099\_db » Table: cars

Browse Structure SQL Search Insert Export Import Operations Tracking

Show query box

Showing rows 0 - 2 (3 total, Query took 0.0010 seconds.)

SELECT \* FROM cars WHERE yom >= 2010 AND price >= 15000.00;

Profiling [ Edit inline ] [ Edit ] [ Explain SQL ] [ Create PHP code ] [ Refresh ]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				car_id	make	model	price	yom
<input type="checkbox"/>	Edit	Copy	Delete	1	BMW	X3	35000	2010
<input type="checkbox"/>	Edit	Copy	Delete	3	Ford	Falcon	39000	2013
<input type="checkbox"/>	Edit	Copy	Delete	4	Toyota	Corolla	20000	2012

Check all With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

Console

Bookmarks Options History Clear

```
> INSERT INTO cars ( car_id , make , model , price , yom ) VALUES ( NULL , Ford , Laser , 10000 , 2010 );
> SELECT * FROM cars;
> SELECT make, model, price FROM cars ORDER BY make, model;
> SELECT make, model, price FROM cars WHERE price >= 20000;
> SELECT make, model FROM cars WHERE price < 15000.00;
> SELECT AVG(price) FROM cars WHERE make = 'FORD';
```