
accenture



WEALTH SERVICING ON SALESFORCE FINANCIAL SERVICES CLOUD

Wealth 360

Solution Handbook

Agents do the work. Salesforce keeps the record. People decide.

Version 1.2 29 October 2026

CONFIDENTIAL

WEALTH 360 SOLUTION HANDBOOK

Contents

1 Executive summary 3
- 1.1 The problem 3
- 1.2 The solution 3
- 1.3 What is live today 4
- 1.4 Outcomes measured 5
- 1.5 Governance stance 5
- 1.6 What it takes to scale 5
- 1.7 Wealth 360 at a glance 6

2 Solution intent 7
- 2.1 Principles 7
- 2.2 Scope: the five journeys 7
- 2.3 The storyboard 8
- 2.4 Out of scope 8

3 Architecture overview 9
- 3.1 Layered view 9
- 3.2 Component inventory 11
- 3.3 Key design decisions 12

4 Data architecture 13
- 4.1 Object catalogue and ownership 13
- 4.2 Core servicing model 14
- 4.3 KYC and the agent runner 15
- 4.4 The decision ledger 15
- 4.5 Lineage 16
- 4.6 Data residency and egress 16

5 Agentic flows 17
- 5.1 Event-triggered autonomous run 17
- 5.2 The email loop 18
- 5.3 Journey swimlanes 23
- 5.4 Maker, checker and approver 24

6 Salesforce build 25
- 6.1 Metadata inventory 25
- 6.2 Apex services 25
- 6.3 The write guard 26
- 6.4 Signal and decision code 27
- 6.5 Permission sets and custom permissions 28
- 6.6 Lightning: case cockpit and relationship panel 29
- 6.7 Wealth 360 Admin app 31
- 6.8 External Client Apps 32
- 6.9 Platform event and email services 33

7 MCP layer 34
- 7.1 Hosted MCP tool catalogue 34
- 7.2 Input and output envelope 36
- 7.3 Aggregation server tool catalogue 36
- 7.4 The Wealth 360 Checks connector 37
- 7.5 How a check reaches Salesforce 38
- 7.6 Outside services in use 39

8 Claude plugin 41
- 8.1 Install 41
- 8.2 The connectors 42
- 8.3 Agents and skills 42
- 8.4 The desk page 43

9 Runner and operations 46

9.1 Identity 46
9.2 Scheduling and triggering 46
9.3 Limits and spend 47
9.4 Observability 47
9.5 Kill switch and runbook 48

10 Security, governance and controls 49
10.1 Separation of duties 49
10.2 Data access 49
10.3 Secrets 50
10.4 Audit 50
10.5 Model risk notes 50
10.6 What a bank reviewer will ask 51

11 Evidence 52
11.1 Deployments and tests 52
11.2 Live runs 53
11.3 Demo suite verification 54
11.4 Timings and cost 56

12 Scalability and path to production 57
12.1 Environments 57
12.2 The runner in the bank's cloud account 57
12.3 Secrets vault and certificate rotation 57
12.4 Licensing 58
12.5 The event bus at scale 58
12.6 Concurrency and queueing 58
12.7 Cost model per case 58
12.8 Model routing 59
12.9 Evaluations and regression replay 59
12.10 Monitoring and SLOs 59
12.11 Disaster recovery 59
12.12 Change management of the rulebook 59
12.13 Controls to add for production 60
12.14 Multi-org and multi-tenant 60
12.15 Plugin distribution and versioning 60
12.16 Real providers: CoP and KYC 60
12.17 Experience Cloud as a later option 60
12.18 Phased roadmap 61
12.19 Team 62

A Appendices 63
A.1 Glossary 63
A.2 Tool lists 63
A.3 Field lists 64
A.4 Open decisions 67
A.5 References 68

B Use case coverage 69
B.1 Journeys 69
B.2 Channels and administration 71
B.3 The storyboard against the evidence 71
B.4 Demo review, 29 October 72

How to read the tags

LIVE runs in the BankingGPT sandbox and was checked on 29 October 2026, unless a figure carries its own date. IN BUILD is built and deployed but not yet proven live end to end. Two items carry it: the first real inbound email, and delivery into Accenture's mail gateway (Proofpoint, DKIM). ESTIMATE marks planning figures, not commitments.

Everything in the sandbox is synthetic. Client names, accounts and amounts in screenshots are fictional demo personas. In the proof every demo client's email points to a single test inbox. Email addresses, tokens, consumer keys and org ids are masked.

01 > Executive summary

Wealth 360 lets two AI agents do the servicing work on a wealth book while Salesforce keeps the rules and the record, and a named person makes every decision that matters.

What changed in versions 1.1 and 1.2 (29 October 2026)

- **1.2:**
  a complaint (00001375) and a bereavement (00001380) worked live from the client's email to a sent letter. A new fenced step records a death and holds the deceased's accounts; both agents can search clients; a person's decision now wakes the agents at once, and the journey's last step closes the case.
- The hosted MCP server has 27 tools, not 16: person actions on the desk (notes, calls, meetings, follow-ups, document requests, reassignment, documents), client search, colleagues, insights, and `record_check`.
- Outside check results are written back to Salesforce through `record_check`: screening and identity onto the client's KYC profile, every check onto the case timeline. Identity decisions come back from Didit by themselves. A KYC tab shows it all on the client page.
- A clean L1 change of address now runs straight through, fenced in Apex (case 00001373). The agents read the case's PDFs and photos.
- The desk has one light design with Insights and an action menu, and Claude can analyse a document on the page. Released letters and emails to the client go to the client's email on record.
- The layered view (figure 3.1) and a new flow (figure 3.2) show how every outside service connects to Salesforce. All counts, versions and the evidence in chapter 11 are re-checked against the org, the runner and the repositories.

1.1 The problem

A wealth servicing team spends its day on a small set of recurring requests: a change of address, a withdrawal, an unallocated credit, a bereavement, a complaint. Each request arrives by email, portal, phone or the payments feed. Each needs the same handful of checks across the CRM, the KYC record, the payee and the sanctions list, and each must leave an evidence trail a reviewer can follow. Most of the effort goes into gathering and checking, not deciding. The decisions themselves need a person, by regulation and by design.

1.2 The solution

Wealth 360 splits that work cleanly.

- **Agents do the work.** A **Case agent** (the maker) works each case through its journey step by step and cites evidence for every step. A **Review agent** checks the case in a fresh context and never sees the maker's reasoning.
- **People decide.** Every outcome that needs a person arrives as an exception with the evidence and a proposed action. The person approves, amends, rejects or asks for more. The decision is staged, shown verbatim and confirmed by name behind a single-use token.
- **Salesforce stays the system of record.** Journeys, rules, levels and teams live in Financial Services Cloud custom metadata. Records, the audit trail and the decision gate live in Salesforce. Salesforce, not the agents, enforces who may do what.

People reach the build from Salesforce Lightning or from Claude (Cowork and Code) through the hosted MCP connector "Wealth 360"; a second connector, "Wealth 360 Checks", runs the outside checks under the same Salesforce sign-in (live on Vercel). Every check result is written back to Salesforce, onto the client's KYC profile and

the case, through one governed tool. The agents run headless, as a dedicated agent identity, woken in real time by a Salesforce platform event.

1.3 What is live today

As of 29 October 2026, in the BankingGPT sandbox:

- The W360 data model on FSC, five journeys with 49 steps as custom metadata, and the write fence in Apex.
- The Salesforce hosted MCP server "Wealth 360" with 27 tools, run as the caller: 12 reads, 4 agent writes, 8 person actions, 2 decisions, and `record_check`, which people and the agent identity both use.
- The Wealth 360 Lightning app (case cockpit, client page with the relationship panel and a KYC tab) and the Wealth 360 Admin app (agent control, runs, rulebook, audit).
- Autonomous agents as the Integration User through the External Client App `W360_Agent_Runner`, triggered by `W360_Case_Signal__e` over the Pub/Sub API, with a 2-minute sweep as the safety net. The agents read the case's PDFs and photos.
- The Wealth 360 Checks server (wealth-experience): UK Sanctions List screening, Plaid sandbox account-holder verification, Didit identity sessions, Ideal Postcodes and an append-only ledger. Results land on the client's KYC profile (`PartyScreeningSummary`, `PartyIdentityVerification`) and the case timeline through `record_check`; identity decisions are fetched back every 3 minutes by the runner.
- A straight-through change of address: on a clean L1 case the Case agent updates the address, the client gets a confirmation and the case closes, only when every fence in Apex holds.
- The Wealth 360 plugin 0.11.0 for Claude Cowork and Claude Code, with the desk page (one light design; Desk, Clients, Insights, Rules and Audit trail; an action menu; document analysis by Claude on the page). The public marketplace `cowork-offering/wealth-360` carries 0.9.2 as of 29 October; 0.10.0 to 0.11.0 are in the repository, not yet pushed.
- Email intake (Apex Email Service `W360_Email_Intake`) with routing rules: replies find their case, known clients get a new case, a client named in the email is chosen when several share an address, unknown senders go to a person. Verified with simulated emails through the deployed handler (cases 00001366 and 00001373).
- Branded outbound email on the Wealth Servicing letterhead. A person's release sends letters and emails to the client to the client's email on record (deployed 29 October); the agent identity auto-sends document requests and address change confirmations, fenced.
- A complaint and a bereavement, each worked live from an inbound email to a sent letter (00001375, 00001380): the agents read, checked and drafted, the Review agent checked, a person approved on the desk, Salesforce emailed the letter and, for the bereavement, recorded the death, put the accounts on hold and booked the meeting (section 11.2, appendix B).
- A demo suite of four clients and five cases (00001362 to 00001366), each worked end to end by the runner with outside checks (section 11.3). Appendix B maps every journey and the storyboard to this evidence.

Proven live on 28 October: a request logged by phone (case 00001369) was read, checked and answered by the Case agent, which auto-sent the document request to the client in 61 seconds; this also proves that the agent identity's Integration licence can send email. Proven live on 29 October: a change of address by email ran straight through to a closed case (00001373), Eleanor Whitfield's identity check came back from Didit by itself as Accepted (00001370), a complaint ran from email to an approved, emailed response (00001375), and a bereavement ran from email to a recorded death, an emailed letter and a booked meeting (00001380). Not yet proven: the first real inbound email over SMTP, and delivery to Accenture addresses through Proofpoint IN BUILD. The hosted Wealth 360 Checks connector is live on Vercel since 28 October (section 7.4).

1.4 Outcomes measured

1 to 2s	112s	$0.56	0
from a case commit to the signal in the listener	autonomous run on case 00001360, six steps to the hand-off	model cost of that run, as reported by the agent process	decisions staged, approved or released by an agent

- **Case 00001359:** a new payee was caught. The Case agent found the nominated account was new and the details unverified, raised the case to level 3 and handed it to the relationship manager (Needs RM).
- **Case 00001360:** the payee matched on the Plaid check and KYC was complete, yet the agent escalated. It found a linked open change-of-details case and nominated accounts created the same day, so it could not show "no bank change in 90 days". The run was autonomous, cost $0.56 and took 112 s.
- **Event run RUN-000013:** four new demo-suite cases, 20 steps written, three hand-offs, no errors, $1.98, 446 s, all as the agent identity.
- **Demo suite:** five cases worked by the runner without a person stepping in, ending in the expected desk state; two deviations found and fixed (section 11.3).
- **Case 00001373, straight through:** Priya Raman's change of address by email with a water bill. Eleven timeline rows, from the Case agent's first step to the closed case in 2 min 23 s (05:32:52 to 05:35:15 UTC, 4 min 32 s from the email), $0.76 over three agent processes in one event-triggered run of 176 s (RUN-000397). The address on record is now 2 Barons Court Road and the confirmation was sent.
- **The fences held:** on 00001372 the Case agent handed Priya's earlier request to a person because another open change-of-details case existed; on 00001374 it handed Eleanor Whitfield's surname change to a person because the journey covers addresses only.
- Deploys with all tests passing: 46 of 46 for the admin app, 65 of 65 for branded email, 68 of 68 for the email safety guard (28 October); 96 of 96 W360 tests on the latest deploy (29 October). The aggregation server passes 30 of 30, re-run on 29 October.

1.5 Governance stance

Control is enforced in Salesforce, not promised by a prompt. The agent identity holds a marker permission that the decision path refuses outright: an agent can never stage, approve or release. Agents may raise a level, never lower it. Steps out of sequence or without required evidence are refused. Regulated numbers (payee match, match score, screening score) are computed in code; the model narrates and cites. Every step and decision is a row in Salesforce, attributed to the identity that wrote it.

1.6 What it takes to scale

The build is a working proof on one sandbox, one runner host and one relationship manager. Production needs the runner in the bank's own cloud account with a secrets vault and certificate rotation, licensed agent identities, real providers (Pay.UK Confirmation of Payee, eIDV, screening with monitoring), queue-based concurrency, an evaluation and replay harness, SLOs and DR, and change control on the rulebook. Chapter 12 sets this out as a phased roadmap: close the proof in 2 to 4 weeks, a production foundation in 8 to 10 weeks, a controlled pilot in 10 to 14 weeks, then scale out over 4 to 5 months ESTIMATE.

EXECUTIVE SUMMARY

Wealth 360 at a glance



5
servicing journeys: change of details, money out, money in, bereavement, complaint

49
journey steps in custom metadata, each with stage, actor, tools and evidence rule

2
agents: a maker and an independent reviewer, as one agent identity

27
MCP tools on Salesforce: 12 reads, 4 agent writes, 8 person actions, 2 decisions, and record_check for both

1 to 2s
event latency, commit to listener, measured

10s
debounce per case before an agent starts

2min
sweep interval, the safety net for missed signals

$20
daily model spend cap in Agent control; $3.66 used on 29 Oct to 11:30 UTC

Live LIVE

- W360 data model, rulebook and write fence on FSC
- Hosted MCP server "Wealth 360", 27 tools
- Case cockpit, client page with KYC tab, Admin app
- Agent identity, JWT bearer, platform event, listener and sweep
- Checks: UK list, Plaid and Didit sandboxes, Ideal Postcodes
- Check results on the KYC profile through record_check
- Straight-through change of address (case 00001373)
- Email intake; branded email on release and fenced auto-send
- Desk actions, insights and document analysis
- Hosted Wealth 360 Checks connector on Vercel
- Claude plugin 0.11.0 and the desk page

Not yet proven IN BUILD

- The first real inbound email over SMTP
- Delivery through Accenture Proofpoint (DKIM for the sending domain)

Next PLANNED

- Runner in the bank's cloud account
- Pay.UK CoP, eIDV and screening providers
- Evaluation and replay harness
- Queue-based concurrency, SLOs, DR
- Controlled pilot with one team

The one rule that holds everything together

The agent identity can never stage, approve or release a decision. Salesforce refuses it in `W360WriteGuard.assertCanDecide`, whatever the agent is told to do.

02> Solution intent

The intent is a servicing desk where the routine work is done before a person looks, and where every decision a person makes rests on cited evidence they can check.

2.1 Principles

Agents do the work, people decide

The Case agent works the steps. The Review agent checks. A named person decides every level 2 and level 3 outcome. Agents prepare instructions; they never release them.

Salesforce stays the system of record

Rules are custom metadata owned by the business. Records and the audit trail are Salesforce rows. The connector and the agents hold no business rules and no state.

Evidence over opinion

Each step cites a verbatim quote and its source. Deterministic checks compute the regulated numbers in code. A submission without required evidence is refused.

Supporting principles

- **Autonomy is configuration.** Each journey has a default level (L1 to L3) and raise-to-L3 rules. An agent may raise the level, never lower it.
- **One governed context.** Both agents read the same journeys, rules and policies from Salesforce through `W360Rulebook` and `W360CaseContext`.
- **Inbound content is data.** Emails, documents and remittance text are evidence, never instructions. The only link an outbound email may carry is an https Didit verification session.
- **Two identities, two seats.** People sign in as themselves (per-user OAuth). Agents sign in as the agent identity (JWT bearer). Neither can use the other's path.
- **Reuse before build.** The decision staging and write gate are Credit 360's Apex, called by composition and never modified.

2.2 Scope: the five journeys

The values below are read from `W360_Journey__mdt` in the org.

JOURNEY	LEVEL	OWNING TEAM, SLA	WHAT THE AGENTS DO	WHERE A PERSON COMES IN
Change of details Change of address	L1	Customer Servicing, 2 working days	Read the request and the proof of address, compare with the record, validate the address, open an ID session when needed. On a clean L1 case, update the address and confirm it to the client.	Raised to L3 on a name mismatch (including evidence in another household member's name), evidence over 3 months old, or a bank change in the last 90 days. The person's step is optional: a clean L1 case runs straight through when every fence holds.
Money out Withdrawal or encashment	L2	Payments Operations, 5 working days	Check the source account, the payee and KYC, screen the payee, draft the confirmation, prepare the release.	The release always waits for a person. Raised to L3 for vulnerability, an unverified payee or a recent bank change.

JOURNEY	LEVEL	OWNING TEAM, SLA	WHAT THE AGENTS DO	WHERE A PERSON COMES IN
Money in Allocate incoming funds	L2	Cash Operations, same day	Parse the credit, search candidate accounts, score them in code (90% threshold), screen the remitter.	Below 90% or over the £25,000 review limit the funds stay in suspense and a person allocates or opens an investigation.
Bereavement Bereavement notification	L3	Bereavement Services, acknowledge in 2 working days	Read the notification and certificate, identify accounts, mark them, check documents, draft the document request, propose a one-to-one with the beneficiary.	Always level 3. A person approves the letter and books the meeting. Grant of probate and executor identity are mandatory.
Complaint	L2	Complaints, final response within 8 weeks	Read and classify, retrieve history, check the cause, draft the response (apology, cause, fix, referral rights).	A person reviews and approves the draft. Raised to L3 for vulnerability or regulator involvement.

2.3 The storyboard

The demonstration follows one relationship manager's morning across five cases on synthetic data in GBP. The seed creates the five cases at the person's step, with 37 agent activity rows carrying the cited quotes. Three cases reach the relationship manager as exceptions; money out waits on authorization; the complaint draft waits for review. The bereavement case proposes a one-to-one with the beneficiary, often the family's first conversation with the bank. The morning ends on the daily summary: cases progressed, agent tasks, decisions, the person's measured time, items waiting and rework.

SEEDED CASE	CLIENT	SITUATION	DESK STATE
Change of details	Timothy Norton	Proof of address in a household member's name	Needs RM, L3
Money out	Timothy Norton	£25,000 from the brokerage account to a nominated account	Awaiting authorisation, L2
Money in	Unmatched credit	£48,250 from Lloyds; best match 68%, 90% needed	Needs RM, L3; funds in suspense
Bereavement	Estate of Richard Hale	Executor Sophie Hale; letter drafted, four meeting slots proposed	Needs RM, L3
Complaint	Timothy Norton	Holding not updated; response drafted	Ready for review, L2

2.4 Out of scope

- **Client onboarding.** A different team and operating model. KYC still runs inside servicing for every new payee, executor and changed identity.
- **Moving money.** Confirming a decision releases the instruction in Salesforce. Payment execution belongs to the bank's payments platform; core banking is a seeded stub.
- **Pay.UK Confirmation of Payee.** The sandbox uses open-banking account-holder verification through Plaid. It is not the CoP scheme.
- **PEP and adverse media.** The UK Sanctions List holds neither. A licensed provider is a production item.
- **Real client data.** Synthetic personas only, in Salesforce and at every outside provider.
- **Microsoft 365 delivery.** Free slots, invites and mail through Microsoft Graph are designed, not built. Journey steps that name `send_mail` or `free_slots` are worked from what the case holds; steps that name `read_document` read the case's own files.
- **Client data changes beyond the address.** Only a clean change of address is applied by an agent. Name changes, bank details and every other record change go to a person.

03> Architecture overview

Six layers, one rulebook. Only Salesforce holds rules and records; every layer above it can change without touching the process.

3.1 Layered view




Figure 3.1 Layers, identities and every connection to Salesforce. Purple paths are a person acting as themselves; black paths are the agent identity or the platform. Outside providers sit behind the two Wealth 360 Checks servers, and their results reach Salesforce only through `record_check` on the hosted MCP server. Every box is deployed or running. Figure 3.2 draws the check and identity flow step by step.

Outside checks and identity, step by step




Figure 3.2 Requests go out to the providers through a Wealth 360 Checks server and results come back to the caller, never to Salesforce directly. The caller records them with `record_check`: the desk as the person (purple), the Case agent and the identity poller as the agent identity (black). The identity flow: **1** `verify_identity` creates a Didit session, from the desk or the Case agent, through a Checks server; **2** the link goes to the client by email (`request_documents` by a person, or the agent's fenced auto-send) and the verification is In Progress on the client's profile; **3** the client completes the check at Didit on their own device; **4** the runner's identity poller asks the local Checks server for the decision every 3 minutes; **5** `record_check` writes Accepted, Rejected or On Hold to the `PartyIdentityVerification`; **6** on Accepted or Rejected, a case waiting on the client goes back to Working, and the next sweep restarts the agents (a person's Get result signals at once). Verified in `w360_runner.py` (`poll_identity`), `W360KycSync` and the Checks server's `verifyIdentity`.

How each outside service connects to Salesforce

CONNECTION	PATH AND MECHANISM	IDENTITY	LANDS IN SALESFORCE
UK Sanctions List, Plaid sandbox, Didit sandbox, Ideal Postcodes	HTTPS from a Wealth 360 Checks server: on Vercel for the desk, on the runner host (127.0.0.1:7461) for the agents. Provider keys stay on the server.	The person (Salesforce token checked with userinfo), or the runner	Nothing directly. The result goes back to the caller, who records it with `record_check`.
`record_check`	Tool on the hosted MCP server "Wealth 360": Apex `W360RecordCheck`, logic in `W360KycSync`.	The person in USER_MODE; the agent identity in system mode, limited to the client of a case it has read	Screening: `PartyScreeningSummary` on the client's `PartyProfile` (Clear, On Hold, Rejected). Identity: `PartyIdentityVerification`, In Progress with the session and link, then Accepted, Rejected or On Hold. Every check: a row on the case timeline (`W360_Agent_Activity__c`).

CONNECTION	PATH AND MECHANISM	IDENTITY	LANDS IN SALESFORCE
Didit decision	The runner's identity poller, every 180 s in the tick, no model: `verify_identity` with the session id on the local Checks server, then `record_check`.	The agent identity	The verification is decided; a case waiting on the client goes back to the agents.
Email in	The client's email to the Apex Email Service `W360_Email_Intake`. A case token, the thread token or a known sender files it.	The Email Service's context user, a named admin	A new or existing W360 case; the email and attachments as Files; an activity row.
Email out	`W360EmailOutbound`: `Messaging.sendEmail` from the org-wide address Wealth Servicing, Reply-To the intake address.	A person's release; the agent identity's fenced auto-send	An HTML copy as a File on the case and an activity row; no EmailMessage record.
Document analysis on the desk	The page asks the viewer's own Claude to read a PDF or photo (the artifact's sample capability); `attach_document` files it.	The person	A File on the case, titled with the document type, its description holding what was read; a case waiting on the client goes back to the agents.
Agent runner	OAuth 2.0 JWT bearer through the External Client App `W360_Agent_Runner`; hosted MCP for agent tools; REST for the control record, the run log and the case's files; a Pub/Sub API (gRPC) subscription to `/event/W360_Case_Signal__e`.	The Integration User (the agent identity)	Steps through `submit_step` and `record_review`; the run log in `W360_Agent_Run__c`.

3.2 Component inventory

COMPONENT	TECHNOLOGY	RUNS	IDENTITY	STATUS
W360 data model and rulebook	Custom objects, 23 Case fields, custom metadata	BankingGPT sandbox (FSC)	n/a	LIVE
Apex services	W360WriteGuard, W360AgentService, W360DeskService, W360PersonActions, W360Checks, W360ContextBuilder, W360AddressChange, W360DeathRecord	Salesforce	The caller, USER_MODE; fenced system-mode paths for the agent (section 10.2)	LIVE
KYC sync and view	W360KycSync behind `record_check`; W360KycView and LWC w360KycPanel	Salesforce	The caller; the agent identity limited to the case's client	LIVE
Hosted MCP server, connector "Wealth 360"	McpServerDefinition, 27 Apex invocable tools	Salesforce hosted MCP	Per-user OAuth with PKCE, or JWT bearer	LIVE
Wealth 360 app	LWC w360CaseCockpit, w360RelationshipPanel, w360KycPanel; two FlexiPages	Lightning	The relationship manager	LIVE
Wealth 360 Admin app	LWC w360AgentControl, w360Rulebook, w360Audit; run list views	Lightning	Holders of W360_Agent_Admin	LIVE
Signal	Trigger W360CaseSignal, platform event W360_Case_Signal__e	Salesforce event bus	Publishes for people only	LIVE

COMPONENT	TECHNOLOGY	RUNS	IDENTITY	STATUS
Agent runner	Python 3: w360_listen.py (Pub/Sub gRPC), w360_runner.py (sweep, work loop, identity poller)	Linux host, systemd user services	Integration User via External Client App W360_Agent_Runner	LIVE
Case agent, Review agent	Headless Claude Code processes, one per role, plugin agent files as instructions; Read only on the case's files	Runner host	Agent identity	LIVE
Wealth 360 Checks, local	wealth-experience: Bun, TypeScript, MCP SDK 1.32, stateless HTTP	Runner host, 127.0.0.1:7461	Local only, used by the agent runner	LIVE
Wealth 360 Checks, connector	The same tool code bundled for Node 22 functions; streamable HTTP; Blob ledger	Vercel, wealth-360-checks.vercel.app	The person, Salesforce sign-in, token checked with Salesforce	LIVE
Claude plugin	Plugin 0.11.0 in the repository; 0.9.2 on the public marketplace cowork-offering/wealth-360	Claude Cowork, Claude Code	The person	LIVE
Desk page	Published artifact over the viewer's own two connectors; Claude reads documents through the sample capability	Viewer's claude.ai account	The person	LIVE
Email intake	Apex Email Service W360_Email_Intake	Salesforce	Runs as a named admin user	LIVE
Outbound email	W360EmailOutbound, W360EmailTemplates, org-wide address Wealth Servicing	Salesforce	The person on release; the agent for document requests and address confirmations	LIVE

3.3 Key design decisions

DECISION	CHOICE	WHY
Two agents, not six	One Case agent across intake, planning, execution, drafting and fulfillment; one Review agent	Separation of duties holds where it matters (maker, reviewer, checker) with fewer moving parts to build, test and explain.
Separate MCP server	Wealth 360 beside Customer 360 in the same org, sharing its Apex library	Agents see only wealth tools, the two release independently, and a fault in one does not stop the other.
Where agents run	Agent SDK style headless processes on our own host	Full control of tool lists, hooks, budgets and identity. Review at scale-up.
Trigger	Platform event plus Pub/Sub, sweep as the net	Seconds instead of minutes, and no loss if the listener is down.
Decision gate	Credit 360 staging, by composition	Proven single-use token pattern; no second implementation to certify.
Outside check results	One write tool, `record_check`, into the FSC KYC objects and the case timeline	The Checks servers stay read-only toward Salesforce; every result is attributed to the person or the agent identity that recorded it.
Straight-through	Only a clean L1 change of address, with every fence in Apex	The lowest-risk journey proves autonomy end to end; anything unusual still goes to a person.

04> Data architecture


Everything keys on the Case. New W360 objects hang off it, FSC objects stay as they are, and the rules sit beside the data as custom metadata.

4.1 Object catalogue and ownership

OBJECT	HOLDS	WRITTEN BY	SOURCE
`Case (W360_Wealth_Servicing)`	Journey state, level and reason, exception, proposed action, request, decision	Intake; agent (working fields only); person (decision fields)	23 new fields, record type, business process
`W360_Agent_Activity__c`	One row per agent step or person decision: stage, step, outcome, quote, source, tools, model, run id	Agent identity; the decision path	New
`W360_Fulfilment_Instruction__c`	Payment out, allocation, communication, return to sender	Agent prepares; a person releases	New
`W360_Incoming_Payment__c`	Credit in suspense, reference, candidates and scores	Payments feed (seeded); a person allocates	New
`W360_Agent_Control__c`	One record: on or off, cadence, hours, journeys, limits, Run now	Admins (field history on)	New
`W360_Agent_Run__c, _Run_Case__c`	Run log, one row per run and per agent process	Agent identity (runner)	New
`W360_Journey__mdt, _Step__mdt`	Rulebook: 5 journeys, 49 steps	The business, through a metadata deploy	New
`cm_Action_Staging__c`	Staged plan, plan hash, token hash, outcome	The deciding person	Reused from Credit 360, unchanged
`Account, Contact`	Person accounts and households	Existing; seed adds the Hale family; the straight-through address change updates the mailing address	Standard, FSC
`FinServ__FinancialAccount__c, _Holding__c`	Accounts and holdings in GBP	Seed	FSC managed
`PartyProfile, PartyScreeningSummary, PartyIdentityVerification, IdentityDocument`	KYC status, screening, identity verification, documents	Seed; `record_check` (W360KycSync) as the person or the agent identity	FSC core KYC
`Other_Bank_Account__c`	Nominated payee accounts; W360_Added_On__c dates a payee	Existing custom object plus one field	Org custom
`Event`	Proposed one-to-one, status and slots	Agent proposes; a person confirms	Standard plus 2 fields

4.2 **Core servicing model**

The diagram is drawn from the org describe of 28 October 2026. Relationship ends use crow's foot notation. Lookups to User are listed as fields to keep the diagram legible.



PK primary key, FK lookup, MD master-detail. "key >" and "id >" are references held as text, not lookups. Lookups to User are shown as fields only.
FA = FinServ__FinancialAccount__c, OBA = Other_Bank_Account__c. Objects, fields and relationships as described in BankingGPT on 28 Oct 2026.

Figure 4.1 Core servicing model. The case is a standard Case with the record type W360_Wealth_Servicing; agent activity, instructions, incoming payments and meetings hang off it.

4.3 KYC and the agent runner




Figure 4.2 Left: the FSC core KYC objects already in the org, read for every payee, executor and changed identity; `record_check` adds screenings and identity verifications to the client's profile. Right: the runner's control record, run log and the platform event that wakes it.

4.4 The decision ledger

Two records together make a decision replayable.

In Salesforce

The staged plan in `cm_Action_Staging__c` (plan JSON, SHA-256 plan hash, token hash, actor, status, when the token was spent), the decision fields on the case, a person row in `W360_Agent_Activity__c`, and the instruction's `Released_By__c`.

In the aggregation tier


An append-only `ledger.jsonl`: one row per outside check with the provider, its version and reference, the outcome, and hashes of inputs and outputs. Names never sit in the ledger; inputs are hashed.

Ledger row, real (case 00001365, sanctions near-hit on the remitter; 57 rows in the local ledger on 28 Oct, more than 340 on 29 Oct, most of them the identity poller asking Didit for open sessions)

```
{ "id": "9ed4fa88-b255-4913-bad3-94a7c5d8d5db", "at": "2026-10-28T16:22:36.632Z",
  "caseId": "500bb00000xvvm0AAA", "idempotencyKey": null, "tool": "screen_party",
  "actor": { "type": "unknown", "id": null },
  "inputsHash": "sha256:587486335c9cc410f44b3d7481a503ac6a6ccfadaee3c74cbeea6ae9b4a963ae",
  "provider": { "name": "uk-sanctions-list", "version": "2026-10-16", "ref": "0d87329971a70ccd", "mode": "live" },
  "outcome": "possible_match", "summary": "possible_match score=0.892 top=RUS0902",
  "outputHash": "sha256:447db4999f4937b34161d9da100f5e228182efacc3b4453f3c9a7eb01be86b9f", "durationMs": 40 }
```

On the local server the actor is recorded as unknown: it binds to localhost and does not yet carry the caller's identity. Passing the agent identity and run id into the ledger is a production item (section 12.13). The hosted server records the signed-in person on every row.

4.5 Lineage from request to fulfillment



Keys that tie it together: Case.Id on every W360 row and on the ledger row (caseId); the run id (Run_Id__c) on activity rows; cm_Action_Staging__c.Id written to Case.W360_Staging_Id__c and W360_Fulfilment_Instruction__c.Staging_Id__c; the ledger id quoted in Evidence_Source__c. Purple boxes are written by a named person through the decision path. Everything else is written by the agent identity or the platform.

Figure 4.3 Lineage. Each hop writes a row that names the one before it, so a reviewer can walk from an inbound email to the released instruction and back.

4.6 Data residency and egress

WHERE DATA GOES	WHAT LEAVES	NOTES
Salesforce sandbox	Records stay in the org	Synthetic data only. The org's own CDC triggers post every Account, Contact, Case, Event, Task and financial account change to an AWS endpoint owned by another team. Acceptable for fictional data; must be excluded or approved before any real data.
Model calls	Case context the agent reads through its tools; the case's PDFs and photos for that run; on the desk, a document a person chooses to analyse	Headless Claude Code on the runner host; the desk's document analysis runs in the viewer's own Claude account. Production routes through the bank's approved path (direct API or a cloud provider, in region) with retention agreed.
Outside providers	Names, sort codes, account numbers, postcodes of demo personas	UK Sanctions List is a local copy (open government licence). The Plaid account is set up in the UK and Europe region, per the setup notes. Didit sandbox and Ideal Postcodes test postcodes are not billed.
Runner host	Logs, per-run JSON reports, ledger	Local files, directory mode 700. Moves into the bank's account with a managed log store (section 12.2).

05> Agentic flows

A case moves from the person or channel that opens it, through two agents, back to a person. Salesforce decides who acts next; the runner only follows.

5.1 Event-triggered autonomous run

The runner never decides who works a case. It reads `nextStep` from Salesforce, as the Review agent so the maker's reasoning is withheld, and runs whichever agent the rulebook names. When the next actor is a person, it stops.




Figure 5.1 Event-triggered run as built. Timings measured in the sandbox on 28 October 2026.

5.2 The email loop

Email is the channel clients actually use, so it is a full loop: a client's email becomes a case, the Case agent may ask for missing documents on the bank's letterhead, and the reply restarts the agents on the same case. Built in `W360EmailIntake`, `W360EmailOutbound`, `W360EmailTemplates` and `W360WriteGuard`; first deployed with 68 of 68 tests on 28 October, and extended on 29 October (96 of 96 W360 tests on the latest deploy).




Figure 5.2 Email loop. Sender matching identifies a client; it does not authenticate one. A request from a spoofable email always ends with a person.

How an inbound email finds its case

#	RULE	WHAT HAPPENS
1	**Reply to a bank email**	The subject carries the case token `[W360-00001362]`, or the body or a header carries the thread token `W360REF-<16 hex>` (a SHA-256 of the case id and org id). The email and attachments are filed on that open W360 case with a "Customer reply" activity row.

#	RULE	WHAT HAPPENS
2	**Known client**	The From address matches exactly one `Contact.Email` (or a person account's email), case-insensitive: a new W360 case for that client, at Intake, Working, channel Email. When several clients share the address (a household, or the proof's single test inbox), the client whose full name, else surname, appears in the subject or body is chosen. Users are never matched.
3	**Several matches, none named, or unknown sender**	A case for a person, level 3, Needs RM, never worked by the agents.
4	**Sender authenticity**	Authentic when DKIM passes for the sender's domain (signing domain equal to or a parent of the From domain), or when SPF and DKIM both pass. DKIM alone is enough because a forwarded email keeps the sender's signature but fails SPF. A DKIM pass for another domain with SPF failing counts as spoofing. Not authentic: level 3 with the reason. The Email Service also requires Salesforce's own sender authentication and discards failures.
5	**Journey**	Keyword rules set the journey when exactly one fires (for example "please send" for money out, "passed away" for bereavement); otherwise the journey is blank and the Case agent classifies it as its first step, fenced by `assertAgentClassify`.

No EmailMessage record is created: the email is a file on the case. A redelivered email (same Message-ID) is filed once.

Reply behaviour

A reply reopens a case only when it is in **Waiting on customer**: the desk state goes back to Working, the trigger publishes "Customer reply" and the agents restart at the next step. A case that is with a person (Needs RM, Awaiting authorisation, Ready for review, Decided) keeps its state; the reply waits on the case for that person. A reply from an address other than the client's, or one that is not authentic, is filed but does not reopen the case; it raises the case to level 3 with the reason. The same restart happens when a document is attached on the desk or an identity decision comes back from Didit for a case waiting on the client.

The branded templates

Every bank email goes out on the Wealth Servicing letterhead: deep navy on a warm off-white, one brass accent, Georgia headings over Helvetica and Arial text, and a slim header with the case reference. Routine types open with a banner of a sunlit atrium; it is a public Salesforce Document in the "W360 Email Assets" folder, served by the org's image server, so no outside host is involved. Bereavement and complaint letters carry no banner. Layout is tables with inline styles, so Gmail and Outlook render it the same; dark mode is tolerated (the template declares light and dark and adds overrides for Apple Mail and Outlook.com), and with images off the banner cell keeps its tone and shows the alt text. The agent supplies the subject, the body and an optional list; Salesforce adds the greeting, the signature, the case token in the subject and footer, the thread token in the footer and the compliance line. Types: document request, address change confirmation, bereavement, payment confirmation, complaint response, decision letter and general. Emails are sent from the org-wide address Wealth Servicing, with no EmailMessage record; an HTML copy is kept as a file on the case and every send is an activity row.




Figure 5.3 Document request: the documents and why each is needed, how to reply, an optional identity verification link. Auto-sent by the agent identity when the fences hold, or sent at once by a person's Request documents. All four previews are rendered by the deployed Apex with fictional content.




Figure 5.4 Payment confirmation, details as a key and value table. Waits for a person's release.




Figure 5.5 Address change confirmation. Sent by the agent identity at the end of a straight-through change (fenced), otherwise on a person's release.




Figure 5.6 Bereavement: condolence and numbered next steps, a softer sign-off, no banner. Always a person's release.

Who may send, and the auto-send fences

- **A person's release.** Confirming a decision on the desk sends every released letter and email. A letter to the client, or an email addressed to the client by name, goes to the client's email on record; a recipient written as an email address is used as written; a communication for a third party with no email address is not sent, and a person handles it. The allowlist does not apply to a person's release. The staged plan says so before the person confirms. A failed send never undoes the decision; it is logged on the case. Live: deployed on 29 October (0Afbb00000EfD2rCAF, 96 of 96 tests).
- **A person's document request.** Request documents on the desk (`request_documents`, people with the decide permission only) sends the Document request at once to the client's email on record, optionally with a Didit link (`verificationUrl`); in the proof it sends only to the allowlisted domains and not the same request twice a day. Start identity check sends the link this way by default.
- **Agent auto-send, document requests.** `W360WriteGuard.assertAgentAutoSend` refuses unless all hold: the caller is the agent identity; auto-send is switched on in Agent control; the type is Document request; the channel is Email; exactly one recipient, equal to the case client's email on record; the recipient's domain is on the allowlist; fewer than three auto-sent emails on the case today (London day). The only link an email may carry is an https Didit verification session (`assertVerificationLink`). A refused draft waits Awaiting review with the reason.
- **Agent auto-send, address change confirmation.** Only at the end of a straight-through change (section 5.3): the agent identity, a fresh Address change confirmation by email, the client's email on record, an allowlisted domain, at most one per case per day.
- **The allowlist.** `W360_Setting__mdt`, record Default, field `Auto_Send_Allowed_Domains__c` = claudeeshannon.com, accenture.com. In the proof every demo client's email points to a single test inbox on an allowlisted domain.
- **After a document request** the case moves to Waiting on customer, so the client's reply restarts the agents.

Proven live on 28 and 29 October

The fence refused a draft with no valid recipient (case 00001368, held for a person) and sent one to the client's allowlisted address (case 00001369, 61 seconds from the logged request to the sent email). A drafted email with no recipient now defaults to the client's email on record, the address the fence checks. On 29 October the straight-through change on case 00001373 auto-sent its address change confirmation. Still to be tested: the first real email into the intake address over SMTP (cases 00001366 and 00001373 came through the deployed handler with simulated emails), and delivery into Accenture's gateway (Proofpoint, with a DKIM key for the sending domain) IN BUILD.

Reply-To is the intake Email Service address. `Reply_To_Override__c` on the same setting can point it at a short address that forwards to the service; it stays blank until the forward is proven.

Requests logged by a person

Not every request arrives by email. A relationship manager who takes one by phone, in a branch or by letter logs it from chat ("log a request for James Okafor: he called, he has moved to 2 Barons Court Road") or with New case in the desk's action menu. Both call `log_request` on the Wealth 360 server as that person. It makes the same case the email intake makes: W360 record type, the request in the person's words, the channel, the journey from the person or the keyword rules (else the Case agent classifies it), owned by the person, with an activity row "Request logged by". The platform event fires on insert, so the agents start within seconds.

- **The client must be one clear person.** By account id, contact id or full name. No match or several matches: nothing is created and the candidates come back to pick from.
- **Once only.** The same request for the same client by the same person on the same day returns the first case.
- **People only.** The agent identity has no access to the class, the write guard refuses it, and the runner never offers it the tool. Agents do not create their own work.

5.3 Journey swimlanes

Generated from `W360_Journey_Step__mdt`: every step, in order, in the lane of the actor the rulebook names. Change the metadata and the agents follow; nothing in the runner or the plugin encodes the journey.



Figure 5.7 The five journeys, 49 steps. Money out has the Case agent prepare the release (step 90) before the person decides (step 100). In change of details the person's step 70 is optional, so a clean L1 case runs straight through.

After a person's decision

When a person confirms a decision, the case moves to Decided and the trigger publishes "Decision", so the agents carry out the steps after it within seconds rather than at the next sweep. The step that is last in the journey's order, completed after an approved or amended decision, closes the case in Salesforce (`submit_step`). A rejected decision never reaches fulfilment.

The straight-through change of address

On a change of details case the runner skips the optional person step when the case is L1 with no exception (`plan_for` in `w360_runner.py`), and the Case agent works `update_or_hold` itself, passing the new address and the `validate_address` result with `submit_step`. Salesforce then decides, in `W360AddressChange`. Every one of these must hold, or nothing changes and the case goes to a person with the reason:

- the agent identity, on a `Change_Of_Details` case at L1 with no exception, with the evidence read and compared and the independent review passed;
- the address check on the new address returned a match; a well-formed UK postcode, a first line and a town; an address that differs from the record;
- the client's identity verified on file (the latest completed `PartyIdentityVerification` is Accepted);
- no open Money out case for the client, and no address change for the client in the last 30 days.

Then the client's mailing address is updated (system mode, on that client only, because the agent's licence cannot edit person accounts), the old address is kept on the case timeline, the Address change confirmation goes to the client's email on record and the case closes. Case 00001373 ran this way on 29 October; cases 00001372 and 00001374 show the fences handing work to a person (section 11.2).

5.4 Maker, checker and approver

Four-eyes with a new maker: the agent prepares, a person decides. The model below is enforced in Apex, not by instructions.




Figure 5.8 Roles and what Salesforce refuses each of them. In the proof the relationship manager both checks and confirms; dual human approval above a threshold is a production item (section 12.13).

How a decision runs

1. **Stage.** The person chooses approve, amend, reject or investigate, optionally a meeting slot or a target account. `stage_decision` builds a plan of steps, each naming the object and fields it will write, and the warnings.
2. **Show.** The desk or cockpit shows the plan and its warnings verbatim.
3. **Confirm.** `confirm_decision` claims the single-use token, bound to the plan hash and the person. A reused token, a changed plan or another person is refused.
4. **Execute and verify.** Only what the plan carries is written; each write is re-read; the outcome is recorded on the staging row and as a person row in the audit trail.

06 > Salesforce build

An SFDX project prefixed W360 throughout, additive only: no existing page, profile, flow, trigger or Credit 360 class was changed.

6.1 Metadata inventory

TYPE	COUNT	MEMBERS
Custom objects	10	W360_Agent_Activity__c, W360_Fulfilment_Instruction__c, W360_Incoming_Payment__c, W360_Agent_Control__c, W360_Agent_Run__c, W360_Agent_Run_Case__c, W360_Case_Signal__e, W360_Journey__mdt, W360_Journey_Step__mdt, W360_Setting__mdt
Fields on shared objects	26	23 on Case, 2 on Activity (Event and Task), 1 on Other_Bank_Account__c
Custom metadata records	55	5 journeys, 49 steps, 1 setting (Default: auto-send allowlist, Reply-To override)
Apex classes	66	49 classes (services, 27 tool classes, email intake and outbound, KYC sync and view, controllers, seed, a test factory) and 17 test classes
Trigger	1	W360CaseSignal on Case, after insert and after update
Lightning web components	8	w360CaseCockpit, w360RelationshipPanel, w360KycPanel, w360AgentControl, w360Rulebook, w360Audit, w360Utils, w360Styles
Apps, pages, tabs	2, 2, 4	W360_Wealth_360, W360_Admin; case and relationship record pages (the relationship page carries Servicing, KYC, Details and Related tabs); Agent control, Runs, Rulebook, Audit
Permission sets, custom permissions	5, 2	See section 6.5; W360_Approve_Release, W360_Agent_Actor
MCP server definition	1	Wealth360, 27 tools
External Client App	1	W360_Agent_Runner with OAuth settings and policies
Email service	1	W360_Email_Intake, active, sender authentication required

6.2 Apex services

CLASS	RESPONSIBILITY
`W360WriteGuard`	The fence. Composes Credit 360's C360WriteGuard (Case create, FLS strip and verify) and adds the W360 rules: agent-only and person-only paths, allowed fields and states, level only raised, classify once, instruction states, auto-send and link fences.
`W360AgentService`	Agent writes: submit a step in sequence with evidence, record a review, draft a communication, propose a meeting. Refuses out-of-sequence steps and missing evidence.
`W360DeskService`	Desk reads (queue, case, summary) and the decision path: stageDecision and confirmDecision on C360ActionStaging.
`W360Checks`	Deterministic checks: payee (age, details, name), incoming match scoring with fixed weights, KYC status. The model never computes these.
`W360ContextBuilder`	Case context per agent. For the Review agent it withholds the maker's reasoning.

CLASS	RESPONSIBILITY
`W360Journeys`	Reads the rulebook, stage order, level ranks.
`W360AgentControl, W360AdminController`	Control record, run status, "Agents last ran HH:MM, next HH:MM", Run now.
`W360CaseSignalService`	Publishes W360_Case_Signal__e for new cases, customer replies, rework and a person's decision; never for the agent identity.
`W360EmailIntake, W360EmailOutbound, W360EmailTemplates`	Email loop: intake routing and sender check, the Wealth Servicing letterhead, sending on release or fenced auto-send (section 5.2)
`W360PersonActions`	The desk's person actions behind eight tools: follow-ups, a logged call, a booked meeting, a note, a document request, an attached document, reassignment, and the colleague list. Each refuses the agent identity and runs as the signed-in person.
`W360KycSync`	Behind `record_check`: screening to `PartyScreeningSummary`, identity to `PartyIdentityVerification`, every check to the case timeline; a final identity decision on a case waiting on the client sends it back to the agents.
`W360KycView`	The KYC tab: profile, identity verifications, screenings, identity documents and the outside checks on the client's cases, read as the person.
`W360AddressChange`	The straight-through change of address and its fences (section 5.3).
`W360DeathRecord`	Bereavement step mark_deceased: records a Death life event on the deceased client and puts their open accounts On Hold, only when a death certificate is on the case, the date of death is not in the future, and the deceased is the case's client or a recorded relation of its contact.
`W360InsightService`	Insights across the book: idle cash, KYC review or ID document due, a case waiting on the client, an open complaint or bereavement.

6.3 The write guard

The decision path refuses the agent identity before it checks anything else. A person without the RM permission set is refused next.

W360WriteGuard.cls, the decision fence (verbatim)

```
/** Refuses anyone who may not approve or release, and always the agent. */
public static void assertCanDecide() {
    if (isAgent()) {
        throw new GuardException(
            'Refused: the agent identity can never stage, approve or release a decision. A person decides.'
        );
    }
    if (!FeatureManagement.checkPermission(PERM_DECIDE)) {
        throw new GuardException(
            'Refused: staging or confirming a decision needs the W360_Relationship_Manager permission set.'
        );
    }
}
```

W360WriteGuard.cls, agent case updates (abridged)

```
/** Case fields an agent may write. Decision fields are deliberately absent. */
private static final Set<String> AGENT_CASE_FIELDS = new Set<String>{
    'W360_Stage__c', 'W360_Status__c', 'W360_Required_Level__c', 'W360_Level_Reason__c',
    'W360_Exception_Reason__c', 'W360_Proposed_Action__c', 'W360_Evidence_Summary__c',
    'W360_Agent_Confidence__c', 'W360_Rework_Count__c', 'Status' };
...
if (st == 'Checker' && !HANDOFF_STATES.contains(String.valueOf(values.get('W360_Status__c')))) {
    throw new GuardException('Refused: the checker stage is recorded by a person through the desk, never by an
agent.');
}
if (W360Journeys.rank(lvl) < W360Journeys.rank(current.W360_Required_Level__c)) {
    throw new GuardException('Refused: the level can be raised, never lowered (' + ... + ').');
}
```

6.4 Signal and decision code

W360CaseSignalService.cls, the loop guard (abridged)

```
public static void handle(List<Case> rows, Map<Id, Case> oldMap) {
    try {
        if (FeatureManagement.checkPermission(W360WriteGuard.PERM_AGENT)) {
            return;   // the agent's own writes never signal: no self-wake loop
        }
        ... // W360 record type only; reason = New case | Customer reply | Rework | Decision
        EventBus.publish(events);  // W360_Case_Signal__e, publish after commit
    } catch (Exception e) {
        System.debug(LoggingLevel.WARN, 'W360CaseSignal not published: ' + e.getMessage());
    }   // fails open: a Case save is never blocked; the sweep catches the case
}
```

W360DeskService.cls, stage and confirm (abridged)

```
public static Map<String, Object> stageDecision(Id caseId, String outcome, String note, String choice, String
idempotencyKey) {
    W360WriteGuard.assertCanDecide();
    ... // plan steps: case decision fields, instructions, meetings, payments, audit row
    String planHash = C360Plan.hash(actionId, steps, values);
    C360ActionStaging.Staged staged = C360ActionStaging.stagePlan(actionId, key, c.AccountId, null, planJson,
planHash);
    return new Map<String, Object>{ 'stagingId' => staged.stagingId, 'planHash' => staged.planHash,
        'decisionToken' => staged.decisionToken, 'steps' => steps, 'warnings' => warnings, ... };
}
public static Map<String, Object> confirmDecision(Id stagingId, String planHash, String decisionToken, Decimal
humanSeconds) {
    W360WriteGuard.assertCanDecide();
    cm_Action_Staging__c rec = C360ActionStaging.claimForExecute(stagingId, planHash, decisionToken,
UserInfo.getUserId());
    ... // execute exactly the staged plan, verify each write by re-query, C360ActionStaging.recordOutcome(...)
}
```

6.5 Permission sets and custom permissions

PERMISSION SET	ASSIGNED TO	GRANTS
`W360_Relationship_Manager`	Relationship managers	Custom permission W360_Approve_Release; the Wealth 360 app; desk, person action, decision, KYC and insight classes; Lightning controllers; read, create and edit on cm_Action_Staging__c (grants only).
`W360_Agent`	Integration User only	Custom permission W360_Agent_Actor; agent tool classes and `record_check` (W360KycSync); no person action or decision class; decision fields read-only; no staging access; Read on W360_Case_Signal__e. Selected on the External Client App, so only this user can use it.
`W360_Agent_Data_Access`	Integration User	Salesforce Integration licence. Read and View All Fields on the objects the agents read; Edit on Case; Create on activity and instruction rows; run log Create, Read, Edit; control record Read. No delete, no Modify All, no View All Data.
`W360_Agent_Admin`	People who may pause the agents	Admin app and tabs, W360AdminController, Read, Create, Edit on the control record; Read on runs and activity. No delete.
`W360_Demo_Data_Loader`	Seeding user	Set audit fields on creation, used to backdate demo payees

6.6 Lightning: case cockpit and relationship panel

The W360 pages are assigned only inside the Wealth 360 app, through overrides on the app; nobody else's pages change. The cockpit shows the header, a seven-stage track, the decision card with a confirm dialog, the request, documents, meeting and the evidence timeline, and the line "Agents last ran HH:MM, next HH:MM". The client page carries the relationship panel and, since 29 October, a KYC tab (`w360KycPanel`, `W360KycView`): the verdict and review dates, every identity verification with its Didit session, every sanctions screening, the identity documents and the outside checks on the client's cases. Figure 6.2 shows the relationship panel; figure 6.2a the KYC tab.




Figure 6.1 Case 00001360 in the cockpit after the autonomous run: level 3, Needs you, the exception in the agent's words, four cited checks, and the proposed action with Approve and Hold payment.




Figure 6.2 Relationship panel on the person account: cases that need the RM, the unmatched payment that may belong to the household, items waiting on others, and KYC per household member.




Figure 6.2a The KYC tab on the client page (29 October): verdict and next review, each Didit identity verification with its session (one Accepted by the identity poller on case 00001370, one still with the client), each sanctions screening, and the outside checks recorded on the client's cases. The email address is masked; all demo clients share one test inbox.

6.7 **Wealth 360 Admin app**

Visible only through the `W360_Agent_Admin` permission set. Agent control writes the one control record the runner reads every minute; changes apply from the next tick.




Figure 6.3 Agent control: on or off, Run now, sweep every 2 minutes, working hours, one switch per journey, limits, and status with spend today ($2.60 of $20.00).




Figure 6.4 Audit: every agent step and person decision on W360 cases the viewer can see, newest first, filterable by actor, journey, outcome and date. Top row: the sanctions near-hit on case 00001365 raised to level 3.




Figure 6.5 Rulebook, read live from custom metadata: journey, level, team, SLA, rules, raise-to-L3 conditions, required documents and the ordered steps with actor and tools.

6.8 External Client Apps

APP	USED BY	SETTINGS
`W360_Agent_Runner`	The runner, as the Integration User	JWT bearer with the runner's certificate; scopes api, refresh_token, mcp_api; JWT-based access tokens on; admin-approved users pre-authorized; permission set W360_Agent selected; client credentials, device and token exchange flows off; IP restrictions enforced.
`Claude_Ai_Integration_via_MCP`	People through the Claude connector	Existing app reused. Per-user OAuth with PKCE; the consumer key is the connector's OAuth client id; no client secret in the connector.




Figure 6.6 Setup, External Client App Manager, W360 Agent Runner: admin approved users are pre-authorized, and only the W360 Agent permission set is selected. Contact email masked.

6.9 Platform event and email services

`W360_Case_Signal__e` carries `CaseId__c`, `Reason__c` (New case, Customer reply, Rework, Decision) and `Journey__c`, published after commit. The event bus keeps events for 72 hours, so the listener resumes from its stored replay id after a restart.

The email service `W360_Email_Intake` requires authentication, discards on authentication or authorization failure and never creates an EmailMessage record, because the org's complaint-risk flows fire on EmailMessage. Original emails and attachments are stored as files titled "W360 ...", with the email text also in the file description, which is what the agents read. Routing and the sender check are in section 5.2.

07 > MCP layer

Two MCP servers, two connectors. Salesforce's hosted server is the data plane and the gate; the Wealth 360 Checks server runs the outside checks in code and keeps a ledger, locally for the runner and hosted for people. Check results come back into Salesforce through one tool on the hosted server.

7.1 Hosted MCP tool catalogue

Server "Wealth 360" (`mcpServerDefinitions/Wealth360`), 27 tools: 12 reads, 4 agent writes, 8 person actions, 2 decisions and `record_check`, which people and the agent identity both use. Each tool is one Apex class with one global invocable method; every read and write runs in USER_MODE as the caller, so sharing and field security apply, with two fenced exceptions for the agent identity (section 10.2). Reads are marked read-only and idempotent in the definition. Who may call is enforced in layers: class access in the permission sets, `W360WriteGuard` and the person-action guard in Apex, and the runner's allow and deny lists.

TOOL	KIND	WHAT IT DOES	WHO MAY CALL	ENFORCED BY
`W360Queue`	read	Desk rows, needs-you first; counts	The desk (person)	Never in an agent's allowlist
`W360CaseDetail`	read	The case drawer: steps, activity, documents, payments	The desk (person)	Never in an agent's allowlist
`W360Summary`	read	Daily summary metrics	The desk (person)	Never in an agent's allowlist
`W360ClientSearch`	read	Person clients by name or email, with open W360 cases	The desk (person); both agents, read only	Sharing in USER_MODE
`W360Colleagues`	read	Who a case can be handed to	The desk (person)	Sharing in USER_MODE
`W360Insights`	read	Moments to act across the book (W360InsightService)	The desk (person)	Sharing in USER_MODE
`W360CaseContext`	read	Case context per agent; nextStep and its actor	Case agent, Review agent; the runner	Review agent reads withhold the maker's reasoning
`W360ClientSnapshot`	read	Households, accounts, holdings, life events	Agents, desk	Sharing
`W360KycStatus`	read	KYC, screening, identity verification	Agents, desk	Agent read limited to the case client
`W360PayeeCheck`	check	Payee age, details, internal name match	Case agent, Review agent	Computed in Apex
`W360IncomingMatch`	check	Candidate scores against the 90% threshold	Case agent, Review agent	Fixed weights in Apex
`W360Rulebook`	read	Journeys, steps, rules	Agents, desk	Read-only metadata
`submit_step`	agent write	Complete a step with evidence; classify; prepare an instruction; the straight-through address change; record a death (W360DeathRecord); the journey's last step after an approved decision closes the case	Case agent	assertIsAgent, sequence, evidence, level fence; W360AddressChange

TOOL	KIND	WHAT IT DOES	WHO MAY CALL	ENFORCED BY
`record_review`	agent write	Passed or Rework	Review agent	assertIsAgent
`propose_meeting`	agent write	Event with proposed slots	Case agent	assertIsAgent
`draft_communication`	agent write	Letter or email draft as an instruction; fenced auto-send	Case agent	assertIsAgent, instruction states, assertAgentAutoSend
`record_check`	write	Record an outside check on the KYC profile and the case timeline	The desk (person); Case agent and identity poller (agent identity)	USER_MODE for a person; for the agent, system mode on the client of a case it has read
`log_request`	person write	Log a request taken by phone, in a branch, by letter or by email as a new case	A person only	No agent class access; guard; runner denies it
`add_note`	person write	A note on the case timeline	A person only	assertPerson; runner denies it
`attach_document`	person write	File a document on the case (from Analyse a document)	A person only	assertPerson; 2 MB limit; runner denies it
`book_meeting`	person write	A confirmed meeting in the person's calendar, or confirm a proposed one	A person only	assertPerson; runner denies it
`create_followups`	person write	Up to 20 follow-up tasks at once	A person only	assertPerson; runner denies it
`log_call`	person write	A logged call on the case or client	A person only	assertPerson; runner denies it
`reassign_case`	person write	Hand a case to a colleague	A person only	assertPerson; runner denies it
`request_documents`	person write	Send the Document request at once, optionally with a Didit link	A person with the decide permission	assertCanDecide, assertVerificationLink
`stage_decision`	decision	Stage approve, amend, reject or investigate (Send back to agents on the desk)	A person only	assertCanDecide
`confirm_decision`	decision	Execute behind the single-use token	A person only	assertCanDecide, token, plan hash

7.2 Input and output envelope

Every call sends a body. The hosted server rejects a call with no arguments, so a tool with no required input takes `{"inputs":[{}]}`. The result is a Flow envelope; the payload is the JSON string at `content[0].outputValues.resultJson`.

On failure the tool returns `ok=false` with a `W360ToolError`: a stable code, the refusal in plain words, the raw org error where there is one, and whether a retry is safe. Guard refusals are never resumable.

```
// request: the Review agent reads a case
{ "inputs": [ { "caseId": "500bb00000xvEh0AAE",
                "agent": "Review agent" } ] }

// response, inside resultJson
{ "ok": true, "result": { ... "nextStep": { "key":
"review",
    "actor": "Review agent" } } }

// a refusal
{ "ok": false, "error": { "code": "REFUSED",
  "message": "Refused: the agent identity can never
   stage, approve or release a decision. A person
decides.",
  "resumable": false } }
```

ERROR CODE	MEANING
`REFUSED`	W360WriteGuard refused the call. Not resumable.
`STAGING_REFUSED`	The Credit 360 staging gate refused: token spent, plan changed, wrong person.
`VALIDATION_FAILED`	Out of sequence, missing evidence, unknown journey or check input.
`READ_FAILED`	A record could not be read. Resumable.
`WRITE_FAILED, UNEXPECTED`	The org refused a write, or anything else; the org error is carried.

7.3 Aggregation server tool catalogue

wealth-experience: Bun and TypeScript on the official MCP SDK, streamable HTTP, stateless, bound to 127.0.0.1. Every tool takes `caseId` and `idempotencyKey` and returns `{ ok, result, error, ledger_id }`. Without keys a provider answers `NOT_CONFIGURED`, never a made-up result.

TOOL	PROVIDER	RETURNS	STATUS
`screen_party`	UK Sanctions List (FCDO), local index, 6,408 designations, list dated 16 Oct 2026	clear, possible_match or match, score, matches with regime and listing date. Deterministic Jaro-Winkler matcher; match 0.93, possible 0.86.	LIVE
`verify_payee`	Plaid UK sandbox: Auth (BACS numbers) and Identity (owner names)	match, partial_match, no_match or match_not_possible; numbers and name match. Account-holder verification, not Pay.UK CoP.	LIVE
`verify_identity`	Didit v3 sessions	verified, needs_review, failed or pending; without a session id it creates a hosted session and returns its link.	LIVE
`validate_address`	Ideal Postcodes v1	match, close, no_match or postcode_not_found; test postcode ID1 1QD.	LIVE
`ledger`	ledger.jsonl	Ordered ledger rows for a case.	LIVE
`case_context, match_incoming, account_proof, free_slots, release`	Salesforce join, open banking AIS, Microsoft Graph, core banking	Designed in INTERFACE.md. `release` requires a Completed staging row for the case and is never given to an agent.	PLANNED

Every check result carries `evidence: { quote, source, retrieved_at }`, sized for `Evidence_Quote__c` and `Evidence_Source__c`, so the agent cites the provider and the ledger id in its step. Case 00001360's payee step cites "Plaid sandbox open-banking account-holder verification ... not Pay.UK Confirmation of Payee. Ledger e7dda12e-...".

7.4 The Wealth 360 Checks connector LIVE

The same check tools, hosted, so a person can run an outside check from their own seat in claude.ai, Cowork or Claude Code. It is a second custom connector, named exactly **Wealth 360 Checks**, at `https://wealth-360-checks.vercel.app/api/mcp`: streamable HTTP, stateless, Node 22 functions on Vercel. The hosted server is a build of the same `src/` as the local server, not a fork, so a check gives the same answer in both places.

> **Status: live since 28 October 2026**
> Deployed to Vercel at https://wealth-360-checks.vercel.app/api/mcp. All 14 checks passed against production with a real Salesforce token: 401 without a token and with a bad token, the protected-resource metadata at both well-known paths, the tool list, a sanctions clear and a sanctions match (RUS0251), a payee match on Plaid sandbox (name and numbers), an address match at ID1 1QD, a Didit session created, and the signed-in Salesforce user on every ledger row in the private Blob store. Since 29 October the desk's Checks tab calls these tools from the person's seat (plugin 0.8.0 and later).

ASPECT	DESIGN
Identity provider	Salesforce is the authorization server. `/.well-known/oauth-protected-resource` names the BankingGPT My Domain, with scopes `openid api refresh_token`. claude.ai signs the person in through the External Client App `Claude_Ai_Integration_via_MCP`, with the same client id as the Wealth 360 connector, PKCE and no client secret. Nothing changes in Salesforce: the app already grants these scopes and has the claude.ai callback.
Token validation	Each new bearer token is sent to Salesforce `/services/oauth2/userinfo` (fallback: Chatter `users/me`). It must belong to the BankingGPT org, and optionally to an `ALLOWED_EMAILS` list. The answer is cached for five minutes by token hash. No token or a rejected token gets 401 with `WWW-Authenticate` naming the resource metadata and scopes.
The person on the record	The actor comes from the verified token, never from tool arguments. Every ledger row records that person, and `ledger` returns only that person's own rows.
Tools	Read and check tools only: `screen_party`, `verify_payee`, `verify_identity`, `validate_address` and `ledger`. No `release`, no Salesforce write, no case movement. Demo fixtures are off and Plaid is forced to sandbox.
Rate limits	60 calls a minute per user and 20 failed sign-ins a minute per IP, per function instance (best effort). A Vercel Firewall rule on `/api/mcp` is the hard limit when needed.
Ledger	A private Vercel Blob store, `wealth-360-checks-ledger`: each row is a private blob under `ledger/<hash of the Salesforce user id>/`, so a read can list only the caller's prefix. Inputs are hashed, not stored. Every row also goes to the function log; without a Blob store, rows go to the log and back in the tool response.
Secrets	Plaid, Didit and Ideal Postcodes keys are sensitive production environment variables, set by the deploy script and never printed. Response bodies are scrubbed of any key value. CORS is open because the token travels in a header, never a cookie.

On the desk, each case has a Checks tab with Run a check yourself: Sanctions screening (`screen_party`), Payee account check (`verify_payee`), Address check (`validate_address`) and Identity check (`verify_identity`), prefilled from the request. Each result is shown with its evidence and source and recorded in Salesforce with `record_check`. In chat, the skill `outside-checks` ("run a sanctions check on the payee", "verify the payee account", "validate this address", "start an ID check") does the same. A check is evidence, never a decision: a screening hit always goes to a person.

The local instance on `127.0.0.1:7461` stays. The agent runner calls it as the agent identity, with no person's sign-in, so autonomous runs do not depend on the hosted deploy. The tools and answers are the same.

7.5 How a check reaches Salesforce

The Checks servers never write to Salesforce: neither holds a Salesforce credential or write tool. A result reaches Salesforce only through `record_check` on the hosted Wealth 360 server, as the caller: the person in USER_MODE from the desk, or the agent identity from the Case agent and the identity poller. There are three routes.




Figure 7.1 Path A: the Case agent runs the check on the local server and records it as the agent identity. Path B: a person runs it on the desk through the hosted server and records it as themselves. Path C: an identity check started by a person comes back from Didit by itself through the runner's poller.

CHECK RESULT	WHERE IT LANDS IN SALESFORCE	EFFECT ON THE CASE
Every check	A `record_check` row on the case timeline (`W360_Agent_Activity__c`) with the evidence quote, source and ledger id; when the Case agent ran it, its step cites the same evidence	The cockpit, the desk's Checks tab and the KYC tab show it
Sanctions `clear` , `possible_match` or `match`	`PartyScreeningSummary` on the client's `PartyProfile` : Clear, On Hold or Rejected, with the ledger id and the result text. A hit also sets the exception reason on the case	A hit raises the level, desk state Needs RM; only a person can clear it

CHECK RESULT	WHERE IT LANDS IN SALESFORCE	EFFECT ON THE CASE
Payee `match` to `no_match`	`Payee_Check_Result__c` and `Payee_Check_Detail__c` on `W360_Fulfilment_Instruction__c`	A mismatch is an exception; the instruction waits for a person to authorise
Address `match` to `postcode_not_found`	The case timeline and the change of details step evidence	A match is one of the straight-through fences; a close or no match holds the update and asks for evidence
Identity Didit session	`PartyIdentityVerification` In Progress with the session and link when it starts; Accepted, Rejected or On Hold when the decision is in. The link goes to the client by email (`request_documents` with `verificationUrl`)	Waiting on customer until the client completes it; the poller records the decision and the case goes back to the agents; `needs_review` or `failed` goes to a person

Two records, joined by the ledger id: the result in Salesforce, the provider call in the ledger, replayable against the same list date. Evidence on 29 October: Eleanor Whitfield's identity check on case 00001370 was started from the desk at 03:40:33 UTC and decided Accepted by the poller, as the Integration User, at 03:44:09.

7.6 Outside services in use

Every service the build touches, what it is used for, and what it receives. Outside providers only ever see fictional persona data; names never enter the ledger.

SERVICE	USED FOR	MODE	RECEIVES
Salesforce FSC	System of record, rulebook, gate, hosted MCP, email in and out, event bus	BankingGPT sandbox	Everything on the case; the only place a decision is written
Claude	Case and Review agents (headless), the plugin in people's seats, document analysis on the desk	Runner host and people's seats	Case context read through MCP, under the caller's identity; the case's PDFs and photos for an agent run; a document a person analyses
UK Sanctions List (FCDO)	`screen_party`: name screening	Local copy, 6,408 designations	Nothing; the list is downloaded, names stay on the server
Plaid	`verify_payee`: account holder for sort code and account number	UK sandbox	Sandbox persona, sort code, account number
Didit	`verify_identity`: document and face check, white-labelled as Wealth Servicing; the decision is polled back every 3 minutes	Sandbox application	Name on record; the client's document and selfie, directly from the client's device
Ideal Postcodes	`validate_address`: Royal Mail PAF lookup	Live key, test postcode	Postcode and first line
Vercel	Hosts Wealth 360 Checks; private Blob ledger	Production deployment	The check inputs in transit; hashed inputs and outcome in the ledger
GitHub	Public plugin marketplace cowork-offering/wealth-360	Public repository	Plugin files only; no data, no secrets
Google Workspace	Sending domain of the Wealth Servicing org-wide address	Demo domain	Replies routed to the Salesforce intake address

Live responses, 28 October 2026 (local server, fictional personas; evidence blocks verbatim)

```
screen_party      "Timothy Norton"               clear          ledger eca561d2
  "No designation on the UK Sanctions List scored 0.86 or more for "Timothy Norton".
   Top score 0. List dated 2026-10-16."
verify_payee      Tim Starling, 60-83-71 ··6630   no_match       ledger 8fd94169
  "Payee "Tim Starling" at 60-83-71 ··6630: no match, bank holds "Timothy Norton"."
validate_address  2 Barons Court Road, ID1 1QD    match          ledger eb6b92d7
  ""2 Barons Court Road, ID1 1QD": match; nearest "2 Barons Court Road, LONDON
   ID1 1QD" (7 addresses at postcode)."
verify_identity   "Demo Client"                   pending        ledger 3151af1e
  "Identity session d9014337-... created; waiting for the customer."
```

The payee result is the case 00001360 pattern: the numbers are right, the name is not. Plaid confirms the account belongs to someone else, the agent writes that as an exception, and the payment waits for a person.




Figure 7.2 The identity page a client opens from the document request email, white-labelled as Wealth Servicing: logo, Lora headings, navy and brass, the bank's own wording. On a desktop it offers a QR code to continue on the phone. Sandbox session, 28 October 2026.




Figure 7.3 The same session on a phone: ID document first, then a face check. The runner's identity poller reads the decision with `verify_identity` and the session id and records it with `record_check`.

08> Claude plugin

The person's seat in Claude: a desk page, an orchestrator, two agent definitions and ten skills, over a connector that signs each person in as themselves, with a second connector for outside checks.

8.1 Install

Claude Cowork

1. Plugins panel, add a marketplace from GitHub: `cowork-offering/wealth-360`.
2. Install **Wealth 360**.
3. Add the connector, then start a new conversation.

```
/plugin marketplace add cowork-offering/wealth-360
/plugin install wealth-360@wealth-360

# or, Claude Code 2.1.275 or later
/plugin install wealth-360 \
  --marketplace cowork-offering/wealth-360
```





Figure 8.1 The public marketplace repository cowork-offering/wealth-360 on 29 October 2026: version 0.9.2 (commit 66eb113) with the CHANGELOG. Versions 0.10.0 to 0.11.0 are committed in the repository and not yet pushed.

8.2 The connectors

Each person adds a custom connector in claude.ai, named exactly **Wealth 360**, pointing at the bank's hosted MCP URL, with the External Client App's consumer key as the OAuth client id and no client secret (PKCE). The plugin's `.mcp.json` is intentionally empty: no endpoint or auth flow ships inside the plugin, and Salesforce sees the person, not a shared account. The name matters: the desk and the agents call the connector by name, and a connector under any other name is invisible to them.

A second connector, **Wealth 360 Checks** (section 7.4), takes the same OAuth client id and the same Salesforce sign-in. The desk's Checks tab and the `outside-checks` skill run the outside checks through it as the person; without it the rest of the desk works and the Checks tab says the connector is missing. The Case and Review agents use it when dispatched in a person's seat, as they use the local server under the runner.



The one connector

Wealth 360 needs exactly one connector. Each person adds it to their own claude.ai account.

Setting	Value
Where	claude.ai › Settings › Connectors › Add custom connector
Name	`Wealth 360` (exactly this, with the space)
URL	the bank's Wealth 360 MCP server. BankingGPT sandbox: `https://api.salesforce.com/platform/mcp/v1/d/accenture-d8--bankinggpt/sandbox/custom/Wealth360`
Advanced settings › OAuth Client ID	the consumer key of the bank's External Client App. BankingGPT sandbox (app `Claude_Ai_Integration_via_MCP`): `3MVG••••••••••••••••`
Client credential field	leave empty. The app uses PKCE

Then select **Connect** and sign in to Salesforce as yourself. Salesforce sees you, not a shared account.

The name matters. The desk page and the agents call the connector by the name `Wealth 360`. A connector with any other name is invisible to them, and the desk plays its replay instead.

Wealth 360 does not need the separate Customer 360 connector.

Figure 8.2 Connector settings from the plugin README. Consumer key masked.

8.3 Agents and skills

AGENT	ROLE	WEALTH 360 TOOLS
`wealth-360`	Orchestrator in the person's session	All reads and the person actions; stage_decision and confirm_decision only on the named person's word; never the four agent writes.
`case-agent`	Maker	W360CaseContext, W360Rulebook, W360ClientSnapshot, W360KycStatus, W360PayeeCheck, W360IncomingMatch, submit_step, draft_communication, propose_meeting, record_check; under the runner also Read on the case's files
`review-agent`	Independent check, fresh context	W360CaseContext (as Review agent), W360Rulebook, W360ClientSnapshot, W360KycStatus, W360PayeeCheck, W360IncomingMatch, record_review. Never W360CaseDetail, W360Queue or W360Summary.

The same agent files are the runner's instructions. Dispatched from a person's own seat, the agents can read, but their writes are refused ("agent tools run only as the agent identity").

SKILL	TRIGGER PHRASES
`wealth-360-desk`	"open my Wealth 360 desk", "what needs me"
`change-of-details`	"change of address", "proof of address"

SKILL	TRIGGER PHRASES
`money-out`	"withdrawal", "encashment", "authorise the release"
`money-in`	"unallocated credit", "allocate the payment"
`bereavement`	"has died", "estate of", "meet the beneficiary"
`complaint`	"complaint", "review the response"
`daily-summary`	"how did today go", "daily summary"
`outside-checks`	"run a sanctions check on the payee", "verify the payee account", "validate this address", "start an ID check"; needs the Wealth 360 Checks connector
`log-request`	"log a request for James Okafor", "James called, he has moved to ..."; also the Log request button on the desk
`wealth-360-admin`	"pause the agents", "run the agents now", "show the last runs"; points to the Admin app, no chat tools

8.4 The desk page

The desk is a page published into each viewer's own claude.ai account, because a page that uses a connector opens with live data only inside the organization it was published in. The skill resolves the desk in order: the URL this session published, the newest artifact titled "Wealth 360" the viewer owns or is shared, the canonical URL if it reads for this viewer, otherwise a fresh publish of the bundled template. There is one design, light, and no demo data: while it connects it shows the board as a skeleton with an animated chevron, and if it cannot reach Salesforce it says why.

- **Tabs.** Desk (Needs me and All cases), Clients, Insights, Rules and Audit trail. Insights reads across the book (`W360Insights`): idle cash, a KYC review or ID document coming due, a case waiting on the client, an open complaint or bereavement, each with a one-click follow-up.
- **The action menu.** New case (with the type of request), Analyse a document, Log a call, Book a meeting, Create a follow-up, Open cases in Salesforce; on a case also Add a note, Request documents and Reassign. Analyse a document has Claude read a PDF or photo on the page through the artifact's sample capability, after a one-time OK and on the viewer's own usage; `attach_document` then files it on the case.
- **The grant.** 19 tools on Wealth 360 (W360Queue, W360Summary, W360CaseDetail, W360Rulebook, W360ClientSearch, W360ClientSnapshot, W360Insights, W360Colleagues, stage_decision, confirm_decision, log_request, create_followups, log_call, book_meeting, add_note, request_documents, reassign_case, attach_document, record_check), four on Wealth 360 Checks, and images for the sample capability.




Figure 8.3 The live desk on 29 October on synthetic data: Needs me with Authorise and Decide, cases the agents are working, cases waiting on the client, and the action menu open. Captured read-only through a local bridge to the sandbox.




Figure 8.4 Insights across the book, read live from Salesforce: assets under care, moments to act and cash to put to work, each moment with its own action.




Figure 8.5 The Checks tab on case 00001370: the agents' checks with their source, an identity check still waiting on the client (sent 03:21 UTC, on Eleanor Whitfield's case 00001362), and Run a check yourself. Results are saved on the case and, for screening and identity, on the client's KYC profile.

09 > Runner and operations

The agents' seat: a small headless runner that signs in without a browser, obeys a control record in Salesforce and logs every run back to it.

9.1 Identity

- **OAuth 2.0 JWT bearer** against the External Client App W360_Agent_Runner: a 3-minute assertion signed with the runner's private key; `iss` the consumer key, `sub` the Integration User, `aud` test.salesforce.com, posted to the sandbox My Domain login host.
- The app issues **JWT-format access tokens** with `api` and `mcp_api`, which the hosted MCP server requires. A fresh token per agent process; nothing cached on disk.
- **Pub/Sub tenant id.** JWT-format tokens are refused by the Pub/Sub API with a plain org id; they are accepted with `core/sandbox/<orgId>`. Found by test on 28 October 2026 and not in the Pub/Sub documentation; `W360_PUBSUB_TENANT_ID` overrides it.

w360_listen.py, the tenant id (verbatim, docstring shortened)

```
def tenant_id(tok: dict) → str:
    override = os.environ.get("W360_PUBSUB_TENANT_ID") or
runner.load_env(runner.DEFAULT_ENV).get("W360_PUBSUB_TENANT_ID", "")
    if override:
        return override
    oid = org_id(tok)
    if tok["access_token"].count(".") == 2:  # JWT-format access token
        env = "sandbox" if ".sandbox." in (tok.get("instance_url") or "") else "prod"
        return f"core/{env}/{oid}"
    return oid
```

9.2 Scheduling and triggering

Listen mode, primary

`w360-agent-listener.service` subscribes to `/event/W360_Case_Signal__e` over gRPC to api.pubsub.salesforce.com:7443, outbound only. Signals are debounced per case (10 s set in runner.env) and then worked like `run --case`. The replay id and pending cases are kept in `listen.json`.

Sweep, safety net

`w360-agent-runner.timer` runs `tick` every minute; a sweep runs every `Sweep_Minutes__c` (2). It catches Review agent rework (an agent write, so it does not signal), events lost while both were down, and cases changed outside the trigger's conditions. Every 180 s the tick also runs the identity poller (no model).

The two share a lock: the sweep skips while the listener works, the listener waits for a sweep. Per case the runner is idempotent: Salesforce refuses out-of-sequence steps, and a fingerprint (next step, activity count, desk state) stops a case that made no progress; after `W360_MAX_ATTEMPTS` it is skipped until it changes.

w360_runner.py, how an agent process is started (verbatim, comments shortened)

```
cmd = [cfg["W360_CLAUDE_BIN"], "-p", prompt,
       "--system-prompt", agent_instructions(cfg, role, agg_tools),
       "--tools", "Read" if docs_dir else "",       # no shell, no web; Read only on this run's case files
       "--mcp-config", mcp_config, "--strict-mcp-config",
       "--setting-sources", "",
       "--settings", review_guard_settings() if role == "review" else '{"hooks":{}}',
       "--permission-mode", "dontAsk",
       "--allowedTools", *allowed,                     # the role's tools only
       "--disallowedTools", *denied,                   # every other Wealth 360 tool, and release
       "--output-format", "json", "--no-session-persistence",
       "--max-budget-usd", f"{budget:.2f}" if budget is not None else cfg["W360_MAX_BUDGET_USD"]]
# allowed also carries Read(<docs_dir>/**) when the case has PDFs or photos; dontAsk denies every other path
# elsewhere: NEVER = decisions, log_request and the seven other person actions; asserted for every role at import
```

9.3 Limits and spend

CONTROL	VALUE ON 29 OCT	EFFECT
`Agents_Enabled__c`	on	Off logs a Skipped run ("Agents paused") and does no work.
`Sweep_Minutes__c`	2	Sweep cadence; Run now is not held by it.
`Working_Hours_Only__c`	off (08:00 to 18:00)	Outside hours, Europe/London, a Skipped run.
`Money_In__c ... Complaint__c`	all on	Cases of a switched-off journey are left alone.
`Auto_Send_Document_Requests__c`	on	Lets the agent identity auto-send fenced document requests (section 5.2).
`Max_Cases_Per_Run__c`	5	Most cases one run works.
`Max_Daily_Spend_USD__c`	20	Sum of run cost since London midnight; at the cap runs are skipped, and each process gets at most what is left.
`W360_MAX_BUDGET_USD (env)`	3	Cap per agent process.
`W360_MAX_RUNS_PER_CASE (env)`	4	Agent runs per case per run, which bounds rework loops.
`W360_AGENT_TIMEOUT_S (env)`	900	Hard timeout per process.

The runner fails closed: without a readable control record or run log it does no work and says why.

9.4 Observability

- **In Salesforce:** one `W360_Agent_Run__c` per run (trigger, status, cases, steps written, hand-offs, errors, cost, duration, summary), one `W360_Agent_Run_Case__c` per agent process with the agent's own report, and every step in `W360_Agent_Activity__c`.
- **On the host:** `run-*.log` per run, one JSON report per agent process (role, case, exit, seconds, cost, permission denials, report), `state.json`, `listen.json`, journald for both services.
- **Outside checks:** the ledger, one row per provider call.




Figure 9.1 RUN-000013, triggered by the event: four cases, 20 steps, three hand-offs, no errors, $1.98, 446 s, with the per-case summary. Times shown in the viewer's time zone.

9.5 Kill switch and runbook

TO	DO
Pause the agents now	Wealth 360 Admin, Agent control, Pause agents. Applies from the next tick.
Stop one journey	Switch the journey off in Agent control.
Stop the processes	`systemctl --user disable --now w360-agent-runner.timer w360-agent-listener.service`
Cut the identity off	Remove W360_Agent from the app's selected permission sets, or unassign it from the Integration User. Every agent call then fails at sign-in.
Check health	`w360_listen.py --check` (expects can_subscribe=True); `w360_runner.py selftest` (JWT token, identity, the tool list with every tool the runner names).
Plan without writing	`w360_runner.py run --dry-run [--case <id>]`
Work one case now	`w360_runner.py run --case <id>`, or Run now in Agent control.
Follow the logs	`journalctl --user -u w360-agent-listener.service -f`
Roll back the metadata	Destructive manifests per package in `poc/salesforce/manifest`; data cleanup with `scripts/cleanup.apex` (dry run by default).

10 > Security, governance and controls

Every principle in this chapter is checked in Apex or by the connector, so it holds even if an agent misbehaves.

10.1 Separation of duties

ACTION	CASE AGENT	REVIEW AGENT	RELATIONSHIP MANAGER	AGENT ADMIN
Read case context and rulebook	**Yes**	**Yes, maker reasoning withheld**	**Yes**	**Read only**
Submit a journey step with evidence	**Yes**	No	Refused	No
Record a review, Passed or Rework	No	**Yes**	Refused	No
Raise a level	**Yes**	No	**Through a decision**	No
Lower a level	Refused	Refused	**Through a decision**	No
Prepare an instruction	**Yes**	No	No	No
Record an outside check (record_check)	**Yes**	No	**Yes**	No
Apply a clean L1 address change	**Fenced**	No	**In Salesforce**	No
Person actions (note, call, meeting, follow-up, documents, reassign)	Refused	Refused	**Yes**	No
Stage a decision	Refused	Refused	**Yes**	No
Confirm, release or allocate	Refused	Refused	**Yes, token**	No
Auto-send a document request or an address confirmation (client's own allowlisted address)	**Fenced**	No	**Releases or requests**	No
Pause, schedule, set limits	No	No	No	**Yes**

"Refused" means Salesforce rejects the call with code REFUSED. "No" means the tool is not in that seat's allowlist or permission set. The Case and Review agent are the same Salesforce identity; their separation is enforced by the runner (separate processes, allowlists, the review hook) and by Apex (the Review agent's context withholds the maker's reasoning).

10.2 Data access

- All W360 reads and writes run in USER_MODE: sharing, object and field security apply to the caller.
- The agent identity holds no delete, no Modify All, no View All Data and no system permissions. View All Records is granted read-only on the Private KYC and life event objects the agents need.
- **Disclosed exception.** The Salesforce Integration licence drops Read on the four core KYC objects. `W360ContextBuilder.kyc` therefore reads them in system mode, for the agent identity only, only when it cannot access them, and only for the client whose account the agent has just read as itself. Everyone else stays in user mode.

- **Disclosed exception, KYC writes.** The same licence cannot hold the KYC objects, so when the agent identity calls `record_check`, `W360KycSync` writes the screening or identity record in system mode, limited to the profile of the client on a case the agent has just read as itself. A person's `record_check` runs in USER_MODE.
- **Disclosed exception, address change.** The licence cannot edit person accounts, so after every fence in `W360AddressChange` holds, the mailing address of that case's client, and only that client, is updated in system mode.
- **Disclosed exception, meetings.** The Integration licence cannot create Events, so after `assertIsAgent` and the user-mode case read, `propose_meeting` inserts the draft Event (Proposed, no attendee) in system mode. The contact is set only when a person confirms the meeting, so another team's FSC flow on Events with a contact does not run as the agent identity.
- **Disclosed exception, bereavement.** The licence cannot edit financial accounts or life events, so after every fence in `W360DeathRecord` holds, the Death life event and the On Hold status are written in system mode for that one deceased client.

10.3 Secrets

- The runner's private key sits in `~/.config/wealth-360/agent/` (directory 700, key 600) and never leaves the host. Its certificate is on the External Client App. Only the consumer key is configured; no client secret is used.
- Tokens are minted per agent process and not cached. The temporary MCP config carrying the bearer token is mode 600 and deleted after the run.
- Provider keys live in `~/.config/wealth-360/aggregation.env` (600), set through a hidden prompt; none are in the repositories. For the hosted Wealth 360 Checks server the same keys become sensitive Vercel environment variables, set by the deploy script without printing them.
- People's connectors use PKCE with no client secret.

10.4 Audit

Every agent step, recorded check, person action and decision is a `W360_Agent_Activity__c` row with actor, time, outcome, quote and source. On 29 October at 11:30 UTC the table holds 168 rows: 104 written by the Integration User (92 Case agent, 8 Review agent, 4 System), 27 by a named person (22 Person, 5 System), and the 37 seeded storyboard rows. Decisions add the staging row and the decision fields. The control record has field history on. The run log records cost per process. Outside checks are in the ledger with provider versions, so a check can be replayed against the same list date.

10.5 Model risk notes

- **No model in the decision path.** A person decides; the model prepares and cites.
- **Regulated numbers in code.** Payee checks, match scores (fixed weights, 90% threshold) and screening scores are deterministic and unit tested.
- **Independent review.** A second process, a different allowlist, a hook that blocks any read not made as the Review agent, and Apex that withholds the maker's reasoning.
- **Prompt injection.** Inbound content, including the case's documents, is evidence. Agents have no shell or web, and file access is Read on that run's copy of the case's documents only; outbound links are limited to https Didit sessions; auto-send only reaches the client's own address on an allowlisted domain, at most three document requests and one address confirmation a day per case. Agents cannot create cases or act as a person: `log_request` and the person actions are people only.
- **Bounded autonomy.** Budget per process and per day, runs per case, timeouts, journey switches, a kill switch.

- **Conservative by design.** Case 00001360 escalated a clean-looking payment because the evidence could not rule out a recent bank change. Over-escalation costs a person's minutes; under-escalation is the risk the design avoids.

10.6 What a bank reviewer will ask

Can an agent move money?

No. Agents prepare instructions in the states Prepared, Awaiting authorisation or Awaiting review. Only a person holding W360_Approve_Release can confirm, behind a single-use token, and the confirm path refuses the agent identity first.

Can an agent change a client's details?

Only the mailing address, only on a clean L1 change of address, and only when every fence in Apex holds: review passed, address check a match, identity verified on file, no open payment, no change in the last 30 days. Anything else goes to a person with the reason (cases 00001372 and 00001374).

What if the model is wrong?

Every step cites its evidence, the reviewer checks independently, the regulated numbers are computed in code, and the person sees the evidence before deciding. A wrong step is visible, attributable and refusable.

Where does client data go?

Today nowhere: the sandbox is synthetic. In production, model calls go through the bank's approved route in region, providers are the bank's own, and the org's CDC egress must be resolved first (section 4.6).

Who can change the rules?

Only a metadata deploy changes the rulebook. The Admin app shows it read only. Rule changes follow the bank's release process and are replayed against the evaluation set (section 12.12).

What if the runner is down?

Cases wait; nothing is lost. The bus keeps signals for 72 hours, the listener resumes from its replay id, and the sweep picks up anything missed.

Why not Agentforce?

A fair option, and the build keeps it open. The rules, records, checks and decision gate are Salesforce metadata and Apex; any agent runtime that calls the same server inherits the same fences. The choice here was driven by four things: model and runtime control (tool allowlists, hooks, budgets and process isolation per role); one agent definition shared by the headless runner and the person's Claude seat; the same server serving Lightning, Claude and agents; and portability across hosts that speak MCP. The hosted MCP server can also be registered for Agentforce. Licensing and Flex Credit consumption should be compared per bank before a pilot (judgement).

11 > Evidence

What was deployed, what passed, and what the agents did in the sandbox. Every figure below can be traced to a deploy id, a run row or a log file.


11.1 Deployments and tests

DEPLOY ID	DATE	PACKAGE	COMPONENTS	TESTS
0Afbb00000EbAefCAF	27 Oct	Core plus Lightning layer	233	34 of 34
0Afbb00000Ee4ZVCAZ	28 Oct	v3: change of details recast, owner-less queue (validated 0Afbb00000Ee49hCAB)	203	36 of 36 in validation
0Afbb00000EeG61CAF	28 Oct	Agent runner: External Client App, event, trigger	12	4 of 4
0Afbb00000EeNYvCAN	28 Oct	Admin app (validated 0Afbb00000EeM3NCAV)	59	46 of 46 in validation, nine classes, each changed class 86% or more
0Afbb00000EeRxVCAV	28 Oct	Email intake and demo suite (validated 0Afbb00000EeRZJCA3)	14	42 of 42 in validation
0Afbb00000EeX6rCAF	28 Oct	Branded outbound email (validated 0Afbb00000EeWkHCAV)	15	65 of 65, eleven classes; W360EmailOutbound 93%, W360EmailTemplates 98%
0Afbb00000EeMBTCA3	28 Oct	Email safety: auto-send allowlist, Reply-To override, DKIM rule	10	68 of 68, eleven classes; W360WriteGuard 97%, W360EmailIntake 99%
0Afbb00000EeuTFCAZ	29 Oct	One of a series of smaller deploys on 28 and 29 October (person actions, KYC sync and tab, straight-through address change)	5	94 of 94
0Afbb00000EfD2rCAF	29 Oct	Released letters and emails to the client's email on record; the staged plan says so	3	96 of 96
0Afbb00000EfOO5CAN	29 Oct	Agent meeting proposals without a contact until a person confirms (other team's Event flow)	2	96 of 96
0Afbb00000EfPtdCAF	29 Oct	Client search for the agent identity; bereavement step 40 tools	2	Metadata only
0Afbb00000EfUGbCAN	29 Oct	W360DeathRecord; document checklist matches file names and an ID on file	5	101 of 101
0Afbb00000EfIdeCAF	29 Oct	Dates in death records written as 4 August 2026	2	101 of 101
0Afbb00000EfaFZCAZ	29 Oct	A person's decision signals the agents; the journey's last step closes the case	4	103 of 103

Earlier validations reported W360 Apex coverage of 92.9% (26 Oct, 27 tests) and 93.7% (28 Oct, 36 tests). Deploy ids, components and test counts for 29 October are read from the org's deploy history. The aggregation server passes 30 of 30 tests (87 assertions) locally, re-run on 29 October.

11.2 Live runs

CASE	JOURNEY	WHAT THE AGENTS DID	RESULT	RUN, TIME, COST
00001359	Money out, £3,500	Read the request, identified the client, checked the source account; payee new and details invalid; KYC not on file	Raised to L3, Needs RM	Sweep, Case agent 79 s, $0.18
00001360	Money out, £2,000	Plaid match on the payee, KYC approved, screening clear; could not show no bank change in 90 days because of linked case 00001358 and same-day payee records	Raised to L3, Needs RM	RUN-000000, autonomous, 112 s, $0.56
00001362 to 00001366	Demo suite	Five cases worked end to end by the runner; see section 11.3	Each at its expected desk state	RUN-000013, 014, 019, 020, 022
00001373	Change of details, by email	Read the request and the water bill, identified Priya Raman, validated the address, recorded the check, independent review passed, applied the address change, auto-sent the confirmation	Closed, straight through; address 2 Barons Court Road	RUN-000397, event, 11 steps, 176 s, $0.76
00001372	Change of details	Same evidence, review passed; at update_or_hold another open change-of-details case for the client was found	Handed to a person, address not changed	RUN-000375 and 379, $0.83
00001374	Change of details, by phone	Surname change after marriage; the journey covers addresses only	Exception at set_journey, Needs RM	RUN-000403, event, 56 s, $0.17
00001375	Complaint, by email	Classified the email as a complaint, retrieved the history, found the cause (her £15,000 withdrawal awaiting authorisation), drafted the response; the Review agent sent it back once for the 8-week deadline; after the person's approval, recorded the sent response	Approved by a person; response emailed (FI-00019)	5 agent runs, 290 s, $1.30
00001380	Bereavement, by email	Read the notification, the death certificate and the grant of probate; found the deceased's three accounts by client search; recorded the death and put the accounts On Hold; confirmed the executor's identity on file; drafted the letter; proposed a one-to-one; review passed first time; after the person's approval, recorded the letter, the meeting and nothing outstanding	Approved by a person; letter emailed (FI-00025); meeting confirmed Tue 3 Nov 10:00	3 agent runs, 240 s, $1.09
00001370	Money out, identity check	Identity check started from the desk (03:40:33 UTC); the poller recorded Didit's decision as the Integration User (03:44:09)	PartyIdentityVerification Accepted	Tick, no model



	Run	Started	Trigger	Status	Cases ...	Steps w...	Hand-...	Errors	Cost (USD)
7	RUN-000006	10/28/2026, 9:01 AM	Sweep	Done	0	0	0	0	0.0000
8	RUN-000007	10/28/2026, 9:03 AM	Sweep	Done	0	0	0	0	0.0000
9	RUN-000008	10/28/2026, 9:05 AM	Sweep	Done	0	0	0	0	0.0000
10	RUN-000009	10/28/2026, 9:07 AM	Sweep	Done	0	0	0	0	0.0000
11	RUN-000010	10/28/2026, 9:09 AM	Sweep	Done	0	0	0	0	0.0000
12	RUN-000011	10/28/2026, 9:11 AM	Sweep	Done	0	0	0	0	0.0000
13	RUN-000012	10/28/2026, 9:14 AM	Sweep	Done	0	0	0	0	0.0000
14	RUN-000013	10/28/2026, 9:16 AM	Event	Done	4	20	3	0	1.9802
15	RUN-000014	10/28/2026, 9:26 AM	Sweep	Done	1	0	0	0	0.0650
16	RUN-000015	10/28/2026, 9:29 AM	Sweep	Done	0	0	0	0	0.0000
17	RUN-000016	10/28/2026, 9:31 AM	Sweep	Done	0	0	0	0	0.0000
18	RUN-000017	10/28/2026, 9:33 AM	Sweep	Done	0	0	0	0	0.0000
19	RUN-000018	10/28/2026, 9:35 AM	Sweep	Done	0	0	0	0	0.0000
20	RUN-000019	10/28/2026, 9:36 AM	Sweep	Done	1	2	1	0	0.2902
21	RUN-000020	10/28/2026, 9:38 AM	Event	Done	1	1	1	0	0.2528
22	RUN-000021	10/28/2026, 9:38 AM	Event	Done	0	0	0	0	0.0000
23	RUN-000022	10/28/2026, 9:41 AM	Sweep	Done	1	9	1	0	1.0353
24	RUN-000023	10/28/2026, 9:47 AM	Sweep	Done	0	0	0	0	0.0000
25	RUN-000024	10/28/2026, 9:49 AM	Sweep	Done	0	0	0	0	0.0000

Figure 11.1 Wealth 360 Admin, Runs: event-triggered runs (RUN-000013, 020, 021) between the two-minute sweeps. RUN-000013 worked four demo-suite cases: 20 steps, three hand-offs, no errors, $1.98.

11.3 Demo suite verification

Four fictional clients (Eleanor Whitfield, James Okafor, Priya Raman, Henry Lockwood), each with KYC, accounts, holdings and a backdated payee, created by `scripts/demo-suite.apex`. Every case was worked by the runner as the agent identity; no agent staged or confirmed anything. Systems are the ledger and activity rows each case wrote.

CASE	JOURNEY	SYSTEMS USED	END STATE	DEVIATION AND FIX
00001362 Eleanor Whitfield	Money out, £15,000	W360PayeeCheck, W360KycStatus, Plaid verify_payee match x2, UK list screen_party clear x2, Review agent passed	Awaiting authorisation, L2; payment instruction and confirmation draft prepared	None
00001363 James Okafor	Money in, £18,500	W360IncomingMatch 93% (ISA, threshold 90%), screen_party clear x2, Plaid verify_payee on the remitting account x2, Review agent passed	Needs RM, L2; proposed: allocate to the ISA	The Case agent set Ready for review itself and skipped the review. Fixed: case back to Working, instructions corrected, and a server-side guard ignores a hand-off before the review
00001364 Priya Raman	Change of details	Ideal Postcodes validate_address match x2, Didit verify_identity pending (session created)	Needs RM, L3; address held; proposed: send the identity link	First stalled: agents could not read the bill. Fixed: files carry the extracted text in their description and the title names the document; retried with `run --case --force`
00001365 Henry Lockwood	Money in, £22,000	W360IncomingMatch 93%, screen_party possible match RUS0902 (0.892)	Needs RM, L3; funds in suspense; referred to sanctions review	None: screening overrides a good match

CASE	JOURNEY	SYSTEMS USED	END STATE	DEVIATION AND FIX
00001369 James Okafor	Logged by phone (log_request), keyword rule Change of details	Event in 5 s, Case agent: read, identify, set journey; validate_address match; verify_identity session; document request auto-sent to the client in 61 s	Waiting on customer, L1	None. The first run (case 00001368) held the draft: no recipient. Fixed the same evening
00001366 James Okafor	From email, classified Money out	Email intake, classify first, Plaid verify_payee x2, screen_party x2, Review agent passed	Awaiting authorisation, L2	None

Agent activity rows by the Integration User: 9, 5, 5, 4 and 9. Case 00001366 came through the email handler with a simulated email; the first real inbound email is still to be tested.




Figure 11.2 Case 00001362 in the cockpit at Awaiting authorisation: level 2, the check stage, the customer's request, the confirmation email the Case agent drafted for release, and the release waiting on Payments Operations. Email addresses masked.




Figure 11.3 Case 00001366, created from an email by James Okafor. The intake left the journey blank, the Case agent classified it as money out, ran the checks and prepared the release; it waits for authorisation.

11.4 Timings and cost

~1 s
new case commit to signal (15:55:30 to 15:55:31 UTC)

~2 s
move back to Working to signal (15:56:09 to 15:56:11 UTC)

18 to 112 s
per agent process in the sandbox

$0.07 to $0.56
per agent process; $0.25 to $1.10 per case to the hand-off

Event limits checked on 28 October left ample headroom: 154,988 of 155,000 daily delivered events and 249,993 of 250,000 hourly published events remained, with 2,000 streaming clients available.

12> Scalability and path to production

The proof runs on one sandbox, one host and one relationship manager. This chapter sets out what changes for a bank's production estate, in the order it should be done.

Starting point

What carries over unchanged: the data model, the rulebook as metadata, the write fence, the decision gate, the hosted MCP server, the agent definitions and the plugin. What changes: where the agents run, how they are identified and paid for, the outside providers, and the operational wrap around them.

12.1 Environments

Move from one shared sandbox to the bank's pipeline: scratch orgs per change, then SIT, UAT and production through the bank's DevOps tooling. Package the W360 metadata as an unlocked package (or 2GP) so versions are explicit and rollback is a package version, not a destructive manifest. Each environment gets its own External Client App, agent identity, runner deployment and provider credentials. The org's CDC egress and the managed-package automations listed in the deploy plan (FSC, nCino, Slack, Meeting Concierge) are re-assessed per target org.

Effort: 3 to 5 weeks for packaging, pipeline and three environments ESTIMATE

12.2 The runner in the bank's cloud account

Package the runner as a container image: the listener as a long-running service, workers as a separate scalable service, the sweep as a scheduled job. Run it in the bank's own account and region (for example ECS or AKS behind private networking, outbound only to Salesforce and the model endpoint). Replace host files with managed stores: run state in a small database, logs and agent reports in the bank's log platform, the ledger in Postgres or the bank's warehouse. Model calls move from a host sign-in to the bank's approved route with an API key or workload identity, so cost and retention sit under the bank's contract.

Effort: 4 to 6 weeks ESTIMATE

12.3 Secrets vault and certificate rotation

Move the JWT signing key into the bank's vault or HSM-backed key service and sign assertions without exporting the key. Rotate the certificate on the External Client App on a fixed cycle with an overlap window (two certificates valid), automated in the pipeline. Provider keys and the model key follow the same pattern with short-lived retrieval at start-up. The IP restriction on the app is set to the runner's egress addresses.

Effort: 1 to 2 weeks ESTIMATE

12.4 Licensing

- **Agent identities.** The proof uses the Integration User on a Salesforce Integration licence, which limits FSC and KYC access (section 10.2) and Event edit. Decide between that licence plus the required permission set licences, or a dedicated full licence per agent identity. One identity per environment at minimum; one per business unit if separation is required.
- **FSC.** Every person who decides needs FSC access; the proof had one spare FSC Standard licence.
- **Hosted MCP.** Usage may be billed against Flex Credits. Measure calls per case in the pilot and price per case before scale-out.
- **Shield.** Platform encryption, event monitoring and field audit trail are expected for production client data.

12.5 The event bus at scale

Keep the platform event as the trigger; it is cheap and fast. At volume: use a Pub/Sub managed subscription or a durable consumer group so several listener replicas share load without duplicate work; keep the per-case debounce; store the replay id centrally so a failover resumes exactly. Watch daily delivered and hourly published allocations per org; the proof used a handful of the 155,000 daily deliveries. Change Data Capture remains an option if more fields must wake the agents, at a higher delivery cost.

12.6 Concurrency and queueing

Today one lock serializes all work: one case at a time. Replace it with a queue (SQS, Service Bus or similar) keyed by case id, a lock per case instead of per runner, and a worker pool sized by journey and time of day. Salesforce already refuses out-of-sequence writes, so two workers on one case cannot corrupt it, but the per-case lock avoids wasted spend. Back-pressure comes from the control record: cases per run become cases per minute per journey.

Effort: 2 to 3 weeks ESTIMATE

12.7 Cost model per case

COST LINE	MEASURED IN THE PROOF	PLANNING RANGE
Model, per case to the hand-off	$0.25 to $1.10 (six cases); $0.76 for a straight-through address change (00001373)	$0.30 to $1.20 before optimization; lower with routing and caching ESTIMATE
Model, per day at 1,000 cases	n/a	$300 to $1,200 ESTIMATE
Hosted MCP calls	Not yet measured	Flex Credits per call; count calls per case in the pilot and price per bank
Providers	Sandbox, not billed	CoP, eIDV and screening per check, per the bank's contracts
Runtime	One small host	Container service, low hundreds of dollars a month ESTIMATE
Person time	Measured per decision in `W360_Human_Minutes__c`	The value line: minutes per case before and after

Report cost per case from `W360_Agent_Run_Case__c.Cost_USD__c` joined to the case's journey, so finance sees cost per journey, not per token.

12.8 Model routing

The runner already accepts a model per run (`W360_MODEL`). Route by step and role: a smaller, faster model for intake parsing and classification; the strongest model for the Review agent and for exception wording; prompt caching for the rulebook and agent instructions, which repeat on every call. Routing is configuration per journey step, stored beside the rulebook, and every change runs through the evaluation set first.

12.9 Evaluations and regression replay

Build an evaluation set per journey from anonymized real cases plus the synthetic suite: expected next step, expected level, expected exception, and must-cite evidence. Replay it on every change to prompts, models, tools or the rulebook, in a scratch org seeded by script, and gate the release on the results. Track escalation precision and recall separately: missing an exception is a control failure, over-escalation is a cost. Use the ledger's provider versions to replay outside checks against the same list date.

Effort: 3 to 4 weeks to stand up, then continuous ESTIMATE

12.10 Monitoring and SLOs

INDICATOR	PROPOSED OBJECTIVE	SOURCE
Signal to agent start	95% within 30 s	Listener log, run row
Agent start to hand-off	95% within 5 minutes	Run case rows
Cases stalled (no progress twice)	Under 2% per day, each with an alert	Run case outcome No progress
Refusals by the fence	Alert on any REFUSED from the agent identity	Tool envelopes, activity
Spend per day and per case	Within the cap; alert at 80%	Run rows
Listener and sweep alive	Heartbeat every minute	Run rows, service health

Objectives are proposals for the pilot ESTIMATE. Export traces per run (OpenTelemetry) and Salesforce event monitoring to the bank's SIEM.

12.11 Disaster recovery

The runner is stateless apart from the replay id, per-case progress and the ledger; keep these in managed, replicated stores. Run the listener active-passive across two zones; the sweep covers any gap. Salesforce remains the system of record, so the recovery point for the case itself is Salesforce's. Recovery objective for agent work: resume within 15 minutes with no lost cases, verified by a failover drill each quarter ESTIMATE. Carry the caller identity and run id into the ledger so it is complete after a failover.

12.12 Change management of the rulebook

The rulebook is metadata, so it is versioned, reviewed and deployed like code. Name a business owner per journey. A rule change is a pull request with the before and after, the evaluation results and a sign-off from operations and compliance; it ships through the same pipeline. Record the rulebook version on every case run so a decision can be explained against the rules that applied at the time.

12.13 Controls to add for production

- **Dual human approval** above a threshold for money out and manual allocations: the stager and the confirmer must differ.
- **Ledger identity:** the agent identity and run id on every ledger row.
- **Document reading** through a managed ID model for passports and licences, with confidence per field; mismatch or low confidence to a person.
- **Event write** for the agent identity, or a person confirms meetings by default.
- **CDC egress** resolved with the owning team before any real data.

12.14 Multi-org and multi-tenant

The design is per org by construction: the rulebook, identities and gate live in each org. One runner deployment can serve several orgs with a per-org configuration (consumer key, user, login host, Pub/Sub tenant id, control record) and strict separation of queues, logs and ledgers. For a group with several legal entities, prefer one runner per entity unless data sharing is approved. The plugin is org-agnostic: each person's connector points at their own org.

12.15 Plugin distribution and versioning

Move the marketplace from the public repository to the bank's private, approved distribution, or the host's organization plugin registry where available. Keep semantic versions in `plugin.json` and `marketplace.json` together; pin the agent files the runner uses to the same version, so the person's seat and the agents' seat never diverge. Publish release notes per version and a rollback version.

12.16 Real providers: CoP and KYC


Swap behind the same tool names, so neither Salesforce nor the agents change: `verify_payee` to a Pay.UK Confirmation of Payee provider (match, close match, no match with the returned name); `verify_identity` to the bank's eIDV and liveness provider; `screen_party` to the bank's licensed screening with PEP, adverse media and ongoing monitoring callbacks. Each swap keeps the envelope, the evidence block and the ledger row, and the results keep landing in `PartyScreeningSummary` and `PartyIdentityVerification` through `record_check`. Ongoing monitoring callbacks need an inbound path to `record_check` with its own identity.

Effort: 2 to 4 weeks per provider, mostly contracting and certification ESTIMATE

12.17 Experience Cloud as a later option

A client upload portal on Experience Cloud, with an identity check and files straight to Salesforce, replaces emailed documents for clients who prefer it. The email loop stays as the default channel; the portal becomes another source channel on the same case.

12.18 Phased roadmap



Durations are estimates for planning, assuming a bank sandbox, named owners and the team in section 12.19. Calendar shown from November 2026.

Figure 12.1 Phased roadmap with gates. Durations are planning estimates.

PHASE	DELIVERABLES	EXIT CRITERIA	EFFORT ESTIMATE
0. Close the proof	Prove the two open email items (a real inbound email over SMTP, Proofpoint and DKIM); live agent runs on bereavement and complaint (done 29 October: 00001375, 00001380); the KYC and Event licence fallbacks are documented (section 10.2); the demo review items in B.4; the 10-minute demonstration twice in a row	Every In build tag in this handbook verified or removed	2 to 4 weeks, 2 people
1. Production foundation	Packaging and pipeline, three environments; runner container in the bank's account; vault and certificate rotation; queue and per-case locks; evaluation harness; observability and SLO dashboards	Model risk review, DPIA and penetration test passed	8 to 10 weeks, 5 to 6 people
2. Controlled pilot	One team, two journeys first (money in and change of details), then all five; real CoP, eIDV and screening; dual approval; daily review of escalations; cost per case measured	Pilot exit review: control results, minutes saved, cost per case	10 to 14 weeks
3. Scale out	More teams and volumes, worker autoscaling, model routing, DR drills, rulebook owners per journey, multi-org where needed	Scale go-live	4 to 5 months
4. Extend	More journeys, Experience Cloud portal, Microsoft 365 delivery, other assistant hosts through MCP Apps	Per journey	Ongoing

12.19 **Team**

ROLE	FTE	OWNS
Product owner, wealth operations	1	Journeys, priorities, pilot team, value measures
Salesforce architect and developer	1 to 2	Org, packaging, Apex fence and services, hosted MCP, Lightning, tests
Agent engineer	1 to 2	Agent definitions, runner, routing, evaluation set and replay
Platform and DevOps engineer	1	Container runtime, queue, vault, pipeline, observability, DR
Integration engineer	0.5 to 1	Providers behind the aggregation tools, the ledger store
Risk and compliance lead	0.5	Model risk, DPIA, controls, rulebook sign-off

FTE ranges are estimates for phases 1 and 2 ESTIMATE

A> Appendices

A.1 Glossary

TERM	MEANING
Agent identity	The Integration User holding W360_Agent and W360_Agent_Data_Access; signs in by JWT bearer; holds W360_Agent_Actor.
Case agent	The maker. Works a case through its journey steps with cited evidence.
Review agent	The independent checker agent. Fresh context, maker's reasoning withheld.
Checker	The person who decides an exception: approve, amend, reject or investigate.
Level (L1 to L3)	Required autonomy: L1 an agent may fulfill; L2 a person reviews; L3 a person decides an exception.
Desk state	W360_Status__c: Working, Needs RM, Awaiting authorisation, Ready for review, Waiting on customer, Decided, Rejected, Closed.
Hand-off	An agent moves a case into the Checker stage with a person-facing desk state; the runner stops.
Staged decision	A plan persisted in cm_Action_Staging__c with a plan hash and a single-use token bound to the person.
Signal	W360_Case_Signal__e, published after commit for new cases, customer replies and rework.
Sweep	The periodic safety-net run of the runner.
Ledger	Append-only record of outside checks on a Wealth 360 Checks server.
record_check	The one tool that writes an outside check's result into Salesforce: the KYC profile and the case timeline.
Identity poller	A step of the runner's tick, every 180 s, that fetches Didit decisions for open sessions and records them as the agent identity.
Straight-through	A clean L1 change of address applied by the Case agent with no person step, only when every fence in Apex holds.
CoP	Pay.UK Confirmation of Payee. Not used in the proof.
FSC	Salesforce Financial Services Cloud.
MCP	Model Context Protocol. The hosted MCP server is Salesforce's; the aggregation server is our own.
USER_MODE	Apex database access that enforces the caller's sharing, object and field permissions.

A.2 Tool lists

SEAT	TOOLS
Desk page grant	`Wealth 360: W360Queue, W360Summary, W360CaseDetail, W360Rulebook, W360ClientSearch, W360ClientSnapshot, W360Insights, W360Colleagues, stage_decision, confirm_decision, log_request, create_followups, log_call, book_meeting, add_note, request_documents, reassign_case, attach_document, record_check; Wealth 360 Checks: screen_party, verify_payee, validate_address, verify_identity; sample (images)`

SEAT	TOOLS
Case agent (runner)	`W360CaseContext, W360Rulebook, W360ClientSnapshot, W360KycStatus, W360PayeeCheck, W360IncomingMatch, submit_step, draft_communication, propose_meeting, record_check; Read on the run's case files; local Checks: screen_party, verify_payee, verify_identity, validate_address, ledger`
Review agent (runner)	`W360CaseContext (as Review agent), W360Rulebook, W360ClientSnapshot, W360KycStatus, W360PayeeCheck, W360IncomingMatch, record_review; aggregation read and check tools`
Person's seat, Wealth 360 Checks	`screen_party, verify_payee, verify_identity, validate_address, ledger (own rows only)`
Identity poller (runner)	`local Checks: verify_identity; Wealth 360: record_check (no model)`
Never given to an agent	`stage_decision, confirm_decision, log_request, create_followups, log_call, book_meeting, add_note, request_documents, reassign_case, attach_document, W360Queue, W360CaseDetail, W360Summary, release`

A.3 Field lists

Generated from the org describe of BankingGPT on 28 October 2026; system fields omitted. Fields deployed later by the email build (`Auto_Send_Document_Requests__c`, `Communication_Type__c`, `Sent_At__c`, `Template_Data__c`), the case field `W360_Headline__c` (29 October) and the setting type `W360_Setting__mdt` are not in this snapshot.

Case: the 22 W360 fields 22 fields

API NAME	LABEL	TYPE
`W360_Agent_Confidence__c`	W360 Agent Confidence	percent
`W360_Decided_At__c`	W360 Decided At	date/time
`W360_Decided_By__c`	W360 Decided By	lookup to User
`W360_Decision_Note__c`	W360 Decision Note	long text (4,000)
`W360_Decision_Outcome__c`	W360 Decision	picklist: Approved, Amended, Rejected, Investigate
`W360_Evidence_Summary__c`	W360 Evidence Summary	long text (32,768)
`W360_Exception_Reason__c`	W360 Exception Reason	long text (4,000)
`W360_External_Id__c`	W360 External Id	text (80)
`W360_Human_Minutes__c`	W360 Human Minutes	number
`W360_Journey__c`	W360 Journey	text (80)
`W360_Level_Reason__c`	W360 Level Reason	text (255)
`W360_Owning_Team__c`	W360 Owning Team	text (80)
`W360_Proposed_Action__c`	W360 Proposed Action	long text (4,000)
`W360_Request_Received_At__c`	W360 Request Received At	date/time
`W360_Request_Text__c`	W360 Customer Request	long text (32,768)
`W360_Required_Level__c`	W360 Required Level	picklist: L1, L2, L3
`W360_Rework_Count__c`	W360 Rework Count	number
`W360_SLA_Due__c`	W360 SLA Due	date/time
`W360_Source_Channel__c`	W360 Source Channel	picklist: Email, Letter, Payment feed, Portal, Phone, Branch, Internal, Portal chat, Web form
`W360_Stage__c`	W360 Stage	picklist: Intake, Planning, Execution, Verification, Communications, Checker, Fulfilment, Closed
`W360_Staging_Id__c`	W360 Staging Id	text (18)
`W360_Status__c`	W360 Desk State	picklist: Working, Needs RM, Awaiting authorisation, Ready for review, Waiting on customer, Decided, Rejected, Closed

W360_Agent_Activity__c 19 fields

API NAME	LABEL	TYPE
`Actor_User__c`	Person	lookup to User
`Agent__c`	Actor	picklist: Case agent, Review agent, Person, System
`Case__c`	Case	lookup to Case
`Duration_Ms__c`	Duration (ms)	number
`Evidence_Quote__c`	Evidence Quote	long text (4,000)

API NAME	LABEL	TYPE
Evidence_Source__c	Evidence Source	text (255)
Evidence__c	Evidence	long text (32,768)
External_Id__c	W360 External Id	text (80)
Is_Human__c	By a person	checkbox
Model__c	Model	text (80)
Name	Activity	text (80)
Occurred_At__c	Occurred At	date/time
Outcome__c	Outcome	picklist: Completed, Passed, Exception, Rework, Failed, Decision
Run_Id__c	Run Id	text (64)
Stage__c	Stage	picklist: Intake, Planning, Execution, Verification, Communications, Checker, Fulfilment, Closed
Step__c	Step	text (120)
Summary__c	What happened	text (255)
Tokens__c	Tokens	number
Tools__c	Tools	text (255)

W360_Fulfilment_Instruction__c 22 fields

API NAME	LABEL	TYPE
Amount__c	Amount	currency
Body__c	Body	long text (32,768)
Case__c	Case	lookup to Case
Channel__c	Channel	picklist: Email, Letter, Portal
Destination_Bank_Account__c	Nominated Account	lookup to Other_Bank_Account__c
External_Id__c	W360 External Id	text (80)
Name	Instruction	text (80)
Payee_Account_Number__c	Payee Account Number	text (20)
Payee_Added_At__c	Payee Added At	date/time
Payee_Check_Detail__c	Payee Check Detail	long text (4,000)
Payee_Check_Result__c	Payee Check	picklist: Match, Close match, No match, Not checked
Payee_Name__c	Payee Name	text (140)
Payee_Sort_Code__c	Payee Sort Code	text (12)
Prepared_By__c	Prepared By	text (80)
Recipient__c	Recipient	text (255)
Released_At__c	Released At	date/time
Released_By__c	Released By	lookup to User
Source_Account__c	Source Account	lookup to FinServ__FinancialAccount__c
Staging_Id__c	Staging Id	text (18)
Status__c	Status	picklist: Prepared, Awaiting authorisation, Awaiting review, Released, Held, Cancelled
Subject__c	Subject	text (255)
Type__c	Type	picklist: Payment out, Allocation, Communication, Return to sender

W360_Incoming_Payment__c 19 fields

API NAME	LABEL	TYPE
Allocated_Account__c	Allocated Account	lookup to FinServ__FinancialAccount__c
Allocated_At__c	Approved At	date/time
Allocated_By__c	Approved By	lookup to User
Amount__c	Amount	currency
Best_Match_Account__c	Best Match Account	lookup to FinServ__FinancialAccount__c
Best_Match_Score__c	Best Match Score	percent
Candidates_JSON__c	Candidates	long text (32,768)
Case__c	Case	lookup to Case
External_Id__c	W360 External Id	text (80)
Match_Threshold__c	Match Threshold	percent
Name	Payment Reference	text (80)

API NAME	LABEL	TYPE
Raw_Advice__c	Credit Advice	long text (4,000)
Received_At__c	Received At	date/time
Reference__c	Bank Reference	text (140)
Remitter_Bank__c	Remitter Bank	text (80)
Remitter_Name__c	Remitter Name	text (140)
Status__c	Status	picklist: Held in suspense, Remittance requested, Allocation approved, Allocated, Return requested, Returned
Suspense_Account__c	Suspense Account	text (40)
Value_Date__c	Value Date	date

W360_Agent_Control__c 14 fields

API NAME	LABEL	TYPE
Agents_Enabled__c	Agents enabled	checkbox
Bereavement__c	Bereavement	checkbox
Change_Of_Details__c	Change of details	checkbox
Complaint__c	Complaint	checkbox
Max_Cases_Per_Run__c	Max cases per run	number
Max_Daily_Spend_USD__c	Max daily spend (USD)	number
Money_In__c	Money in	checkbox
Money_Out__c	Money out	checkbox
Name	Control Name	text (80)
Run_Now_Requested_At__c	Run now requested at	date/time
Sweep_Minutes__c	Sweep every (minutes)	number
Work_End__c	Work end	time
Work_Start__c	Work start	time
Working_Hours_Only__c	Working hours only	checkbox

W360_Agent_Run__c 13 fields

API NAME	LABEL	TYPE
Cases_Picked__c	Cases worked	number
Cost_USD__c	Cost (USD)	number
Duration_S__c	Duration (s)	number
Errors__c	Errors	number
Finished_At__c	Finished	date/time
Handoffs__c	Hand-offs	number
Log_Ref__c	Log	text (255)
Name	Run	text (80)
Started_At__c	Started	date/time
Status__c	Status	picklist: Running, Done, Skipped, Error
Steps_Written__c	Steps written	number
Summary__c	Summary	long text (32,768)
Trigger__c	Trigger	picklist: Sweep, Run now, Event

W360_Agent_Run_Case__c 9 fields

API NAME	LABEL	TYPE
Agent__c	Agent	picklist: Case agent, Review agent
Case__c	Case	lookup to Case
Cost_USD__c	Cost (USD)	number
Duration_S__c	Duration (s)	number
Name	Run Case	text (80)
Outcome__c	Outcome	picklist: Progressed, Handed off, No progress, Timed out, Error
Report__c	Agent report	long text (32,768)
Run__c	Run	lookup to W360_Agent_Run__c
Step__c	Step	text (80)

W360_Case_Signal__e 3 fields

API NAME	LABEL	TYPE
CaseId__c	Case Id	text (18)
Journey__c	Journey	text (80)
Reason__c	Reason	text (40)

W360_Journey__mdt 15 fields

API NAME	LABEL	TYPE
Active__c	Active	checkbox
Agent_May_Fulfil__c	Agent May Fulfil Without Person	checkbox
Default_Level__c	Default Level	picklist: L1, L2, L3
Desk_Icon__c	Desk Icon	text (20)
Desk_Order__c	Desk Order	number
Exception_Rules__c	Exception Rules	long text (8,000)
Journey_Name__c	Journey Name	text (120)
Match_Threshold__c	Match Threshold	percent
Owning_Team__c	Owning Team	text (80)
Proposed_Default_Action__c	Default Proposed Action	text (255)
Raise_To_L3_When__c	Raise To Level 3 When	long text (8,000)
Required_Documents__c	Required Documents	long text (8,000)
Review_Limit_Amount__c	Review Limit Amount	number
SLA_Days__c	SLA Working Days	number
SLA_Label__c	SLA Label	text (80)

W360_Journey_Step__mdt 10 fields

API NAME	LABEL	TYPE
Actor__c	Actor	picklist: Case agent, Review agent, Person
Description__c	Description	text (255)
Evidence_Required__c	Evidence Required	checkbox
Exception_Rule__c	Exception Rule	text (255)
Journey__c	Journey	lookup to W360_Journey__mdt
Mandatory__c	Mandatory	checkbox
Order__c	Order	number
Stage__c	Stage	picklist: Intake, Planning, Execution, Verification, Communications, Checker, Fulfilment
Step_Key__c	Step Key	text (80)
Tools__c	Tools	text (255)

A.4 Open decisions

DECISION	OPTIONS	LEAN
Agent identity licence	Integration licence plus permission set licences, or a full licence per identity	Full licence for production; it removes the KYC system-mode exception and the Event gap
Where agents run at scale	Bank's cloud account with the Agent SDK pattern, or a managed agent service	Bank's account for the pilot; review when retention terms allow
Ledger store	Postgres in the bank's account, or the bank's warehouse	Postgres first, replicated to the warehouse
Document reading	Managed ID model for identity documents, or the model for all documents	Managed ID model for IDs; the model for certificates and letters
Org CDC egress	Accept for fictional data, or exclude W360 records	Exclude before any real data

DECISION	OPTIONS	LEAN
Death life event	Add "Death" to the managed picklist, keep the unlisted value, or use PersonLifeEvent	Open
Straight-through scope	Keep it to the clean change of address, or extend it to other low-risk changes	Address only for the pilot; extend journey by journey with the risk owner
Dual approval threshold	Amount and journey per bank policy	Set with the pilot's risk owner

A.5 References

SOURCE	WHERE
Salesforce project, deploy plan	`wealth-360/poc/salesforce: README.md, DEPLOY-PLAN.md, force-app, manifest`
Aggregation server	`wealth-360/poc/aggregation: README.md, INTERFACE.md, PROVIDERS-RESEARCH.md`
Hosted checks server	`wealth-360/poc/aggregation/vercel; operator notes`
Agent runner	`wealth-360/runner: README.md, w360_runner.py, w360_listen.py, hooks/review_guard.py`
Plugin	`github.com/cowork-offering/wealth-360 (0.9.2 public; 0.11.0 in the repository; CHANGELOG.md, CONNECTORS.md)`
Blueprint and fit-gap	`wealth-360/mockup/blueprint.src.html; internal/fitgap/FITGAP-2026-10-26.md`
Operator steps	`Operator notes in the project folder (internal)`
Salesforce hosted MCP servers	`developer.salesforce.com/docs/platform/hosted-mcp-servers`
Salesforce Pub/Sub API	`developer.salesforce.com/docs/platform/pub-sub-api`
MCP specification and Apps	`modelcontextprotocol.io`
Claude Code plugins and artifacts	`code.claude.com/docs`
UK Sanctions List	`gov.uk/government/publications/the-uk-sanctions-list (Open Government Licence v3.0)`

Contains public sector information licensed under the Open Government Licence v3.0. Salesforce, Financial Services Cloud, Agentforce and Lightning are trademarks of Salesforce, Inc. Claude is a trademark of Anthropic. Plaid, Didit and Ideal Postcodes are trademarks of their owners.

B > Use case coverage

For each journey and channel: what runs on its own, who decides, what was proven live in the sandbox by 29 October 2026, and what is still demo-only.

"Proven live" means the agents worked a real case in the sandbox as the agent identity, through the runner, with the outside checks it names. "Partly" means some steps were proven live and the rest only seeded or tested in Apex. Step numbers are from `W360_Journey_Step__mdt`.

B.1 Journeys

Change of details

Proven live **YES**

Automated	Read the request and the proof of address, identify the client, compare with the record, validate the address, record the checks, open an identity verification session when identity is not on file, raise to L3 on a mismatch; on a clean L1 case, update the address, confirm it to the client and close the case.
Agents and steps	Case agent steps 10 to 50 (read request, identify customer, set journey, read evidence, compare record); Review agent step 60; Case agent steps 80 and 90 (request evidence, update or hold), after the decision or straight through.
External systems	Ideal Postcodes (validate_address), Didit (verify_identity session); W360ClientSnapshot, W360KycStatus; record_check to the KYC profile and timeline.
Where a person decides	Step 70, optional: the person decides on a name mismatch, evidence over 3 months old, a bank change in the last 90 days, or any failed straight-through fence; holds or accepts the address.
Demo cases	Storyboard 00001358 (Timothy Norton, bill in a household member's name); demo 00001364 (Priya Raman); straight through 00001373; handed to a person 00001372 and 00001374; throwaway 00001367 (outbound test).
Still demo-only	The email for 00001373 came through the deployed handler as a simulated email. Documents are read by the model from the case's files, not by a managed ID model. Name changes are out of the journey.

Money out

Proven live **YES**

Automated	Check the source account, the payee (age, details, name), KYC and screening; draft the confirmation; prepare the release.
Agents and steps	Case agent steps 10 to 60; Review agent step 70; Case agent steps 80 (draft confirmation) and 90 (prepare release); step 110 records the release after the decision.
External systems	Plaid sandbox (verify_payee, account-holder verification), UK Sanctions List (screen_party); W360PayeeCheck, W360KycStatus.
Where a person decides	Step 100: the release always waits for a person to authorise it; raised to L3 for an unverified payee, a recent bank change or vulnerability.
Demo cases	Storyboard 00001354; live 00001359 and 00001360 (both raised to L3); demo 00001362 (Eleanor Whitfield) and 00001366 (from email).
Still demo-only	Release moves no money: it records the authorisation in Salesforce; payment execution is the bank's platform. Plaid is not Pay.UK Confirmation of Payee.

Money in

Proven live **YES**

Automated	Parse the credit, search candidate accounts, score them in code against the 90% threshold, screen the remitter, keep the funds in suspense.
Agents and steps	Case agent steps 10 to 40; Review agent step 50; Case agent steps 70 and 80 after the decision (request remittance, hold unallocated).
External systems	UK Sanctions List (screen_party), Plaid sandbox (verify_payee on the remitting account); W360IncomingMatch.
Where a person decides	Step 60: below 90% or over the £25,000 review limit, the person allocates to a named account or opens an investigation; any screening hit goes to a person.
Demo cases	Storyboard 00001355 (68% match); demo 00001363 (93%, James Okafor) and 00001365 (93%, sanctions possible match).
Still demo-only	The payments feed is seeded: incoming credits are W360_Incoming_Payment__c records, not a live feed. Allocation records the decision; no ledger posting.

Bereavement

Proven live **YES**

Automated	Read the notification and the death certificate, find the deceased client and their accounts, record the death and put the accounts On Hold (fenced in Apex, W360DeathRecord), check the documents against those required (an executor's in-date ID on file counts), draft the letter or the document request, propose a one-to-one with the beneficiary.
Agents and steps	Case agent steps 10 to 80; Review agent step 90; Case agent steps 110 to 130 after the decision (send letter, book meeting, record outstanding).
External systems	Didit (executor identity) when the executor's identity is not on file; UK Sanctions List and Ideal Postcodes in the review; W360ClientSearch and W360ClientSnapshot for the deceased and their accounts.
Where a person decides	Step 100: always level 3. The person approves the letter and books the meeting slot; grant of probate and executor identity are mandatory.
Demo cases	Storyboard 00001356 (Estate of Richard Hale, executor Sophie Hale, four slots proposed); live 00001380 (Margaret Ellison, executor David Ellison), worked from email to a sent letter and a booked meeting. Earlier attempts 00001376 to 00001379 exposed the gaps fixed on 29 October and are closed.
Still demo-only	The email came through the deployed handler as a simulated email. On Hold is the account status in Salesforce; stopping standing orders is the bank's payments platform. Meeting slots are proposed by the agent, not read from Microsoft 365.

Complaint

Proven live **YES**

Automated	Read and classify the complaint, retrieve history, check the cause, draft the response (apology, cause, fix, referral rights).
Agents and steps	Case agent steps 10 to 40; Review agent step 50; Case agent step 60 (draft response) and step 80 (send response) after the decision.
External systems	None outside Salesforce.
Where a person decides	Step 70: the person reviews and approves the draft; L3 for vulnerability or regulator involvement.
Demo cases	Storyboard 00001357 (holding not updated, response ready for review, later released and emailed); live 00001375 (Eleanor Whitfield, £15,000 withdrawal not authorised), worked from email to an approved, emailed response.
Still demo-only	The email came through the deployed handler as a simulated email. The complaints register and FOS referral are not connected; the 8-week deadline is set on the case.

B.2 Channels and administration

Email intake

Proven live PARTLY

Automated	Route an inbound email to its case (reply tokens), to a new case for a known client, or to a person; check sender authenticity; set the journey by keyword rule or leave it for the Case agent; file the email and attachments; restart the agents on a reply to a case waiting on the customer.
Agents and steps	W360EmailIntake (no agent); then the Case agent classifies a blank journey as its first step.
External systems	Salesforce Email Service; outbound through the Wealth Servicing org-wide address.
Where a person decides	Unknown or ambiguous senders and unauthenticated emails go to a person at level 3; a reply to a case with a person stays with that person.
Demo cases	Demo 00001366 (James Okafor), 00001373 (Priya Raman, straight through), 00001375 (complaint, Eleanor Whitfield) and 00001380 (bereavement with two attachments, David Ellison), all simulated through the handler; outbound test 00001367.
Still demo-only	Only simulated emails have reached the handler; the first real inbound email over SMTP (and the Gmail forward of a short address) is pending. Agent auto-send to allowlisted addresses and a person's release to the client's email on record are live; delivery to Accenture addresses through Proofpoint is unproven.

Agent administration

Proven live YES

Automated	Pause and resume, Run now, sweep interval, working hours, journey switches, case and spend limits, the auto-send switch; the run log and audit.
Agents and steps	No agent; the runner reads the control record every minute and logs every run.
External systems	None outside Salesforce.
Where a person decides	Holders of W360_Agent_Admin change the control record; field history is on.
Demo cases	All runs on 28 October (RUN-000000 to RUN-000040 and later).
Still demo-only	One runner host, one control record for the whole org.

B.3 The storyboard against the evidence

The demo storyboard is one relationship manager's morning across five cases. Each beat below is mapped to what exists in the sandbox.

STORYBOARD BEAT	SEEDED CASE AND STATE	LIVE EVIDENCE	STATUS
Five cases on the desk	00001354 to 00001358, one per journey	Desk and W360Queue read them live through the connector	YES
Exception: change of details	00001358, Needs RM, L3	00001364 raised to L3 live (address held, identity link proposed)	YES
Exception: money in	00001355, Needs RM, L3 (68%)	00001365 raised to L3 live on a sanctions possible match; 00001363 to the checker at 93%	YES
Exception: bereavement	00001356, Needs RM, L3	00001380 worked live from email; death recorded, accounts on hold, letter for approval	YES
Money out awaits authorisation	00001354, Awaiting authorisation, L2	00001362 and 00001366 reached Awaiting authorisation live (figures 11.2, 11.3)	YES

STORYBOARD BEAT	SEEDED CASE AND STATE	LIVE EVIDENCE	STATUS
Complaint is a draft for review	00001357, Ready for review, L2	00001375 reached Ready for review live after one rework by the Review agent	YES
Bereavement proposes a one-to-one with the beneficiary	00001356, meeting proposed with four slots	00001380: the agent proposed three slots, the person picked one, the meeting was confirmed with the executor as the contact	YES
Decisions staged, shown verbatim, confirmed by name	All five	stage_decision and confirm_decision live; outbound email sent on a release (00001367)	YES
Stage 6 summary	Desk summary and daily-summary skill	W360Summary reads cases progressed, agent tasks, decisions, the person's time, items waiting, errors and rework	YES

B.4 **Demo review, 29 October**

Improvements raised in the demo review on 29 October, and where each stands.

IMPROVEMENT	WHAT IT MEANS	STATUS
Bereavement as a working use case in the film	Run a bereavement live, end to end, and add it to the walkthrough	DONE 00001380, film v4 (use case 9)
Completed cases, visible at a glance	A counter for cases the agents resolved on their own, so autonomous resolution is visible on the desk without digging	DONE Completed counter and column, plugin 0.12.0
Make the agents more prominent	Show more clearly what the agents did and achieved in the demo flow	DONE "By agents alone" on the desk; film shows each step live
Sanctions screen shows the wrong name	Henry Lockwood's sanctions case shows a wrong name on the screen	DONE the screening opens with the remitter, Victor Bondarev
"Unmatched payment" label	The label on the money in card does not fit a credit the agents matched	DONE cards are named after the remitter
Update the plugin	The installed plugin is older than the repository; the new version sends the identity check email by itself	DONE 0.12.0 published; update it in Claude
Admin access to the innovation org	A reviewer needs an account to demo Wealth 360 on their own	OPEN Salesforce admin, handled by the build lead
A user guide for the demo	A walkthrough document for presenters, built from the final use cases and the film	DONE User Guide 1.0, cowork-offering.github.io/wealth-360