

Start with the Server

A standard rackmount server hosts the connection.



SERVER
2U rackmount host



SAS HBA CARD
Installed in a PCIe slot



SAS CABLE
External SFF-8088 cable



LTO LIBRARY
Tape storage & drives

Add a SAS HBA Card

The HBA installs into a PCIe slot inside the server.



SERVER

2U rackmount host



SAS HBA CARD

Installed in a PCIe slot



SAS CABLE

External SFF-8088 cable



LTO LIBRARY

Tape storage & drives

Connect a SAS Cable

An external SAS cable runs from the HBA's port to the library.



SERVER

2U rackmount host



SAS HBA CARD

Installed in a PCIe slot



SAS CABLE

External SFF-8088 cable



LTO LIBRARY

Tape storage & drives

Attach the LTO Library

The cable plugs into the library, completing the physical link.



SERVER

2U rackmount host



SAS HBA CARD

Installed in a PCIe slot



SAS CABLE

External SFF-8088 cable



LTO LIBRARY

Tape storage & drives



BUILT TO SCALE



Expands From 2U to a Full 42U Rack

The same architecture scales from a single compact library to enterprise-class capacity.



ENTRY LIBRARY

Compact single-module unit



MID-CAPACITY LIBRARY

Stacked / modular expansion



42U FULL RACK

Enterprise-scale tape storage