02 LINE INPUT, GAIN

File: strip_sheets/02_line_input.kicad_sch

03 HPF, INSERT POSITION JUMPERS

File: strip_sheets/03_hpf.kicad_sch

04 EQ

File: strip_sheets/04_eq.kicad_sch

05 EQ MID TUNING

File: strip_sheets/05_eq_mid_tuning.kicad_sch

06 EQ MID TUNING, EQ IN

File: strip_sheets/06_eq_mid_tuning.kicad_sch

07 INSERT, OVERLOAD DETECTOR

File: strip_sheets/07_insert.kicad_sch

08 PFL, ON-SOFT MUTE

File: strip_sheets/08_pfl.kicad_sch

09 FADER + POST-AMP

File: strip_sheets/09_fader_post_amp.kicad_sch

10 AUX SENDS, DIRECT OUT

File: strip_sheets/10_aux_sends.kicad_sch

11 PAN + PAN BUFFERS, PAN SWITCH, ROUTING MATRIX

File: strip_sheets/11_pan_pan_buffers.kicad_sch

12 ROUTING MATRIX

File: strip_sheets/12_routing_matrix.kicad_sch

13 ROUTING MATRIX

File: strip_sheets/13_routing_matrix.kicad_sch

14 POWER ENTRY

File: strip_sheets/14_power_entry.kicad_sch

15 POWER ENTRY, MOTHERLOOM

File: strip_sheets/15_power_entry.kicad_sch


A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3


Sheet: /
File: channel_strip.kicad_sch

**Title: Channel strip — goa console**


| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 1/15 |

LINE INPUT — buffered ground-compensated receiver (inverting), Ø switch  SW15: latched = phase reversed




GAIN  −15..+15 dB, 0 dB at the detent (inverting; pot pin 3 = CW = input end)





A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**

Sheet: /02 LINE INPUT, GAIN/
File: 02_line_input.kicad_sch


**Title: LINE INPUT, GAIN**

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 2/15 |

HPF  sweepable 21–403 Hz, state-variable (KHN) high-pass, Q 0.707  SW11: latched = HPF in, else HIN




INSERT POSITION JUMPERS  1–2 = insert post-EQ (default);  2–3 on all three = insert pre-EQ





A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**

Sheet: /03 HPF, INSERT POSITION JUMPERS/
File: 03_hpf.kicad_sch

**Title: HPF, INSERT POSITION JUMPERS**

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 3/15 |

EQ  Delta ED3344A/ED3151 values: HF shelf (U5B), HI-MID (U6A), LO-MID (U6B), LF (U7A); CW = boost




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**


Sheet: /04 EQ/
File: 04_eq.kicad_sch

***Title: EQ***

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 4/15 |

# EQ MID TUNING  KHN band-pass per mid band: summer (10K x3, BP via 2K2/10K), two integrators, A10K dual

HI-MID BAND-PASS (KHN), RV12 HI-MID FREQ: A10K dual, CW = higher




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**


Sheet: /05 EQ MID TUNING/
File: 05_eq_mid_tuning.kicad_sch

***Title: EQ MID TUNING***

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 5/15 |

## EQ MID TUNING (cont.)

LO-MID BAND-PASS (KHN), RV14 LO-MID FREQ: A10K dual, CW = higher




## EQ IN SW12: latched = EQ in (unlatched = bypass from the EQ input); green EQ LED





A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**

Sheet: /06 EQ MID TUNING, EQ IN/
File: 06_eq_mid_tuning.kicad_sch


***Title: EQ MID TUNING, EQ IN***

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 6/15 |

## INSERT (send = tip, return = ring, ring normalled to send) + return buffer




## OVERLOAD DETECTOR (~+18 dBu, ~150 ms hold)





A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**

Sheet: /07 INSERT, OVERLOAD DETECTOR/
File: 07_insert.kicad_sch


***Title: INSERT, OVERLOAD DETECTOR***

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 7/15 |

PFL (pre-fade)  SW3: A-B = ON




ON / SOFT MUTE (2x J112 shunt, ~20 ms ramp)  SW4: latched = channel ON, green LED





A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**

Sheet: /08 PFL, ON-SOFT MUTE/
File: 08_pfl.kicad_sch

**Title: PFL, ON-SOFT MUTE**

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 8/15 |

FADER + POST-AMP (+10 dB; omit R38 for unity)  JP1 = VCA bypass




VCA module option (DNP): J3, J4, R44; JP1 bridged without it


A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**

Sheet: /09 FADER + POST-AMP/
File: 09_fader_post_amp.kicad_sch


***Title: FADER + POST-AMP***

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 9/15 |

AUX SENDS  PRE switch per pair (latched = pre); jumpers 1–2 = pre-fader after ON, 2–3 = pre-EQ.  SW13 DIR: aux 6 pot -> direct out




DIRECT OUT  (level = aux 6 pot when DIR is latched; impedance-balanced TRS)





A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**

Sheet: /10 AUX SENDS, DIRECT OUT/
File: 10_aux_sends.kicad_sch


**Title: AUX SENDS, DIRECT OUT**

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 10/15 |


PAN + PAN BUFFERS (AC-coupled outputs)




PAN SWITCH  SW14: latched = subgroups panned; unlatched = subgroups get POST, unpanned (MIX always panned)




ROUTING MATRIX  4K7 summing; DG413 at the bus end: assigned = bus, off = AGND. PVA2: pole A logic, pole B LED




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**


Sheet: /11 PAN + PAN BUFFERS, PAN SWITCH, ROUTING MATRIX/
File: 11_pan_pan_buffers.kicad_sch

**Title: PAN + PAN BUFFERS, PAN SWITCH, ROUTING MATRIX**


| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 11/15 |

# ROUTING MATRIX (cont.)

## ASSIGN MIXL/MIXR




## ASSIGN SUB1–SUB2




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**


Sheet: /12 ROUTING MATRIX/
File: 12_routing_matrix.kicad_sch

**Title: ROUTING MATRIX**

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 12/15 |

## ROUTING MATRIX (cont.)

### ASSIGN SUB3–SUB4





A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**


Sheet: /13 ROUTING MATRIX/
File: 13_routing_matrix.kicad_sch

***Title: ROUTING MATRIX***

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 13/15 |

## POWER ENTRY, LOGIC SUPPLY, GROUNDS, DECOUPLING








A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**

Sheet: /14 POWER ENTRY/
File: 14_power_entry.kicad_sch


**Title: POWER ENTRY**

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 14/15 |

## POWER ENTRY, LOGIC SUPPLY, GROUNDS, DECOUPLING (cont.)




## MOTHERLOOM  (Delta pinout; one header, crimped socket on a daisy-chained ribbon)




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v4.3
**Channel strip — goa console**

Sheet: /15 POWER ENTRY, MOTHERLOOM/
File: 15_power_entry.kicad_sch

**Title: POWER ENTRY, MOTHERLOOM**

| Size: A4 | Date: 2026-10-19 | **Rev: 4.3** |
|---|---|---|
| KiCad E.D.A. 10.0.7 | | Id: 15/15 |