02 JACK LINK CLAMPS, LINE INPUT

File: strip_sheets/02_jack_link_clamps.kicad_sch

03 GAIN

File: strip_sheets/03_gain.kicad_sch

04 HPF, INSERT POSITION JUMPERS

File: strip_sheets/04_hpf.kicad_sch

05 EQ

File: strip_sheets/05_eq.kicad_sch

06 EQ MID TUNING

File: strip_sheets/06_eq_mid_tuning.kicad_sch

07 EQ MID TUNING, EQ IN

File: strip_sheets/07_eq_mid_tuning.kicad_sch

08 INSERT

File: strip_sheets/08_insert.kicad_sch

09 OVERLOAD DETECTOR

File: strip_sheets/09_overload_detector.kicad_sch

10 OVERLOAD DETECTOR, PFL

File: strip_sheets/10_overload_detector.kicad_sch

11 ON-SOFT MUTE

File: strip_sheets/11_on_soft_mute.kicad_sch

12 FADER + POST-AMP

File: strip_sheets/12_fader_post_amp.kicad_sch

13 AUX SENDS, DIRECT OUT

File: strip_sheets/13_aux_sends.kicad_sch

14 PAN + PAN BUFFERS, PAN SWITCH, ROUTING MATRIX

File: strip_sheets/14_pan_pan_buffers.kicad_sch

15 ROUTING MATRIX

File: strip_sheets/15_routing_matrix.kicad_sch

16 ROUTING MATRIX

File: strip_sheets/16_routing_matrix.kicad_sch

17 POWER ENTRY

File: strip_sheets/17_power_entry.kicad_sch

18 POWER ENTRY, MOTHERLOOM

File: strip_sheets/18_power_entry.kicad_sch


A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3

Sheet: /
File: channel_strip.kicad_sch


Title: Channel strip — goa console


Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 1/18

JACK LINK CLAMPS: a BAV199 to the audio rails on every jack signal at CN3 (CS4)



LINE INPUT — buffered ground-compensated receiver (inverting), Ø switch SW15: latched = phase reversed






A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /02 JACK LINK CLAMPS, LINE INPUT/
File: 02_jack_link_clamps.kicad_sch

Title: JACK LINK CLAMPS, LINE INPUT

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 2/18

GAIN −15..+15 dB, 0 dB at the detent (inverting; pot pin 3 = CW = input end)




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /03 GAIN/
File: 03_gain.kicad_sch


Title: GAIN

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 3/18

HPF sweepable 21–403 Hz, state-variable (KHN) high-pass, Q 0.707 SW11: latched = HPF in, else HIN



INSERT POSITION JUMPERS 1–2 = insert post-EQ (default); 2–3 on all three = insert pre-EQ




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /04 HPF, INSERT POSITION JUMPERS/
File: 04_hpf.kicad_sch

Title: HPF, INSERT POSITION JUMPERS

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 4/18

EQ Delta ED3344A/ED3151 values: HF shelf (U5B), HI-MID (U6A), LO-MID (U6B), LF (U7A); CW = boost



A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console


Sheet: /05 EQ/
File: 05_eq.kicad_sch

Title: EQ

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 5/18

EQ MID TUNING KHN band-pass per mid band: summer (10K x3, BP via 2K2/10K), two integrators, A10K dual

HI-MID BAND-PASS (KHN), RV12 HI-MID FREQ: A10K dual, CW = higher



A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console


Sheet: /06 EQ MID TUNING/
File: 06_eq_mid_tuning.kicad_sch

Title: EQ MID TUNING

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 6/18

EQ MID TUNING (cont.)

LO-MID BAND-PASS (KHN), RV14 LO-MID FREQ: A10K dual, CW = higher



EQ IN SW12: latched = EQ in (unlatched = bypass from the EQ input); green EQ LED




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /07 EQ MID TUNING, EQ IN/
File: 07_eq_mid_tuning.kicad_sch

Title: EQ MID TUNING, EQ IN

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 7/18

INSERT (send = tip, return = ring, ring normalled to send) + return buffer




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /08 INSERT/
File: 08_insert.kicad_sch

Title: INSERT

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 8/18

OVERLOAD DETECTOR (~+18 dBu, ~150 ms hold) + SIGNAL (~−20 dBu): one red / green LED




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /09 OVERLOAD DETECTOR/
File: 09_overload_detector.kicad_sch


Title: OVERLOAD DETECTOR

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 9/18

OVERLOAD DETECTOR (~+18 dBu, ~150 ms hold) + SIGNAL (~−20 dBu): one red / green LED (cont.)



PFL (pre−fade) SW3: A−B = ON




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /10 OVERLOAD DETECTOR, PFL/
File: 10_overload_detector.kicad_sch

Title: OVERLOAD DETECTOR, PFL

Size: A4	Date: 2026−10−19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 10/18

ON / SOFT MUTE (2x J112 shunt, ~20 ms ramp) SW4: latched = channel ON, green LED




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /11 ON–SOFT MUTE/
File: 11_on_soft_mute.kicad_sch

Title: ON–SOFT MUTE

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 11/18

FADER + POST–AMP (+10 dB; omit R38 for unity) JP1 = VCA bypass




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /12 FADER + POST–AMP/
File: 12_fader_post_amp.kicad_sch


Title: FADER + POST–AMP

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 12/18

AUX SENDS PRE switch per pair (latched = pre); jumpers 1–2 = pre-fader after ON, 2–3 = pre-EQ. SW13 DIR: aux 6 pot -> direct out



DIRECT OUT (level = aux 6 pot when DIR is latched; impedance-balanced TRS)




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /13 AUX SENDS, DIRECT OUT/
File: 13_aux_sends.kicad_sch


Title: AUX SENDS, DIRECT OUT

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 13/18


PAN + PAN BUFFERS (AC-coupled outputs)



PAN SWITCH SW14: latched = subgroups panned; unlatched = subgroups get POST, unpanned (MIX always panned)



ROUTING MATRIX 4K7 summing; DG413 at the bus end: assigned = bus, off = AGND. PVA2: pole A logic, pole B LED



A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console


Sheet: /14 PAN + PAN BUFFERS, PAN SWITCH, ROUTING MATRIX/
File: 14_pan_pan_buffers.kicad_sch

Title: PAN + PAN BUFFERS, PAN SWITCH, ROUTING MATRIX


Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 14/18

ROUTING MATRIX (cont.)

ASSIGN MIXL/MIXR



ASSIGN SUB1–SUB2



A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console


Sheet: /15 ROUTING MATRIX/
File: 15_routing_matrix.kicad_sch

Title: ROUTING MATRIX

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 15/18

ROUTING MATRIX (cont.)

ASSIGN SUB3–SUB4




A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console


Sheet: /16 ROUTING MATRIX/
File: 16_routing_matrix.kicad_sch


Title: ROUTING MATRIX

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 16/18

POWER ENTRY, LOGIC SUPPLY, GROUNDS, DECOUPLING








A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /17 POWER ENTRY/
File: 17_power_entry.kicad_sch


Title: POWER ENTRY

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 17/18

POWER ENTRY, LOGIC SUPPLY, GROUNDS, DECOUPLING (cont.)



MOTHERLOOM (Delta pinout; one header, crimped socket on a daisy-chained ribbon)



A Delta Theatre input without the mic stage
Drawn by tools/strip_draw.py; labels join the blocks
Generated from channel_strip_schematic_spec.md v5.3
Channel strip — goa console

Sheet: /18 POWER ENTRY, MOTHERLOOM/
File: 18_power_entry.kicad_sch

Title: POWER ENTRY, MOTHERLOOM

Size: A4	Date: 2026-10-19	**Rev: 5.3**
KiCad E.D.A. 10.0.7		Id: 18/18