

# Cucumber Report

29-Mar-2025, 11:26:42 AM

*Start : Mar 29, 11:26:30.030 AM*

*End : Mar 29, 11:26:41.453 AM*

*Duration : 11.423 s*

*Features*

*Scenarios*

*Steps*


*PASSED - 1*  
*FAILED - 0*  
*SKIPPED - 0*

*PASSED - 1*  
*FAILED - 0*  
*SKIPPED - 0*

*PASSED - 4*  
*FAILED - 0*  
*SKIPPED - 0*



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get the data from supermarket</u>	11.423 s	1	1	0	0	4	4	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	1	1	0	0	11.423 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	<u>Get all the super market search details</u>	4	4	0	0	11.420 s

Get the data from supermarket

PASSED	DURATION - 11.423 s	Scenarios		Steps	
/ 11:26:30.030 AM // 11:26:41.453 AM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Get all the super market search details

PASSED	DURATION - 11.420 s		Steps	
/ 11:26:30.033 AM // 11:26:41.453 AM /			Total - 4	
Get the data from supermarket			Pass - 4	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Send a GET request to the search endpoint	PASSED	11.403 s
2	When I get a response from the server	PASSED	0.004 s
3	Then The Response should contain the status code	PASSED	0.001 s
4	And Then Validate the status body	PASSED	0.000 s