

# Cucumber Report

11 Dec 2024, 11:44:42 pm

Start : Dec 11, 11:44:42.198 pm

End : Dec 11, 11:44:42.209 pm

Duration : 0.011 s

Features

Scenarios

Steps


PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 4  
FAILED - 0  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get the data from supermarket</u>	0.011 s	1	1	0	0	4	4	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	1	1	0	0	0.011 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	<u>Get all the super market search details</u>	4	4	0	0	0.009 s

## Get the data from supermarket

<b>PASSED</b>	DURATION - 0.011 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:44:42.198 pm // 11:44:42.209 pm /					

## Get all the super market search details

<div>PASSED</div>	<div>DURATION - 0.009 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:44:42.200 pm // 11:44:42.209 pm /				
Get the data from supermarket				

#	Step / Hook Details	Status	Duration
1	Given Send a GET request to the search endpoint	PASSED	0.002 s
2	When I get a response from the server	PASSED	0.000 s
3	Then The Response should contain the status code	PASSED	0.001 s
4	And Then Validate the status body	PASSED	0.001 s