

# Cucumber Report

27-Mar-2025, 4:01:33 PM

Start : Mar 27, 4:01:19.649 PM

End : Mar 27, 4:01:33.432 PM

Duration : 13.783 s

Features


Scenarios

Steps


PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 4  
FAILED - 0  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get the data from supermarket</u>	13.783 s	1	1	0	0	4	4	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	1	1	0	0	13.783 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	<u>Get all the super market search details</u>	4	4	0	0	13.780 s

## Get the data from supermarket

<b>PASSED</b>	DURATION - 13.783 s	Scenarios		Steps	
/ 4:01:19.649 PM // 4:01:33.432 PM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Get all the super market search details

<b>PASSED</b>		DURATION - 13.780 s		<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div> <div><div>4</div></div>
/ 4:01:19.652 PM // 4:01:33.432 PM /				
Get the data from supermarket				

1	2	3	4
---	---	---	---

10	5	0
----	---	---

#	Step / Hook Details	Status	Duration
1	Given Send a GET request to the search endpoint	PASSED	13.762 s
2	When I get a response from the server	PASSED	0.004 s
3	Then The Response should contain the status code	PASSED	0.000 s
4	And Then Validate the status body	PASSED	0.000 s