

Cucumber Report

04-Oct-2024, 7:02:20 pm

Start : Oct 04, 7:02:07.647 pm

End : Oct 04, 7:02:20.506 pm

Duration : 12.859 s

Features


Scenarios

Steps


PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 4
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get the data from supermarket</u>	12.859 s	1	1	0	0	4	4	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	1	1	0	0	12.859 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	<u>Get all the super market search details</u>	4	4	0	0	12.857 s

Get the data from supermarket

PASSED	DURATION - 12.859 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:02:07.647 pm // 7:02:20.506 pm /					

Get all the super market search details

PASSED	DURATION - 12.857 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:02:07.649 pm // 7:02:20.506 pm /				
Get the data from supermarket				

#	Step / Hook Details	Status	Duration
1	Given Send a GET request to the search endpoint	PASSED	12.847 s
2	When I get a response from the server	PASSED	0.002 s
3	Then The Response should contain the status code	PASSED	0.001 s
4	And Then Validate the status body	PASSED	0.000 s